

Types and related specimens of Cerambycidae and Disteniidae (Coleoptera) in the Museo Argentino de Ciencias Naturales «Bernardino Rivadavia», Buenos Aires, Argentina¹

Axel O. BACHMANN¹ & Osvaldo R. DI IORIO²

¹ División Entomología, Museo Argentino de Ciencias Naturales «Bernardino Rivadavia», Av. A. Gallardo 470, C1405DJR Buenos Aires, Argentina. ² Entomología, Departamento de Ciencias Biológicas, Facultad de Ciencias Exactas y Naturales, 4^{to} Piso, Pabellón II, (1428) Ciudad Universitaria, Buenos Aires, Argentina.

Abstract: The type specimens and related specimens of the families Cerambycidae and Disteniidae (Coleoptera) deposited in the Museo Argentino de Ciencias Naturales «Bernardino Rivadavia» (Buenos Aires) are listed. Two lists are added: of type specimens mentioned as deposited in the Museum, but not found there, and of specimens labelled as types but not mentioned in the original descriptions. Specific names are alphabetically entered. All labels of the type specimens are transcribed and described. The following specimens are also recorded: specimens labelled as types deposited in other institutions; specimens not labelled as types but whose locality and other data agree with the original descriptions; specimens without type labels and localities (coll. Burmeister) or without type labels (coll. Bruch) whose typical condition is unknown or uncertain. The bibliographical references include type localities, number of specimens mentioned, collection dates, name of collectors, and the sex when stated. Nomenclatural changes (synonymies, new combinations) are also included. *Neoclytus aulai* Bruch, 1911 is transferred to *Mecometopus* Thomson, 1860.

Key words: Coleoptera, Cerambycidae, type specimens, Museum collections, Argentina.

The collection of the Entomological Division at the Museo Argentino de Ciencias Naturales «Bernardino Rivadavia», Buenos Aires, is one of the oldest and the largest in Argentina. It was started by Hermann Burmeister in 1862, and continued thereafter by Carlos Berg, Juan Brèthes, Angel Gallardo, Carlos Bruch (Gemignani, 1939), Manuel Viana and Axel Bachmann. The entomological collection comprises a general collection, including the personal ones of Axel Bachmann, Everard Blanchard, Fernando Bourquin, Adolfo Breyer, Juan Brèthes, Arturo Frers, Eugenio Giacomelli, Félix Lynch Arribálzaga, Antonio Martínez (only holotypes and allotypes), José Pastrana, Gloraldo Pellerano, Augusto Pirán, and other minor collections. The collections of Hermann Burmeister, Carlos Berg (in part), and Carlos Bruch were kept in their original condition. Since 1983, Axel Bachmann started registering the type specimens deposited in the collections. The types belonging to species of Coleoptera are all registered, but only partially published (only Hydrophiloidea).

In the case of name-bearing types, the following criteria were adopted: if only one specimen was mentioned in the original description it is the

holotypus; if there are several specimens (mentioned or not in the original description) they are *syntypi*; if one *typus* + several *cotypi* were mentioned, the *typus* is the *holotypus* and the *cotypi* are *paratypi*; if several *typi* exist, they are *syntypi*; if several *typi* + several *cotypi* were mentioned, the *typi* are *syntypi* and the *cotypi* are *paratypi*; if only *cotypi* were mentioned, they are *syntypi*. If the original author did not mention how many specimens he used and only one is in the collection, this is considered as a Syntype, eventually "Sole Syntype" (ICZN, Rec. 73F). The original names are entered, followed by the current systematic position (subfamily and tribe), following Monné & Giesbert (1995). The type localities, as mentioned in the original publications, are recorded; details are added in square brackets [] that allow the correct identification (amount of specimens, sex, dates, collector, place where they were deposited). Under *material examined* (ME), the specimens actually housed in the Museum are mentioned, copying and describing their labels. Lines on the labels are separated by a bar (/), anverse and reverse by a double bar (//). Under *further specimens* the following are mentioned: first, further specimens of the typical series

¹ In memoriam: Hermann Burmeister, Carlos Berg, Carlos Bruch, Juan Bosq and Manuel J. Viana.

housed in other institutions, as mentioned by later revisors and/or taken from published type lists (Zikán & Wygodzinsky, 1948; Cabrera & Fernandez, 2000; Julio *et al.*, 2001); second, those specimens not labelled as types, but whose locality and other data agree with the original descriptions, and put after those labelled as types in the entomological boxes or drawers, but whose type condition is unknown or doubtful, as the total amount was not originally mentioned; third, specimens without original locality and type labels (coll. Burmeister) or without a type-label (coll. Bruch), whose relationship to the typical series is unknown or uncertain. Burmeister almost never mentioned the amount of specimens seen, but mentioned all the localities, and did not use type labels. The specimens which follow the labelled ones may or may not pertain to the original series, may come or not from the same localities, or may have been put in the drawer later by Burmeister or by Berg.

The valid name is mentioned beneath (in the case of synonymies), together with the author of the synonymy, as well as further new combinations and their authors. Some references with mentions of species of Cerambycidae by their synonymies are also included. In a few cases bibliographical sources were not seen, so the last reference mentioning the synonymy or the new combination was used (Monné & Giesbert, 1995). Some names have a long and/or complex nomenclatural history, e.g. those of some Compsocerini; for these only the most important references are mentioned.

In several cases of type specimens in the Bruch collection some data of the original descriptions do not agree with the labels: 1) the date in the description is slightly different, e.g. 10-VIII-1895 vs. 10.12.1895; 2) the locality given in the description is more restricted than that on the label, e.g. Tafí Viejo vs. Tucumán; 3) the locality on the label differs from that in the description, here treated as mislabellings (specially in some Clytini, see Di Iorio, 1995b); 4) the collector's name is given in the description, while the printed label bears Bruch's name only.

The present contribution comprises a list of specimens of the families Cerambycidae and Disteniidae (Coleoptera), ordered in the following manner:

I. Specimens labelled as types that agree with the dates of the original descriptions (ME) and further specimens.

II. Type specimens not found but mentioned as housed at the MACN.

III. Specimens labelled as types but not mentioned in the original descriptions.

Acronyms of collections and/or institutions (in parentheses, the collections deposited in them, as mentioned in publications):

AM, Antonio Martínez coll. (only Cerambycidae, now ODI).

BMNH, The Natural History Museum, London, Great Britain.

CB, Carlos Bruch coll. (at the MACN, in part, see MLP).

CS, Campos Seabra coll. (at the Museu Nacional, Rio de Janeiro, Brazil: coll. Bosq).

EEAT, Estación Experimental Agrícola de Tucumán, Argentina.

FAHC, Facultad de Humanidades y Ciencias, Montevideo, Uruguay (now Facultad de Ciencias).

HB, Hermann Burmeister coll. (at the MACN).

IEEA, Instituto de Ecología e Experimentação Agrícolas, Rio de Janeiro, Brazil (coll. Melzer, now in the MZSP).

MACN, Museo Argentino de Ciencias Naturales 'Bernardino Rivadavia', Buenos Aires.

MLP, Museo de La Plata, La Plata, Argentina (coll. Berg in part, coll. Bruch in part).

MNHN, Muséum National d'Histoire Naturelle, Paris, France (coll. Gounelle).

MNRJ, Museu Nacional, Rio de Janeiro, Brazil (coll. Bosq).

MZSP, Museu de Zoologia, Universidade de São Paulo, São Paulo, Brazil (coll. Richard von Düringshofen).

ODI, Osvaldo Di Iorio, Buenos Aires, Argentina.

SMNH, Museum of Natural History, Stockholm, Sweden (coll. Aurivillius).

I. Specimens labelled as types that agree with dates of original descriptions (ME) and further specimens.

adustus Burmeister, 1865. *Ptericoptus* [Lamiinae: Apomecynini]

Type-locality: Argentina: Tucumán province (Burmeister, 1865: 169-170).

ME: 1 Synt. (HB), "Tucuman" [printed in black on green paper]; "551" [printed in black on whitish paper], "Ptericoptus / adustus / Burmeister 1865 / Typus" [handwritten by A. Bachmann on red paper].

Recorded as *Bisaltes* (*Bisaltes*) *adustus* (Burmeister, 1865): Monné & Giesbert, 1995: 192 [cat.].

adustus Burmeister, 1865. *Pteroplatus* [Cerambycinae: Pteroplatiini]

Type-locality: Argentina: Santa Fe province (Rosario) [perhaps = *P. lycoides* Dejean, Cat.: 346] (Burmeister, 1865: 165).

ME: 1 Synt. (HB), "Rosario" [printed in black on green paper], "519" [printed on whitish paper], "Photo / Bruch" [handwritten by Bruch on pink paper], "Pteroplatus / adustus / Burmeister 1865 / Typus" [handwritten by A.O. Bachmann on red paper].

aenescens Burmeister, 1865. *Brachyrhopala* [Cerambycinae: Rhopalophorini]

Type-locality: "Banda Oriental" [Uruguay] (Burmeister, 1865: 172).

ME: 1 Synt. (HB), "Banda / orient." [printed in black on green paper], "Brachyrhopala / *aenescens* / Burmeister 1865 / Typus" [handwritten by A. Bachmann on red paper].

= *Ischionodonta platensis* Chevrolat, 1857: *fide* Di Iorio, 2001.

albigena Burmeister, 1865. *Compsosoma* [Lamiinae: Compsosomatini]

Type-localities: Argentina: Buenos Aires and Santiago del Estero provinces (Burmeister, 1865: 179).

ME: 1 Synt. (HB), "Buen. / Ayres" [printed in black on green paper]; 1 Synt. (HB), "Santiag. / d. Est." [printed in black on green paper], "547" [printed in black on whitish paper]; both specimens with "*Compsosoma / albigena* / Burmeister 1865 / Syntypus" [handwritten by A. Bachmann on red paper].

Compsosoma albigena: Weyenberg, 1878: 60 [distr.].

= *Compsosoma quadriplagiatum* Boheman, 1859: Berg, 1886 [synonymy].

Recorded as *Aerenea quadriplagiata* (Boheman, 1859) by Aurivillius, 1923 [comb. nov.].

albocincta Melzer, 1932. *Estola* [Lamiinae: Desmiphorini]

Type-locality: São Paulo State (Amparo) [leg. Reckl]; Minas Gerais State (Arassuahy) [leg. Thieman]; Goyaz State (Jatahy) [type in coll. Bruch]; Paraguay: S. Trinidad, Villarrica [cotypes in coll. Melzer] (Melzer, 1932: 217-218).

ME: Holot. (CB), "Brésil / Et. de Goyaz / Jatahy" [printed on white paper], "Typus" [handwritten by Bruch on pale green paper], "Estola / *albocincta* / Melz." [handwritten by Bruch on white paper], "Typus" [handwritten by Melzer? on white paper], "Estola / *albocincta* Melz." [handwritten by Melzer? on white paper, cut]; 1 Parat. (CB), "Paraguay / Sa. Trinidad / III.1915" [printed on white paper with date handwritten], "Cotypus" [handwritten by Bruch on pale green paper], "Estola / *albocincta* / Melz." [handwritten by Bruch on white paper], "Cotypus" [handwritten by Melzer? on white paper], "Estola / *albocincta*" [handwritten by Melzer? on white paper], "Estola / *albocincta*

Melz." [handwritten by Melzer? on white paper, cut].

Further specimens: 1 Parat. ["Cotypus"] (IEEA), Amparo, São Paulo State, P. Reck coll.; 1 Parat. ["Cotypus"] (IEEA), Arassuahy, Minas Gerais State, 1930, P. Thieman coll. (Zikán & Wygodzinsky, 1948).

albocinctus Melzer, 1930. *Atrypanius* [Lamiinae: Acanthocinini]

Type-locality: Brasil: São Paulo State (São Paulo, Santos, Amparo); Santa Catarina State (Joinville) [leg. Schmith]; Minas Gerais State (Mar de Espanha) [leg. Zikán]; Espírito Santo State [leg. Zikán] (Melzer, 1930: 198-200).

ME: 1 Parat. (CB), "S. Catharina / Joinville / XII-1920 / Schmith" [handwritten by Melzer? on white paper, "Cotypus" [handwritten by Bruch on pale green paper], "Atrypanius / *albocinctus* / Melzer" [handwritten by Bruch on white paper].

Further specimens: Holot. ["Typus"] (IEEA), Joinville, Santa Catarina State, 12-1920, C. Schmith coll.; 2 Parat. ["Cotypus"] (IEEA), Mar de Espanha, Minas [Gerais] State, 15-11-1909, J.F. Zikán coll. (Zikán & Wygodzinsky, 1948).

albomaculatus Burmeister, 1865. *Trichophorus* [Cerambycinae: Elaphidionini]

Type-locality: Argentina: Buenos Aires province [Buenos Aires and surroundings] (Burmeister, 1865: 167).

ME: 1 Synt. (HB), "Buen. / Ayres" [printed in black on pale green paper], "529" [printed in black on whitish paper]; 2 Synt. (HB), "Buen. / Ayres" [printed in black on pale green paper]; all specimens with "*Trichophorus / albomaculatus* / Burmeister 1865 / Syntypus" [handwritten by A. Bachmann on red paper].

Recorded as *Ambonus albomaculatus* (Burmeister, 1865) by MONNÉ & GIESBERT, 1995: 49 [cat.].

alienus Melzer, 1932. *Probatius* [Lamiinae: Acanthocinini]

Type-locality: Brasil: Minas Gerais State: Passa Quatro (Fazenda dos Campos) [12 ♀ (?) leg. Zikán] [type in coll. Melzer, cotype in Deutches Ent. Inst., Berlin-Dahlem] (Melzer, 1932: 431-432).

ME: 1 Parat. (CB), "Minas (Brazil) / Passa Quatro / Faz. dos Campos / XII.17 [printed on white paper with handwritten date] // 25.XII.1917 Zikán [handwritten with pencil], "Cotypus" [handwritten by Bruch on pale green paper], "Probatius / *alienus* / Melz." [handwritten by Bruch on white paper], "Cotypus" [handwritten by Melzer? on white paper], "Probatius / *alienus*..." [handwritten by Melzer? on white

paper, cut, with remainings of the name of Melzer].

Further specimens: Holot. ["Typus"] (IEEA), Fazenda dos Campos, 1500 m, Passa Quatro, Minas [Gerais] State, 25-12-1915, J.F. Zikán coll.; 5 Parat. ["Cotypus"] (IEEA), same data (Zikán & Wygodzinsky, 1948).

amabilis Melzer, 1934. *Erythropterus* [Cerambycinae: Rhinotragini]

Type-locality: Brazil: São Paulo State: Alto da Serra [leg. Spitz]; Villa Emma, S. Sebastião [leg. Barbiellini] [type in coll. Melzer, cotype from "Brasil" in coll. Bruch] (Melzer, 1934: 76-77).

ME: 1 Parat. (CB), "Rep. Brasil / 7.IX.1901 / C. Bruch" [printed with handwritten date], "Cotypus" [handwritten by Bruch on pale green paper], "Erythropterus / amabilis Melzer" [handwritten by Bruch], "Cotypus" [handwritten by Melzer ?], "Erythropterus / amabilis Melz." [handwritten by Melzer, cut].

Further specimens: Holot. ["Typus"] (IEEA), Alto da Serra, São Paulo State, 12.12.1925, R. Spitz col.; 1 Parat. ["Cotypus"] (IEEA), São Sebastião, Vila Ema, 11.1922, Barbiellini coll.; 1 Parat. ["Cotypus"] (IEEA), São Sebastião, Vila Ema, 12.1924, Barbiellini coll.; 1 Parat. ["Cotypus"] (IEEA), Alto da Serra, São Paulo State, 12.12.1925, R. Spitz coll.; 1 Parat. ["Cotypus"] (IEEA), Ipiranga, São Paulo State, 12.1932, R. Spitz coll. (Zikán & Wygodzinsky, 1948).

amabilis Melzer, 1935. *Ommata* [Cerambycinae: Rhinotragini]

Type-localities: Brasil: Rio Grande do Sul State (Porto Alegre) [leg. Buck]; Argentina: Santiago del Estero and Santa Fe provinces [leg. Bruch] [type in coll. Bruch, cotype in coll. Melzer] (Melzer, 1935: 216-217).

ME: Holot. (CB), "Rep. Argentina / Pr. Santiago d. Estero / 190 / C. Bruch" [printed in black on white paper], "14" [printed on yellowish paper], "Ommata sp." [handwritten by Bruch on white paper with red frame], "Typus" [handwritten by Melzer? on white paper], "Ommata / amabilis Melz." [handwritten by Melzer? on white paper]; 1 Parat. (CB), "Rep. Argentina / Pr. Santa Fe / 190 / C. Bruch" [printed in black on white paper], "Cotypus" [handwritten by Bruch on pale green paper], "Ommata / amabilis / Melz." [handwritten by Bruch on white paper], "Ommata / amabilis / Melz." [handwritten by Melzer? on white paper, cut].

Further specimens: 1 Parat. ["Cotypus"] (IEEA), Porto Alegre, Rio Grande do Sul State, 1930, P.P. Buck coll. (Zikán & Wygodzinsky, 1948). There is further specimen, not included in the

original series: 1 ex. [labelled "Cotypus"] (IEEA), Salta, I-1930, Dr. L. Witte coll. (Zikán & Wygodzinsky, 1948) that is not a true cotype.

andalgalensis Bruch, 1908. *Lissonotus* [Cerambycinae: Lissonotini]

Type-locality: Argentina: Catamarca province: Andalgalá [II-1908, ♂, ♀] (Bruch, 1908: 218-219); [Lectotype and Paralectotype designation] (DI IORIO, 1998c).

ME: 1 Lectot. ♂ (CB), "Rep. Argentina / Prov. Catamarca / 30.II.1907 / C. Bruch" [printed in black on white paper with date handwritten by Bruch], "Typus" [printed on pale green paper], "Lissonotus / andalgalense / Bruch" [handwritten by Bruch on white paper with red frame], "Lissonotus / andalgalensis Bruch, 1908 / Lectotypus / Di Iorio designation 1998" [handwritten by Di Iorio on red paper]; 1 Paralectot. ♀ (CB), "Rep. Argentina / Prov. Catamarca / 30.II.1907 / C. Bruch" [printed in black on white paper with date handwritten by Bruch], "Typus" [printed on pale green paper], "Lissonotus / andalgalensis / Bruch 1908 / Syntypus" [handwritten by A.O. Bachmann on red paper], "Lissonotus / andal-galensis Bruch, 1908 / Paralectotypus / Di Iorio designation 1998" [handwritten by Di Iorio on red paper].

angustus Melzer, 1934. *Adetus* [Lamiinae: Apomecynini]

Type-locality: Argentina: Tucumán [4 ex., type in coll. Bruch, cotype in coll. Melzer] (Melzer, 1934: 84-85).

ME: 1 Holot. (CB), "Rep. Argentina / Prov. Tucuman / 10.III.1900 / C. Bruch" [printed in black on white paper with date handwritten by Bruch], "Typus" [handwritten by Bruch on pale green paper], "Adetus / angustus / Melz." [handwritten by Bruch on white paper with remainings of black frame], "Typus" [handwritten by Melzer? on white paper, cut], "Adetus / angustus / Melz." [handwritten by Melzer? on white paper, cut]; 1 Parat. (CB), "Rep. Argentina / Prov. Tucuman / V.1897 / C. Bruch" [printed in black on white paper with date handwritten by Bruch], "Cotypus" [handwritten by Bruch on pale green paper], "Adetus / angustus" [handwritten by Melzer? on white paper, cut].

Further specimens: 1 Parat. ["Cotypus"] (IEEA), Tucumán, 10-1-1904, Bruch C. coll. (Zikán & Wygodzinsky, 1948).

antiqua Aurivillius, 1922. *Ischionorox* [Cerambycinae: Cerambycini]

Type-locality: Argentina: Mendoza province [collected by C.S. Reed and communicated by Bruch; ♀, SMNH] {1 ex. in coll. Bruch, bigger, somewhat

anomalous, it seems to be a ♂, in which case it pertains to another species, but it may be the ♂ of the ♀ described, the antennae are of similar length] (Aurivillius, 1922: 2-3).

ME: Holot. ? (CB), "C.S. Reed / Mendoza" [printed on white paper], "Typus" [printed on pale green paper], "Ischionorox / antiqua / Auriv." [handwritten by Bruch on white paper with red frame].

approximata Melzer, 1934. *Aletretia* [Lamiinae: Acanthocinini]

Type-locality: Brasil: São Paulo State: [São Paulo] Bosque da Saúde; Amparo; Paraná State: Rio Negro (Fazendinha); Rio Grande do Sul State: Porto Alegre; São Leopoldo [type in coll. Melzer]; Paraguay: S. Trinidad [cotypes in coll. Bruch, coll. Buck, coll. Reck] (Melzer, 1934: 85-86).

ME: 1 Parat. (CB), "Paraguay / Sa. Trinidad / IX-1913" [printed on white paper with manuscript date], "Typus" [handwritten by Bruch on pale green paper], "Aletretia / approximata / Melz." [handwritten by Bruch on white paper], "Cotypus" [handwritten by Melzer? on white paper], "Aletretia / approximata..." [handwritten by Melzer? on white paper, cut].

Further specimens: Holot. ("Typus") (IEEA), Rio Grande do Sul State, São Leopoldo, 12-10-1927, P.P. Buck coll.; 6 Parat. ("Cotypus") (IEEA), number of specimens not discriminated by locality, São Paulo State, São Paulo (Capital), Saúde, Melzer coll.; Paraná State, Rio Negro, 15-11-1924, Franciscanos coll.; Rio Grande do Sul State, Porto Alegre, 1926, P.P. Buck coll.; São Paulo State, Amparo, P. Reck coll. (Zikán & Wygodzinsky, 1948).

Note: The specimen at the MACN is considered as a Parat. (it bears a "Typus" label), as Melzer mentions only one "Typus" in his own collection.

argentina Bruch, 1919. *Methia* [Cerambycinae: Methiini]

Type-locality: Argentina: La Rioja [leg. Giacomelli, sent by Pennington] (Bruch, 1919: 20-22).

ME: Holot. (CB), "La Rioja / coll. Dr. Pennington" [handwritten by Bruch in black on white paper], "Typus" [printed on pale green paper], "Methia / argentina / nobis [handwritten by Bruch] / C. Bruch determ. [printed in black on white paper]".

argentina Bruch, 1911. *Tyrinthia* [Lamiinae: Hemilophini]

Type-locality: Argentina: Tucumán: Tafí Viejo [several ♀, leg. Dinelli] (Bruch, 1911: 176-177).

ME: 1 Synt. (CB), Rep. Argentina / Prov.

Tucuman /190 / C. Bruch [printed in black on white paper], Typus [printed on pale green paper], "Tyrinthia / argentina / Bruch tipo" [handwritten by Bruch on white paper with red frame].

Further specimens: 2 ex. (CB), "Rep. Argentina / Prov. Tucuman / 190 / C. Bruch" [printed in black on white paper].

Note: The specimen is held as a Syntypus as Bruch mentions several specimens, which were not found at the MLP (Cabrera & Fernandez, 2000) nor in coll. Melzer (Zikán & Wygodzinsky, 1948).

Recorded as *Erana argentina* (Bruch 1911) by Martins & Galileo, 1989: 75 [comb. nov.].

argentinum Burmeister, 1865. *Ibidion* [Cerambycinae: Elaphidionini]

Type-localities: Buenos Aires, Mendoza, Tucumán (Burmeister, 1865: 174).

ME: 1 Synt. (HB), "Tucumán" [printed in black on pale green paper]; 1 Synt. (HB), "Mendoza" [printed in black on pale green paper], "528" [printed in black on whitish paper]; 1 Synt. (HB), "Buen. / Ayres" [printed in black on green paper], "Centrocerum / exornatum / Newm." [handwritten on white paper]; all specimens with *Ibidion / argentinum* Burmeister 1865 / Syntypus [handwritten by A. Bachmann on red paper].

= *Centrocerum exornatum* (Newman, 1841): *fide* Berg, 1886: 235 [synonymy].

argentinum Bruch, 1911. *Smodicum* [Cerambycinae: Smodicini]

Type-locality: Argentina: Buenos Aires: La Plata [1 ♂] (Bruch, 1911: 170-171).

ME: Holot. (CB), "Rep. Argentina / Prov. Buenos Aires / 190 / C. Bruch" [printed in black on white paper], "Typus" [handwritten by Bruch on pale green paper], "Smodicum / argentinum / Bruch - tipo" [handwritten by Bruch on white paper with red frame], "Smodicum / cucujiforme Say / Det. Martins 1975" [handwritten by Martins on white paper].

Note: a introduced species from North America (Martins, 1975), not established in the country, and never found again.

= *Smodicum cucujiforme* (Say, 1826): *fide* Martins, 1975: 348-350 [synonymy].

argentinus Bruch, 1908. *Trachyderes* [Cerambycinae: Trachyderini]

Type-locality: Argentina: Córdoba [1 ♀, leg. Richter] (Bruch, 1908: 216-217).

ME: Holot. (CB), "Rep. Argentina / Prov. Córdoba / 190 / C. Bruch" [printed in black on white paper with date handwritten by Bruch], "Typus" [printed on pale green paper], "Trachy-

deres / argentinus / Bruch" [handwritten by Bruch on white paper with red frame].

= *Xylocaris oculata* Dupont in Serville, 1834; *fide* Hüdepohl, 1985: 134-135 [synonymy].

aulai Bruch, 1911. *Neoclytus* [Cerambycinae: Clytini]

Type-locality: Argentina: "Chaco de Santa Fe"; La Gallareta [1 ex.] (Bruch, 1911: 168-169).

ME: Holot. (CB), "Rep. Argentina / Gob. Misiones / 190 / C. Bruch" [printed in black on white paper], "Typus" [handwritten by Bruch on pale green paper], "*Neoclytus / aulai / Bruch tipo*" [handwritten by Bruch on white paper with red frame].

Note: Mislabelling of the locality was discussed by Di Iorio (1995b: 336), who had expressed doubts about the correct generic placement of this species. The globose prothorax, almost totally pubescent, without longitudinal ridges on the pronotum, and the parallel margins of the elytra, meet with the characters of *Mecometopus* Thomson, 1860. According to this, *Mecometopus aulai* (Bruch, 1911) *comb. nov.* is proposed.

auratopilosa Bruch, 1908. *Dihammaphora* [Cerambycinae: Cleomenini]

Type-locality: Argentina: Catamarca [1 ex.] (Bruch, 1908: 214-215).

ME: Holot. (CB), "Rep. Argentina / Prov. Catamarca / 190 / C. Bruch" [printed in black on white paper], "Typus" [printed on pale green paper], "*Dihammaphora / auratopilosa / Bruch tipo*" [handwritten by Bruch on white paper with red frame].

auricollis Bruch, 1919. *Pasiphyle* [Cerambycinae: Rhinotragini]

Type-locality: Argentina: Salta: Metán [leg. Dinelli, 2 ex., one in coll. Gounelle] (Bruch, 1919: 26-27).

ME: 1 Synt. (CB), "Rep. Argentina / Prov. Salta / 190 / C. Bruch" [printed in black on white paper], "Typus" [handwritten by Bruch on pale green paper], "*Pasiphyle / auricollis / Bruch* [handwritten by Bruch] / C. Bruch determ. [printed in black]", "28" [handwritten on white paper].

aurivillii Gounelle, 1905. *Parozodes* [Cerambycinae: Rhopalophorini]

Type-locality: Brazil: Goyaz State: Jatahy [several ex.] (Gounelle, 1905: 295-296).

ME: 1 Parat. (CB), "Brésil / Et. de Goyaz / Jatahy" [printed on white paper], "Cotypus" [printed on pale green paper], "*Argyrodines / Aurivillii / Goun.*" [handwritten by Bruch on white paper with red frame], "*Parozodes /*

Aurivillii / Goun. ♀ Cotype" [handwritten by Bruch on white paper].

Recorded as *Argyrodines aurivillii* (Gounelle, 1905) by Gounelle, 1911: 111 [*comb. nov.*].

aurivitta Burmeister, 1865. *Brachyrhopala* [Cerambycinae: Rhopalophorini]

Type-locality: Argentina: Tucumán (Burmeister, 1865: 172).

ME: 1 Synt. (HB), "Tucumán" [printed in black on green paper]; 1 Synt. (HB), "Tucumán" [printed in black on green paper], "505" [printed on white] "*iridipennis* Chevr." [handwritten on white paper]; both specimens with "*Brachyrhopala / aurivitta / Burmeister 1865 / Syntypus*" [handwritten by A. Bachmann on red paper].

= *Brachyrhopala iridipennis* (Chevrolat, 1859); *fide* Berg, 1886: 239 [synonymy].

Recorded as *Rhopalophora (Ischionodonta) iridipennis* (Chevrolat, 1859) by Gounelle, 1911: 201, and as *Ischionodonta iridipennis* (Chevrolat, 1859) by Giesbert & Chemsak, 1993 [*comb. nov.*].

australis Hüdepohl, 1979. *Oxymerus luteus* [Cerambycinae: Trachyderini]

Type-locality: Argentina: Buenos Aires (Olivos) [Holot. ♂ in coll. Hüdepohl] (Isla Martín García) [4 Parat., leg. Viana]; Entre Ríos (Liebig) [Allot. ♀ in coll. Hüdepohl] [Parat. MNHN; Mus. Bruxelles; BMNH; MLP; Mus. Zool. Humboldt Univ., Berlin, Germany; Mus. Frey, Tützing; Inst. Pflanzen schutzforschung, Eberswalde; coll. Hüdepohl] (Hüdepohl, 1979: 34, 36-37).

ME: 1 Parat. (MACN), "Buenos Aires - Argentina / Isla Martín García [printed on white paper] / 4-1937" [handwritten by Viana], "13" [typewritten on white paper], "*Oxymerus / luteus / Voet / ssp. australis* ssp. nov. / Paratypus ♀ / Hüdepohl det. 79" [typewritten on pink paper, underside white]; 1 Parat. (MACN), same labels, except "Buenos Aires - Argentina / Isla Martín García" [printed on white paper].

basalis Burmeister, 1865. *Cosmisoma* [Cerambycinae: Compsocerini]

Type-locality: Argentina: Entre Ríos: Paraná (Burmeister, 1865: 170); Napp, 1979: 909-911.

ME: 3 Synt. (HB), "Paraná / Mrz." [printed in black on green paper], the third one with "Photo / Bruch" [handwritten by Bruch on pink paper]; all specimens "*Cosmisoma / basalis / Burmeister 1865 / Syntypus*" [handwritten by A. Bachmann on red paper].

Recorded as *Ethemon basalis* (Burmeister, 1865) by Lacordaire, 1869: 9: 39 [*comb. nov.*], and by Aurivillius, 1912: 334.

bicolor Viana, 1970. *Rierguscha* [Cerambycinae: Compsocerini]

Type-locality: Argentina: Salta: Chicoana Dept., Maray [16-I-1960, Ajmat & Bennasar leg.: Holot. ♂, MACN; Allot. ♀ IML] (Viana, 1970: 148-152).

ME: Holot. ♂ (MACN), "RA. Salta / Maray / 16.I.1960 / Ajmat-Bennasar" [handwritten by Viana on white paper], "Holotypus" [printed in black on red paper], "Rierguscha / bicolor" / Viana [handwritten by Viana] / Museo Argentino de Ciencias Naturales [printed in black on white paper].

bimaculatus Brèthes, 1920. *Pythaides* [Lamiinae: Compsosomatini]

Type-locality: Perú: Chanchamayo (Brèthes, 1920: 46-47).

ME: 1 Synt. (MACN), "C.R. Vigil / Perou" [handwritten on whitish paper], "20" [printed], "type !" [handwritten on whitish paper], "Pythaides bimaculatus Brèthes" [handwritten by Brèthes on whitish paper], "Typus" [printed on red paper], "Repreparó/M. Viana/I-1960" [handwritten by Viana on white paper].

Recorded as *Aerenea bimaculata* (Brèthes, 1920) by Monné, 1980: 236, 248-249 [comb. nov.].

bivittatus Melzer, 1934. *Callideriphus* [Cerambycinae: Callidiini]

Type-locality: Argentina: Tucumán: Villa Nougués [type in coll. Bruch, cotype in coll. Melzer] (Melzer, 1934: 77-78).

ME: Holot. (CB), "Villa Nougués / XII / 1928" [handwritten by Bruch on white paper], "Typus" [handwritten by Bruch in black on pale green paper], "Callideriphus / bivittatus / Melz." [handwritten by Bruch on white paper], "Typus" [printed on pale green paper], "Callideriphus / bivittatus" [handwritten by Melzer on white paper, cut].

Further specimens: 1 Parat. ["Cotypus"] (IEEA), Villa Nougués, XII-1928, Bruch C. coll. (Zikán & Wygodzinsky, 1948).

bonaeriensis Burmeister, 1865. *Hypsioma* [Lamiinae: Onciderini]

Type-locality: Argentina: Buenos Aires (Burmeister, 1865: 179).

ME: 1 Synt. (HB), "Buen. / Ayres" [printed in black on pale green paper], "Col. / Antigua" [printed on yellowish paper], "52733" [handwritten on white paper, with red frame], "bonaerensis Dej. / R. Argent." [handwritten by Burmeister on white paper], "Clytemnestra / adspersa / albisparsa / Germ. / det. M. Viana" [handwritten by Viana] / Museo Argentino de Ciencias Naturales [printed

in black on white paper with black frame]"; 1 Synt. (HB), "Col. / Antigua" [printed on yellowish paper], "52733" [handwritten on white paper with red frame], "Clytemnestra / adspersa / albisparsa / Germ. / det. M. Viana" [handwritten by Viana] / Museo Argentino de Ciencias Naturales [printed in black on white paper with black frame]"; both specimens, "Hypsioma / bonaeriensis / Burmeister 1865 // Syntypus" [handwritten by A. Bachmann on red paper].

Note: the first "i" of *bonaeriensis* has been deleted by Burmeister on the Stett. entom. Zeitg. held in the library of the MACN.

= *Hypsioma albisparsa* (Germar, 1824): *fide* Lameere, 1884: 93 [synonymy].

Recorded as *Clytemnestra albisparsa* (Germar, 1824) by Aurivillius, 1923: 341 [comb. nov.], and as *Neodillonia albisparsa* (Germar, 1824) by Monné & Fragoso, 1984: 926 [comb. nov.].

bonaeriensis Burmeister, 1865. *Leptura* [Lepurinae: Lepurini]

Type-locality: Argentina: Buenos Aires (Burmeister, 1865: 177).

ME: Holot. (HB), "Buen. / Ayres" [printed in black on green paper]; "Leptura / bonaeriensis / Burmeister 1865 / Typus" [handwritten by A. Bachmann on red paper].

Recorded as "Leptura" *bonaeriensis* by Di Iorio, 1998b: 140-141 [incertae sedis].

bonariense Bruch, 1911. *Smodicum* [Cerambycinae: Smodicini]

Type-locality: Argentina: Buenos Aires (Bruch, 1911: 171-172).

ME: Holot. (CB), "Rep. Argentina / Prov. Buenos Aires / 190 / C. Bruch" [printed in black on white paper], "Typus" [handwritten by Bruch on pale green paper], "Smodicum / bonaerense / Bruch - tipo" [handwritten by Bruch on white paper with red frame], "Smodicum / semipubescentes / Gounelle / Det. Martins 1975" [handwritten by Martins on white paper with black frame].

= *Smodicum semipubescentes* Gounelle, 1911: *fide* Martins, 1975: 340 [synonymy].

bonplandi Gounelle, 1911. *Cyllene* [Cerambycinae: Clytini]

Type-locality: Argentina: Misiones [♂, C. Bruch, MLP]; Brasil: Minas Gerais State: Serra do Caraça [♀] (GOUNELLE, 1911: 83-84); Misiones [Lectotype designation] (Di Iorio, 1997: 388).

ME: Lectot. (CB), "Rep. Argentina / Gob. Misiones / 190 / C. Bruch" [printed in black on white paper], "♂" [printed on white paper], "Typus" [printed on pale green paper], "Cyllene /

Bonplandi / Goun. tipo ♂" [handwritten by Bruch on white paper with red frame], "Cyllene / *Bonplandi* / Gounelle ♂ type" [handwritten by Gounelle on greenish-gray paper], "Megacyllene / (M.) / *bonplandi* Gounelle, 1911 / Lectotypus Di Iorio design. 1996" [handwritten by Di Iorio on red paper].

Recorded as *Megacyllene* (M.) *bonplandi* (Gounelle, 1911) by Di Iorio, 1995a: 318 [partim], and Di Iorio, 1997: 386, 388.

brethesi Bruch, 1908. *Gnomidolon* [Cerambycinae: Ibidionini]

Type-locality: Argentina: Tucumán [12-II-1906]; Chaco [10-VIII-1895] (Bruch, 1908: 204-205).

ME: 1 Synt. (CB), Rep. Argentina / Prov. Tucumán / 190 / C. Bruch [printed in black on white paper], "Typus" [printed in black on pale green paper], "*Gnomidolon* / *Brèthesi* / Bruch" [handwritten by Bruch on white paper with red frame]; 1 Synt. (CB), "Rep. Argentina / Gob. Chaco / 10.12.1895 / C. Bruch" [printed in black on white paper; date handwritten by Bruch], "*Gnomidolon* / *Brethesi* / Bruch 1908 / Syntypus" [handwritten by A. Bachmann on red paper].

brevipennis Melzer, 1935. *Merionoedopsis* [Cerambycidae: Molochini]

Type-locality: Argentina: Jujuy (Quemado) [leg. Harrington] [type ♂ in coll. Bruch] (Melzer, 1935 [1934]: 214).

ME: Holot. (CB), "Quemado / Jujuy / Harrington" [handwritten by Bruch on white paper], "Typus" [handwritten by Bruch on pale green paper], "*Merionoedopsis* / *brevipennis* / Melz." [handwritten by Bruch in black on white paper], "*Merionoedopsis* / *brevipennis* Melz." [handwritten by Melzer on white paper, cut].

brevipennis Melzer, 1935. *Ommata* [Cerambycinae: Rhinotragini]

Type-localities: Paraguay [♂]; Argentina: Misiones: Bonpland [♀] [type in coll. Bruch] (Melzer, 1935: 217-218).

ME: 1 Synt. (CB), "Rep. Paraguay / 190 / C. Bruch" [printed in black on white paper], "Typus" [handwritten by Bruch on pale green paper], "*Ommata* / (*Eclipta*) / *brevipennis* Melz." [handwritten by Bruch on white paper with remainings of black frame], "Typus" [handwritten by Melzer on white paper], "*Ommata* (*Eclipta*) / *brevipennis* Melz." [handwritten by Melzer on white paper]; 1 Synt. (CB), "Misiones / Bonpland" [printed in black on white paper], "Typus" [handwritten by Bruch on pale green paper], "*Ommata* / (*Eclipta*) / *brevipennis* Melz." [handwritten by Bruch on

white paper with remainings of black frame], "Typus" [handwritten by Melzer on white paper], "*Ommata* (*Eclipta*) / *brevipennis* Melz." [handwritten by Melzer on white paper].

breyeri Bruch, 1929. *Prionapterus* [Prioninae: Anacolini]

Type-locality: Argentina: Misiones: Puerto Aguirre [Breyer leg., XI-1921, 2 ex.] (Bruch, 1929: 205-207); [Lectot., Paralectot., MACN] (Galileo, 1987b: 612).

ME: Lectot. (CB), "Misiones / Iguazú / XI.921 Breyer" [handwritten by Bruch], "Rep. Argentina / A. Breyer" [printed on white paper, with a color band indicating Misiones], "♂ 0" [printed], "Typus" [handwritten by Bruch on pale green paper], "*Prionapterus* / *breyeri* / Bruch [handwritten by Bruch] / C. Bruch determ. [printed in black on white paper]", "*Prionapterus* / *breyeri* / Bruch, 1929 / Lectotipo ♂" [handwritten by Galileo on white paper] / M.H. Galileo det. [printed] 1986 [handwritten]; 1 Paralectot. (CB), same labels, except "*Prionapterus* / *breyeri* / Bruch, 1929 / Paralectotipo ♀ [handwritten by Galileo on white paper] / M.H. Galileo det. [printed] 1986 [handwritten]".

Bruchi Melzer, 1935. *Alcidion* [Lamiinae: Acanthocinini]

Type-locality: Argentina: Chaco, Misiones [type in coll. Bruch, cotype in coll. Melzer (Melzer, 1935: 230-231)].

ME: Holot. (CB), "Rep. Argentina / Gob. Chaco / 14.I.1895 / C. Bruch" [printed in black on white paper with date handwritten by Bruch], "Typus" [handwritten by Bruch on pale green paper], "*Alcidion* / *Bruchi* / Melz." [handwritten by Bruch on white paper], "Typus" [handwritten by Melzer ? on white paper], "*Alcidion* / *Bruchi* / Melzer det." [handwritten by Melzer ? on white paper, cut].

Further specimens: 1 Parat. ["Cotypus"] (IEEA, Argentina, Misiones, 10-I-1896, Bruch C. leg. (Zikán & Wygodzinsky, 1948).

Recorded as *Nealcidion* *Bruchi* (Melzer, 1935) by Monné, 1977: 700 [comb. nov.].

Bruchi Melzer, 1931. *Alphus* [Lamiinae: Acanthoderini]

Type-locality: Argentina: Córdoba: Alta Gracia (La Granja); Cabana (Unquillo); [3 exx., type in coll. Bruch] (Melzer, 1931: 195-196).

ME: Holot. (CB), "Alta Gracia - La Granja / Sierras de Córdoba / XII. 926 C. Bruch leg." [printed in black on white paper with date handwritten by Bruch], "Typus" [handwritten by Bruch on pale green paper], "*Alphus* / *Bruchi* / Melz." [handwritten by Bruch on white paper],

"Typus" [handwritten by Melzer ? on white paper], "Alphus / Bruchi M....." [handwritten by Melzer ? on white paper, with remainings of the name of Melzer].

Further specimens: 2 Parat. ["Cotypus"] (IEEA), Argentina, Córdoba, Cabana (Unquillo), 21-2-1926, Bruch leg. (Zikán & Wygodzinsky, 1948); 1 ex. (CB), "Alta Gracia - La Granja / Sierras de Córdoba / 27.I.1925 C. Bruch leg." [printed in black on white paper with date handwritten by Bruch].

Bruchi Viana, 1971. *Ancylocera* [Cerambycinae: Ancylocerini]

Type-locality: Argentina: Santiago del Estero [Holotype ♂, Allotype ♀ in coll. Bruch]; Salado River [leg. Wagner, 1 ♀, 3 ♂♂ Paratypes, MACN, 3 ♂♂ Paratypes, ex coll. Dallas, MLP] (Viana, 1971: 162-165).

ME: Holot. ♂ (CB), "Rep. Argentina / Pr. Santiago d. Estero / 190 / C. Bruch" [printed in black on white paper], "Ancylocera / cardinalis (Dalm.)" [handwritten by Bruch on white paper with remainings of black frame], "Holotypus" [printed in black on red paper], "Ancylocera / Bruchi / Viana" [handwritten by Viana] / Museo Argentino de Ciencias Naturales [printed on red paper] // Holotipo ♂ / M. Viana / V.1969 [handwritten by Viana]"; Allot. ♀ (CB), "Rep. Argentina / Pr. Santiago d. Estero / 190 / C. Bruch" [printed in black on white paper], "Ancylocera / Bruchi / Viana" [handwritten by Viana] / Museo Argentino de Ciencias Naturales [printed on red paper] // Allotipo ♀ / M. Viana / V.1969 [handwritten by Viana]"; 2 Parat. (CB), "Sgo del Estero / río Salado / Wagner col." [printed in black on white paper], "Ancylocera / cardinalis / Dalm." [handwritten on white paper], "Paratypus" [printed on yellow paper], "Ancylocera / Bruchi / Viana / Det. M. Viana" [handwritten by Viana on yellow paper].

Bruchi Berg, 1898. *Cherrocrius* [Anoplodermatinae: Anoplodermatini]

Type locality: "Patagonia": Río Collón-Curá, Río Calcufú (Berg, 1898: 32-33); Patagonia [1 male, Col. C. Bruch, 17-XII-1898, Berg, Lectotype, MLP; 1 male, "Typus", Paralectotype, MLP] (Dias, 1987: 103).

ME: 1 Synt. (HB), "R. Argentina / Patagonia / Col. C. Bruch" [printed on white paper inside black frame], "4401" [handwritten on white paper with red frame], "Typus" [printed in red on white paper inside a red frame], "Cherrocrius / Bruchi / Berg 1898 / Syntypus" [handwritten by Di Iorio on red paper]; 1 Synt. (HB), "Patagonia" [printed on white paper], "4401" [handwritten on

white paper with red frame], "Typus" [printed in red on white paper inside a red frame], "Cherrocrius / Bruchi / Berg 1898 / Syntypus" [handwritten by Di Iorio on red paper].

Note: Specimens at the MLP (Cabrerá & Fernández, 2000), designated Lectotype and Paralectotype (Dias, 1987: 103) bear the following labels: 1 ex., "R. Argentina / Patagonia / Col. C. Bruch" [printed in ronda letters on white paper inside a black frame], "Typus" [printed in red on white paper inside a red frame], "Cherrocrius / Bruchi / Berg / 17.XII.1898" [handwritten by Berg on white paper inside a red frame], "Cherrocrius Bruchi / Berg, 1898 / Lectotipo ♂" [handwritten by Dias on white paper inside a black frame] / M.M. Dias det. 1982 [printed]", "742/1" [handwritten on a blue hardboard disk]; 1 ex., "Patagonia" [printed in ronda letters on white paper], "Typus" [printed in orange on white paper inside orange frame], "Bruch / foto" [handwritten by Bruch on pink paper], "Paralectotipo" [printed on red paper], "Cherrocrius Bruchi / Berg, 1898 / Paralectotipo ♂" [handwritten by Dias on white paper inside a black frame] / M.M. Dias det. 1982 [printed]", "742/2" [handwritten on a blue hardboard disk]. Specimens founded at the coll. Burmeister bear the same kind of labels, revealing that belong to the original series, automatically Paralectotypes (ICZN, art. 74. 1. 3).

Bruchi Gounelle, 1905. *Coremia* [Cerambycinae: Compsocerini]

Type-locality: Argentina: Tucumán [leg. Baer]; Catamarca [leg. Bruch] (Gounelle, 1905: 227-228).

ME: 1 Synt. ? (CB), "Rep. Argentina / Prov. Catamarca / 2.1897 / C. Bruch" [printed in black on white paper with date handwritten by Bruch], "Typus" [handwritten by Bruch on pale green paper], "Coremia (Thoremia) / Bruchi / Goun." [handwritten by Bruch on white paper with red frame].

Further specimen: 1 Parat. ♂ (BMNH), referred as Synt. (Marques, 1994), and there after as "Cotypus" (BMNH) (Marques & Napp, 1996: Fig. 218).

Recorded as *Coremia (Dirocoremia) Bruchi* Gounelle, 1905 by Marques, 1994, and as

Dirocoremia Bruchi (Gounelle, 1905) by Marques & Napp, 1996: 394-396 [comb. nov.].

Bruchi Aurivillius, 1922. *Dihammaphora* [Cerambycinae: Cleomenini]

Type-locality: Paraguay; Argentina: Catamarca, San Luis [SMNH, coll. Bruch] (Aurivillius, 1922: 19).

ME: Synt. ? (CB), "Rep. Argentina / Prov. Catamarca / 20.I.1910 / C. Bruch" [printed in black

on white paper with date handwritten by Bruch], "Typus" [printed on pale green paper], "Dihammaphora / Bruchi / Auriv." [handwritten by Bruch on white paper inside a red frame]; 1 Parat. (CB), same labels except "Cotypus" [printed on pale green paper], "Dihammaphora / Bruchi / Aurivillius 1922 / Syntypus ?" [handwritten by Bachmann on red paper].

Bruchi Gounelle, 1906. *Gymnocerus* [Lamiinae: Anisocerini]

Type-locality: Argentina: Chaco [1♀, Bruch] (Gounelle, 1906: 17-18).

ME: Holot. (CB), "Rep. Argentina / Gob. Chaco / 17.II.1897 / C. Bruch" [printed in black on white paper with date handwritten by Bruch], "Typus" [printed on pale green paper], "Gymnocerus / Bruchi / Goun." [handwritten by Bruch on white paper with red frame].

Recorded as *Gounellea Bruchi* (Gounelle, 1906) by Lane, 1964 [comb. nov.].

Bruchi Melzer, 1932. *Leptostylus* [Lamiinae: Acanthocinini]

Type-locality: Argentina: Córdoba (Alta Gracia: La Granja) [type in coll. Bruch, cotype in coll. Melzer] (Melzer, 1932: 225-226).

ME: Holot. (CB), "Alta Gracia - La Granja / Sierras de Córdoba / 17.I.925 C. Bruch leg." [printed in black on white paper with date manuscript by Bruch], "Typus" [printed in black on pale green paper], "Leptostylus / Bruchi / Melz." [handwritten by Bruch on white paper], "Typus" [handwritten by Melzer ? on white paper], "Leptostylus / Bruchi / Melz." [handwritten by Melzer ? on white paper, cut].

Further specimens: 1 Parat. ? (CB), "Alta Gracia - La Granja / Sierras de Córdoba / I.1927 C. Bruch leg." [printed in black on white paper with date handwritten by Bruch], "Cotypus" [handwritten by Bruch on pink paper], "Leptostylus / Bruchi / Melz." [handwritten by Bruch on white paper]; 1 Parat. ? (CB), "Alta Gracia - La Granja / Sierras de Córdoba / 19.II.927 C. Bruch leg." [printed in black on white paper with date handwritten by Bruch], "Cotypus" [handwritten by Bruch on pink paper], "Leptostylus / Bruchi / Melz." [handwritten by Bruch on white paper]; 2 Parat. ["Cotypus"] (IEEA), Argentina, Córdoba: Alta Gracia (La Granja), 1-12-1925, Bruch C. col. (Zikán & Wygodzinsky, 1948).

= *Leptostylus obscurellus* Bates, 1863: *fide* Monné & Hoffmann, 1981: 250 [synonymy].

Bruchi Melzer, 1927. *Neoclytus* [Cerambycinae: Clytini]

Type-locality: Brazil: São Paulo State (São Paulo city) [leg. Melzer]; Alto da Serra [leg. Spitz]; Paraná State (Fazendinha, near Rio Negro) (Melzer, 1927: 570-571).

ME: 1 Parat. (CB), "Est. São Paulo / Alto da Serra / 19.IX.1925 R. Spitz" [handwritten by Bruch on white paper], "Cotypus" [printed on grey paper], "Neoclytus / Bruchi / Melzer" [handwritten by Bruch on white paper].

Further specimens: 5 Synt. ["Typus"] (IEEA), not discriminated by localities: Butantan, 12-9-1919, São Paulo State, J. Melzer col.; Ipiranga, 19-9-1925, Est. de São Paulo, J. Melzer col.; Fazendinha, Rio Negro, Paraná State, 15-11-1924, M. Witte e Franciscanos col. (Zikán & Wygodzinsky, 1948).

canescens Bruch, 1926. *Spegazziniella* [Lamiinae: Aerenicini]

Type-locality: Argentina: Tucumán: Lules [1♀, I.1907]; Catamarca: Quebrada de Caspichango [1♂, I.1923, leg. Weiser] (Bruch, 1926: 348).

ME: 1 Synt. (CB), "Caspichango / Catam. Weiser" [handwritten by Bruch on white paper], "Typus" [printed on pale green paper], "Foto" [printed in black on pale green paper], "Spegazziniella / canescens / Bruch" [handwritten by Bruch] / C. Bruch determ. [printed on white paper]; 1 Synt. (CB), "Rep. Argentina / Prov. Tucuman / 190 / C. Bruch" [printed in black on white paper], "Typus" [printed on pale green paper], "Spegazziniella / canescens / Bruch 1926 / Syntypus" [handwritten by A. Bachmann on red paper].

Recorded as *Rumacon canescens* (Bruch, 1926) by Blackwelder, 1946: 627 [*nomen novum pro* *Spegazziniella* Bruch 1926 *non* Joergensen, 1913].

circunflexum Martins, 1971. *Compsibidion* [Cerambycinae: Ibidionini]

Type-localities: Argentina: Córdoba (Calamuchita: El Sauce; Huerta Grande; San Javier; Sierras), Chaco (La Escondida; Resistencia), Salta (C. Moldes), Catamarca (without locality, Chiquimil; La Ciénaga), Tucumán, Santiago del Estero (Sumampa; M. Alvarado), La Rioja (Ibarra), Entre Ríos, Buenos Aires (M. García) [4♂♂, 6♀♀ Paratypes, MACN, Holotype ♂, Allotype ♀, 5♂♂, 12♀♀ Paratypes, MLP] [other Paratypes in MZSP, coll. Prosen, coll. Williner] (Martins, 1971: 1462-1464).

ME: 1 Parat. (CB), "Rep. Argentina / Prov. Córdoba / 190 / C. Bruch" [printed in black on white paper], "Paratipo" [printed on red paper inside a black frame]; 3 exx. Paratypi (CB), "La Paz (Dep. San Javier) Córdoba / 1-20-I-1929 C. Bruch" [printed in black on white paper],

"Paratipo" [printed on red paper inside a black frame]; 1 ex. Parat. (CB), "Iliar / Rioja / M. Gomez" [handwritten by Bruch on white paper]; 2 Parat. (CB), "La Ciénaga (Belén) / Catamarca XII-1927 / Weiser Wolters leg." [printed in black on white paper with date handwritten by Bruch], "Paratipo" [printed on red paper inside a black frame]; 3 Parat. (CB), "La Ciénaga / Catam. Wolters" [handwritten by Bruch on white paper],

"Paratipo" [printed on red paper inside a black frame]; 1 Parat. (CB), "Rep. Argentina / Prov. Catamarca / 190 / C. Bruch" [printed on white paper], "Paratipo" [printed on red paper inside a black frame]; 1 Parat. (CB), "Chiquimil / Catam. Weiser" [handwritten by Bruch on white paper], "Paratipo" [printed on red paper inside a black frame]; all specimens with "U.R. Martins det. [printed] / Compsibidion / circumflexum / sp. n. Paratipo [handwritten by Martins on white paper]".

collare Burmeister, 1865. *Elaphidion* [Cerambycinae: Torneutini]

Type-locality: Banda Oriental [Uruguay] (Burmeister, 1865: 166-167).

ME: Holot. (HB), "Banda / orient." [printed in black on pale green paper], "522" [printed in black on whitish paper], "*Elaphidion / collare / Burmeister 1865 / Typus*" [handwritten by A. Bachmann on red paper].

Further specimens: 2 ex. (HB), without labels.

Note: Burmeister (1865) say that he no found any *Elaphidion* from Buenos Aires. A specimen with this labell in his colection was added posteriorly to their description.

= *Praxithea derourei* (Chabriac, 1857): *fide* Bosq & Ruffinelli, 1951: 6 [synonymy].

comptus Melzer, 1930. *Lepturges* [Lamiinae: Acanthocinini]

Type-locality: Brazil: Rio de Janeiro State (Itatiaia); Espírito Santo State (Fazenda Jerusalém) (Melzer, 1930: 201-202).

ME: 1 Parat. (CB), "Brazil / Espírito Santo / Fazenda Jerusalém / 14.XI.1914 / J.F. Zikán" [handwritten on white paper], "Cotypus" [handwritten by Bruch on pale green paper], "*Lepturges / comptus / Melz.*" [handwritten by Bruch on white paper], "Cotypus" [handwritten by Melzer ? on white paper], "*Lepturges / comptus / Melz.*" [handwritten by Melzer ? on white paper, cut].

Further specimens: 1 Synt. ? ["Typus"] (IEEA), Itatiaia, Rio de Janeiro, 20-10-1926, J.F. Zikán col. (Zikán & Wygodzinsky, 1948).

congener Burmeister, 1865. *Acanthoderes* [Lamiinae: Acanthoderini]

Type-locality: Argentina: Buenos Aires, Mendoza; Banda Oriental [Uruguay] (Burmeister, 1865: 178).

ME: 1 Synt. (HB), "Buen. / Ayres" [printed in black on green paper]; 1 ex. Syntypus (HB), "Mendoza" [printed in black on green paper]; 1 Synt. (HB), "Banda / orient." [printed in black on green paper]; all specimens with "Acanthoderes / congener / Burmeister 1865 / Syntypus" [handwritten by A. Bachmann on red paper].

= *Acanthoderes congener* Burmeister, 1861 [*nomen nudum*] (Mendoza).

Recorded as *Acanthoderes (Psapharochrus) jaspidea* var. *congener* Burmeister, 1865 by Aurivillius, 1923: 386.

convexus Melzer, 1935. *Leiopus* [Lamiinae: Acanthocinini]

Type-locality: Brazil: São Paulo State (Bosque da Saúde; Amparo); Santa Catarina State (São Bento); Rio Grande do Sul State (Porto Alegre); Rio de Janeiro State (Itatiaia) [10 exx.] (Melzer, 1934) 1935: 235-236).

ME: 1 Parat. (CB), "Brasil / S. Paulo / Est. S. Paulo / Saude 24.XII.1928 [printed on white paper with date manuscrip with pencil] // 24.XII.1918 Melzer [handwritten with pencil]", "Cotypus" [handwritten by Bruch on pale green paper], "*Leiopus / convexus / Melz.*" [handwritten by Bruch on white paper], "Cotypus" [handwritten by Melzer ? on white paper], "*Leiopus / convexus / Melz.*" [handwritten by Melzer ? on white paper, cut].

Further specimens: Holot. ["Typus"] (IEEA), Saúde, São Paulo, Est. de São Paulo, 16-11-1918, J. Melzer col.; 5 Parat. ["Cotypus"] (IEEA), same data (Zikán & Wygodzinsky, 1948).

coriaceus Burmeister, 1865. *Calocomus* [Prioninae: Calocomini]

Type locality: Argentina: Catamarca, "camino a las cordilleras, entre Machiposta y Alpaquinchí" (Burmeister, 1865: 160-161).

ME: 1 Synt. (HB), "Copacavana" [printed on green paper], "489" [printed on white paper]; 1 Synt. (HB), same labels except "489"; both specimens "*Calocomus / coriaceus* Burmeister 1865 / Syntypus ?" [handwritten by A. Bachmann on red paper].

Note: Burmeister labell his specimens as coming from "Copacavana", actually Copacabana, in the province of Catamarca. In the description, Burmeister (1865: 160-161) mention the captures between "Machiposta" and Alpasinches. Machiposta is a printing error by Machigasta, corrected with pencil by Burmeister in the Stett. Ent. Zeitg. held at the library of the MACN. Alpaquinchí

correspond to the actual Alpasinches, situated to the west of Machigasta. In their travel to Chile crossing the Andean mountains, Burmeister (1861: 2: 234) mention captures of specimens of a new species of *Calocomus* near San Antonio, 5 km southeastern of Machigasta, but not in Copacabana, this last situated northwestern of Alpasinches. Galileo & Martins (1994) erroneously give as type-localities "Catamarca; Machiposta y Alpaquinchi".

= *Calocomus morosus* White, 1850: *fide* Lameere, 1913 [synonymy].

corvina Burmeister, 1865. *Callichroma* [Cerambycinae: Callicromatini]

Type-locality: Argentina: Entre Ríos (Paraná) (Burmeister, 1865: 169).

ME: Holot. (HB), without labels, "*Callichroma / corvina / Burmeister 1865 / Typus*" [handwritten by A. Bachmann on red paper].

Recorded as *Cnemidochroma corvinum* (Burmeister, 1865) by Podany, 1965: 38 [comb. nov.].

= *Cnemidochroma phyllopus* (Guérin-Meneville, 1844): *fide* Podany, 1965: 38 [synonymy].

cujanus Burmeister, 1865. *Holopterus* [Cerambycinae: Holopterini]

Type-locality: Argentina: Mendoza: al pie de la sierra, en Challao (Burmeister, 1865: 174).

ME: 1 Synt. (HB), "Mendoza" [printed in black on pale green paper], "533" [printed in black on whitish paper], "*Holopterus / cujanus / Burmeister 1865 / Typus ?*" [handwritten by Bachmann on red paper].

Note: on the floor of the drawer, "*Holopterus Bl. Gay / Stenophantes Nob.*", and "*sublineatus* Firm / An. Ent. 1864 - 273 / *St. longipes* Nb." [both handwritten by Burmeister on whitish paper].

Recorded as *Stenophantes longipes* Burmeister, 1861: 1: 314 [*nomen nudum*].

= *Holopterus sublineatus* Fairmaire, 1864: *fide* Aurivillius, 1912: 149 [synonymy].

cyanea Melzer, 1931. *Callia* [Lamiinae: Calliini]

Type-locality: Brazil: Mato Grosso: Vaccaria [leg. J. Lans]; J. Murtinho [leg. W. Melzer] (Melzer, 1931: 14-15).

ME: 1 Parat. (CB), "Mato Grosso/Vacaria/XII-22" [printed in black on white paper], "Cotypus" [handwritten by Bruch on pale green paper], "*Callia / cyanea Melz.*" [handwritten by Bruch on white paper], "Cotypus" [handwritten by Melzer? on white paper], "*Callia / cyanea Melz.*" [handwritten by Melzer? on white paper, cut].

Further specimens: Holot. ["Typus"] (IEEA), Vacaria, Mato Grosso State, 12-1922, H. Lane coll.;

1 Parat. ["Cotypus"] (IEEA), J. Murtinho, Mato Grosso State, 12-1929, W. Melzer & R. Spitz coll. (Zikán & Wygodzinsky, 1948).

daguerrei Melzer, 1934. *Emphytoeciosoma* [Lamiinae: Pteropliini]

Type-locality: Argentina: Buenos Aires: Rosas [leg. Daguerre; type in coll. Bruch, 2 cotypes in coll. Melzer] (Melzer, 1934: 97-98).

ME: Holot. (CB), "Rosas F.C. Sud / Provincia de Buenos Aires / Juan B. Daguerre" [printed on white paper], "Typus" [handwritten by Bruch on pale green paper], "*Emphytoeciosoma / Daguerrei / Melzer*" [handwritten by Bruch on white paper], "Typus" [handwritten by Melzer? on white paper], "*Emphytoeciosoma / Daguerrei / Melz.*" [handwritten by Melzer? on white paper, cut].

Further specimens: 2 Parat. ["Cotypus"] (IEEA), Rosas, F.C. Sud, Buenos Aires province, J.B. Daguerre col. (Zikán & Wygodzinsky, 1948).

difficilis Melzer, 1934. *Idiomerus* [Lamiinae: Acanthoderini]

Type-locality: Brazil: São Paulo State (Amparo); Araraquara; Goyaz State (Jatahy); Minas [gerais] State (Belo Horizonte); Argentina (Tucumán) [type in coll. Melzer, cotypes in coll. Bruch, coll. Reck] (Melzer, 1934: 98-99).

ME: 1 Parat. (CB), "Brésil / Et. de Goyaz / Jatahy" [printed in black on white paper], "Cotypus" [handwritten by Bruch on pale green paper], "*Idiomerus / difficilis / Melz.*" [handwritten by Bruch on white paper], "Cotypus" [handwritten by Melzer? on white paper], "*Idiomerus / difficilis Melz.*" [handwritten by Melzer? on white paper, cut]; 1 Parat. (CB), "Rep. Arg. / Prov. Tucumán / XII.1899 / C. Bruch" [printed on white paper with date handwritten by Bruch], "Cotypus" [handwritten by Bruch on pale green paper], "*Idiomerus / difficilis / Melz.*" [handwritten by Bruch on white paper], "Cotypus" [handwritten by Melzer? on white paper], "*Idiomerus / difficilis Melz.*" [handwritten by Melzer? on white paper, cut]; 1 Parat. (CB), "B. Horizonte [handwritten] / O. Monte - Minas [printed in black on white paper], "Cotypus" [handwritten by Bruch on pale green paper], "*Idiomerus / difficilis / Melz.*" [handwritten by Bruch on white paper], "Cotypus" [handwritten by Melzer? on white paper], "*Idiomerus / difficilis Melz.*" [handwritten by Melzer? on white paper, cut].

Further specimens: Holot. ["Typus"] (IEEA), Amparo, São Paulo State, 10-1925, Dr. P. Reck coll.; 5 Parat. ["Cotypus"] (IEEA), same data (Zikán & Wygodzinsky, 1948).

dinellii Bruch, 1911. *Smodicum* [Cerambycinae: Smodicini]

Type-locality: Argentina: Tucumán: Tafí Viejo [leg. Dinelli, several specimens] (Bruch, 1911: 172-174).

ME: 1 Synt. (CB), "Rep. Argentina / Prov. Tucumán / 190 / C. Bruch" [printed in black on white paper], "Typus" [handwritten by Bruch on pale green paper], "Smodicum / Dinellii / Bruch - Tip" [handwritten by Bruch on white paper with red frame]; 1 Synt. (CB), same labels except determination; both specimens with "Smodicum / Dinellii / Bruch 1911 / Syntypus" [handwritten by A. Bachmann on red paper].

distinctus Bosq, 1951. *Trachyderes* [Cerambycinae: Trachyderini]

Type-locality: Argentina: Tucumán: Tafí Viejo [2 ♀, 1 ♂ Paratypes, sub 16612, MACN]; Tucumán [Holotype ♂, coll. Bosq]; Catamarca [Allotype ♀, coll. Bosq] [Paratypes coll. Bosq, EEAT] (Bosq, 1951: 105-106).

ME: 1 Parat. (MACN), "Tafí Viejo / II-1916 Girard" [handwritten on whitish paper, hardly legible], "16612" [handwritten], "Paratypus" [printed on orange paper], "Trachyderes / distinctus / Bosq ♂" [handwritten by Bosq] / Museo Argentino de Ciencias Naturaes [printed in black on orange paper]"; 1 Parat. (MACN), "Tafí Viejo / II-1917 Girard" [handwritten on whitish paper, hardly legible], "16612" [handwritten], "Para-typus" [printed on orange paper], "Trachyderes / distinctus / Bosq ♂" [handwritten by Bosq] / Museo Argentino de Ciencias Naturales [printed in black on orange paper]"; 1 Parat. (MACN), "Tafí Viejo / II-1917 Girard" [handwritten on whitish paper, hardly legible], "16612" [handwritten], "Paratypus" [printed on orange paper], "Trachyderes / distinctus / Bosq ♀" [handwritten by Bosq] / Museo Argentino de Ciencias Naturales [printed in black on orange paper]".

Further specimen: Holot. (MNRJ), ♂, Buruyacu, Tucumán, 10/IV/1930, Veronesi (Júlio et al., 2001).

diversipennis Burmeister, 1865. *Cosmisoma* [Cerambycinae: Compsocerini]

Type-locality: Brazil: Rio de Janeiro (Burmeister, 1865: 170).

ME: Holot. (HB), "Rio / d. Jan." [printed in black on green paper], "Foto / Bruch" [handwritten by Bruch on pink paper], "Cosmisoma / diversipennis / Burmeister 1865 / Typus" [handwritten by A. Bachmann on red paper].

Note: On the floor of the drawer: "Compsocerus Guerin" and "diversipennis Nob. / R. Argent." [both handwritten by Burmeister on whitish paper].

Ethemon diversipennis (Burmeister, 1865): Lacordaire, 1869: 39 [comb. nou.].

Ethemon basale var. *diversipenne* Burmeister, 1865: Bruch, 1908: 212 [status nou.].

= *Ethemon lepidum lepidum* Thomson, 1864: fide Napp, 1979: 904 [synonymy].

electrinum Gounelle, 1911. *Callichroma vittata* var. [Cerambycinae: Callichromatini]

Type-locality: Argentina: Chaco of Santa Fe [coll. Wagner]; Tucumán [coll. Bruch]; Uruguay (Dolores); Paraguay (Asunción) [coll. Revil] [coll. Gounelle, coll. NMNH, coll. Mus. Berlin] (Gounelle, 1911: 74-75).

ME: 1 Synt. ? (CB), "Rep. Argentina / Prov. Tucumán / 25.I.1908 / C. Bruch" [printed in black on white paper with date handwritten by Bruch], "Cotypus" [printed on pale green paper], "Callichroma / vittata / var. *electrinum* Goun." [handwritten by Bruch on white paper with red frame].

equestris Burmeister, 1865. *Cosmisoma* [Cerambycinae: Compsocerini]

Type-locality: Argentina: Buenos Aires; Banda Oriental [Uruguay] (Burmeister, 1865: 170-171).

ME: 2 Synt. (HB), "Buen. / Ayres" [printed in black on green paper]; 2 Synt. (HB), "Banda / orient." [printed in black on green paper]; all specimens with "Cosmisoma / equestris / Burmeister 1865 / Syntypus?" [handwritten by A. Bachmann on red paper].

= *Paromoeocerus barbicornis* (F, 1792): fide Napp, 1976: 24 [redescription].

exilis Melzer, 1933. *Neophygopoda* [Cerambycinae: Rhinotragini]

Type-locality: Argentina: Salta: Cadillal [type in coll. Bruch, cotype in coll. Melzer] (Melzer, 1933: 372).

ME: Holot. (CB), "Cadillal I / 1919" [handwritten on white paper], "Typus" [handwritten by Bruch on pale green paper], "Neophygopoda / exilis Melz." [handwritten by Bruch on white paper with remainings of a red frame], "Neophygopoda / exilis Melz." [handwritten by Melzer ?, cut].

Further specimen: 1 Parat. ["Cotypus"] (IEEA), Argentina, Cadillal, I-1919 (Zikán & Wygodzinsky, 1948).

famelicus Burmeister, 1865. *Clytus* [Cerambycinae: Clytini]

Type-locality: Argentina: Tucumán (Burmeister, 1865: 176-177).

ME: 1 Synt. (HB), "Tucumán" [printed in black on green paper], "542" [printed in black on

whitish paper], "Clytus / famelicus / Burmeister 1865 / Typus" [handwritten by A. Bachmann on red paper], "Neoclytus / ypsilon Chevrolat, 1862 / Di Iorio det. 1998" [handwritten by Di Iorio on yellow paper].

Recorded as *Neoclytus famelicus* (Burmeister, 1865) by Aurivillius, 1912 [comb. nov.].

= *Neoclytus ypsilon* Chevrolat, 1862; *fide* Di Iorio, 1998a: 12 [synonymy].

farinosa Burmeister, 1865. *Ozodera* [Cerambycinae: Trachyderini]

Type-locality: Argentina: Occidental Pampa, between San Luis and Mendoza (Burmeister, 1865: 161-162).

ME: 1 Synt. (HB), "Pampa / occid." [printed in black on green paper], "501" [printed in black on whitish paper], "Photo / Bruch" [handwritten by Bruch on pink paper], "Typus" [printed on red paper], "Ozodera / farinosa / Burmeister 1865 / Typus" [handwritten by A. Bachmann on red paper].

Recorded as *Parozodera farinosa* (Burmeister, 1865) by Bruch, 1940: 116-118 [comb. nov.].

femoralis Burmeister, 1865. *Hastatis* [Lamiinae: Calliini]

Type-locality: Argentina: Mendoza (Burmeister, 1865: 179-180).

ME: 1 Synt. (HB), "Mendoza" [printed in black on green paper], "552" [printed in black on whitish paper], "Hastatis / femoralis / Burmeister 1865 / Typus" [handwritten by A. Bachmann on red paper].

ferruginea Bruch, 1908. *Coremia* [Cerambycinae: Compsocerini]

Type-locality: Argentina: Salta [several specimens] (Bruch, 1908: 213-214).

ME: 1 Synt (CB), "Rep. Argentina / Prov. Salta / 190 / C. Bruch" [printed in black on white paper], "Typus" [printed on pale green paper], "Coremia / ferruginea / Bruch tipo" [handwritten by Bruch on white paper with red frame]; 1 Synt. (CB), "Rep. Argentina / Prov. Salta / 190 / R. Richter" [printed in black on white paper], "Typus" [printed on pale green paper], "C. (Thalusia) / ferruginea / Bruch" [handwritten by Bruch on white paper with red frame]; both specimens with "Coremia / ferruginea / Bruch 1908 / Syntypus" [handwritten by A. Bachmann on red paper].

Further specimens: Syntypus in the MNHN (Marques & Napp, 1996: fig. 215).

Recorded as *Lathusia ferruginea* (Bruch, 1908) by Marques & Napp, 1996: 398-403 [comb. nov.].

ferruginosum Martins, 1959. *Hexoplton* [Cerambycinae: Ibiddionini]

Type-localities: Brasil: São Paulo State: Marilia [Holotype, Allotype, 72 Paratypes], Itu (Chácara do Rosario) [1 Paratype], Indiana [1 Paratype]; Paraná State: Arapongas [6 Paratypes], Rolândia [5 Paratypes], Londrina [2 Paratypes], Sta. Mariana [4 Paratypes], Caviuna [2 Paratypes]; Paraguay: San Bernardino [2 Paratypes], Horqueta [1 Paratype]; Perú: Junín province: Sani Beni [3 Paratypes] [Holotype, 69 Paratypes, CS; Allotype, 8 Paratypes, MZSP; 1 Paratype Richard von Diringshofen, São Paulo; 7 Paratypes, USNM; 2 Paratypes, AMNH; 5 Paratypes E.G. Linsley; 4 Paratypes, Inst. Biol. São Paulo; 5 Paratypes, U.R. Martins] (Martins, 1959: 347-349).

ME: 1 Parat. (MACN), "Marilia SP / XI-1945 Zellibor" [mecanographiated on white paper], "Paratipo" [printed in black on red paper with black frame], "U. Martins det. [printed in black] 959 [handwritten by Martins] / *Hexoplton / ferruginosum* / sp. n. / paratipo [handwritten by Martins on white paper]".

flabellifera Bruch, 1908. *Anoploderma* (*Eumysteria*) [Anoplodermatinae: Mysterini]

Type-locality: Argentina: Santiago del Estero: Suncho Colôrado (III-1908, Santiago Roth leg., 3 ex.) (Bruch, 1908: 199-201).

ME: 1 Synt. (CB), "Rca. Argentina / Prov. Santiago d. Estero / 2.1908 / C. Bruch" [printed in black on white paper with date handwritten by Bruch except 190 printed], "Typus" [printed on pale green paper inside a black frame], "Eumysteria / flabellifera / Bruch" [handwritten by Bruch on white paper inside a red frame], "Pathocerus / wagneri / Waterh." [handwritten by Bruch on white paper inside a red frame].

Further specimens: 1 Parat. ["Cotyptus"] (MLP), "Rca. Argentina / Prov. Santiago d. Estero / 3.1908 / C. Bruch" [printed in black on white paper with date handwritten by Bruch except 190 printed] (Cabrera & Fernandez, 2000).

Remarks: Following this last authors, neither specimen is housed in the MACN, but a Syntype was founded mixed with those of *Pathocerus wagneri* in the coll. Bruch. The third specimen mentioned by Bruch (1908) was not located. In view of this, the specimen labelled as Cotyptus at the MLP is properly a Paratype instead as was recorded as a Syntype by Cabrera & Fernandez (2000).

= *Pathocerus wagneri* Waterhouse, 1901: Gounelle, 1908: 288 [synonymy].

fulvicornis Burmeister, 1865. *Ancylocera* [Cerambycinae: Ancylocerini]

Type-locality: Argentina: Entre Ríos: Paraná [1 ♀] (Burmeister, 1865: 172-173).

ME: Holot. (HB), "Parana - Nov." [printed in black on green paper], "Colección / Antigua" [handwritten on white paper], "Holotypus" [printed in black on red paper], "flavicornis [sic] / Mus. Ber. / R. Argent." [handwritten by Burmeister on white paper], "Aencylocera / fulvicornis / Burm./ Det. M. Viana" [handwritten by Viana on white paper].

Recorded as *Ceralocyna fulvicornis* (Burmeister, 1865) by Viana, 1971: 167, 168-173 [comb. nov.].

= *Ceralocyna foveicollis* (Buquet, 1854); *fide* Monné & Napp, 1999: 30 [synonymy].

glaucus Melzer, 1931. *Eutrypanus* [Lamiinae: Acanthocinini]

Type-locality: Brazil: São Paulo State (Assis) [leg. Neumann]; Santa Catarina State (Joinville) [leg. Schmith]; Minas Gerais State (Passa Quatro) [leg. Zikán] [6 exx.] (Melzer, 1931: 72-73).

ME: 1 Parat. (CB), "Minas (Brazil) / Passa Quatro - Faz. dos Campos / I. 18 [printed on white paper with date handwritten] // 5.Jan. 918 Zikán [handwritten with pencil]", "Cotypus" [handwritten by Bruch on pale green paper], "Eutrypanus / glaucus / Melz." [handwritten by Bruch on white paper], "Cotypus" [handwritten by Melzer ? on white paper], "Eutrypanus / glaucus Melz." [handwritten by Melzer ? on white paper, cut].

Further specimens: Holot. ["Typus"] (IEEA), Fazenda dos Campos, 1500 m, Passa Quatro, Minas Gerais State, J.F. Zikán coll.; 2 Parat. ["Cotypus"] (IEEA), Joinville, Santa Catarina State, 2-1920, C. Schmith coll.; 3 Parat. ["Cotypus"] (IEEA), Assis, São Paulo State, 12-1918, Neumann coll., and Fazenda dos Campos, 1500 m, Passa Quatro, Minas Gerais State, 12-1917, J.F. Zikán coll. (Zikán & Wygodzinsky, 1948).

Recorded as *Neoeutrypanus glaucus* (Melzer, 1931) by Monné, 1977: 696 [comb. nov.].

glaucus Melzer, 1935. *Tithonus* [Lamiinae: Acanthocinini]

Type-locality: Argentina: Misiones province (San Ignacio) [leg. Bade] [sole type in coll. Bruch] (Melzer, 1935: 229-230).

ME: Holot. (CB), "Misiones / San Ignacio / B. & W. Bade" [photographed from a typewriting], "Typus" [handwritten by Bruch on pale green paper], "Tithonus / glaucus / Melz." [handwritten by Bruch on white paper with remainings of black frame], "Typus" [handwritten by Melzer ? on white paper], "Tithonus / glaucus / Melz." [handwritten by Melzer ? on white paper, cut].

gounellei Bruch, 1908. *Compsocerus* (*Compsoceridius*) [Cerambycinae: Compsocerini]

Type-locality: Argentina: Buenos Aires: La Plata [2 ex.] (Bruch, 1908: 208-210).

ME: 1 Synt. (CB), "Rep. Argentina / Prov. Buenos Aires / 190 / C. Bruch" [printed in black on white paper], "Typus" [handwritten by Bruch on pale green paper], "Compsocerus / (*Compsoceridius*) / Gounellei / Bruch" [handwritten by Bruch with red frame]; 1 Synt. (CB), same locality label, "Compsoceridius / Gounellei / Bruch" [handwritten by Bruch with red frame].

Recorded as *Compsoceridius gounellei* (Bruch, 1908) by Bruch, 1912: 198 [comb. nov.].

gounellei Bruch, 1908. *Cycnidolon* [Cerambycinae: Ibidiionini]

Type-locality: Argentina: Tucumán province: Tafi Viejo [II-1906, 1 ex.] (Bruch, 1908: 206-207).

ME: Holot. (CB), "Rep. Argentina / Prov. Tucumán / 190 / C. Bruch" [printed in black on white paper], "Typus" [printed in black on pale green paper], "Cycnidolon / gounellei / Bruch" [handwritten by Bruch in white paper with red frame].

gounellei Bruch, 1919. *Parapimelitta* [Cerambycinae: Rhinotragini]

Type-locality: Argentina: Rio Negro province: Puerto Blest; Neuquén province: Lago Lacar [1898] (Bruch, 1919: 24-26).

ME: 1 Synt. (CB), "Rep. Argentina / Gob. Rio Negro / 190 / C. Bruch" [printed in black on white paper], "Typus" [handwritten by Bruch on pale green paper], "Parapimelitta / gounellei / Bruch" [handwritten by Bruch] / C. Bruch determ. [printed in black]; 1 Synt. (CB), with buccal pieces glued to a card, "Typus" [handwritten by Bruch on pale green paper], "Parapimelitta / gounellei / Bruch" [handwritten by Bruch] / C. Bruch determ. [printed in black]; 1 Synt. (CB), "Rep. Argentina / Gob. Neuquén / 7.4.1898 / C. Bruch" [printed in black on white paper with date handwritten by Bruch], "Typus" [handwritten by Bruch on pale green paper]; all with "Parapimelitta / Gounellei / Bruch 1919 / Syntypus" [handwritten by A. Bachmann on red paper].

= *Necydalopsis femoralis* Germain, 1855; *fide* Bosq, 1950: 377-378 [synonymy].

gracilior Burmeister, 1865. *Cosmisoma* [Cerambycinae: Compsocerini]

Type-locality: Argentina: Entre Ríos province: Paraná (Burmeister, 1865: 171).

ME: 1 Synt. (HB), "Paraná / Nob." [printed in black on green paper], "512" [printed in black on white paper], "Cosmisoma / gracilior" Burmeister 1865 / Syntypus" [handwritten by A. Bachmann on red paper].

Further specimens: 1 ex. (HB), without labels, "*Cosmisoma / gracilior* Burmeister 1865 / Syntypus ?" [handwritten by A. Bachmann on red paper].

Note: on the bottom of the drawer: "Uncia Thomps." [handwritten by Burmeister on whitish paper].

Recorded as *Unxia gracilior* (Burmeister, 1865) by Berg, 1886: 237 [comb. nov.].

griseopubescens Monné, 1972. *Achryson* [Cerambycinae: Achrysonini]

Type-localities: Argentina: Córdoba province; Alta Gracia, La Granja [coll. Bruch]; San Javier, La Paz [coll. Bruch] [Holotype ♂, allotype ♀, Paratypes 4 ♂ MACN] [other Paratypes MLP, FHC] (Monné, 1972: 109-111).

ME: Holot. ♂ (CB), "Alta Gracia - La Granja / Sierras de Córdoba / C. Bruch leg. 1.922" [printed in black on white paper with date handwritten by Bruch], "Typus" [printed on pale green paper], "Holotipo [handwritten by Monné] / M.A. Monné det. 19 [printed on red paper]", "Achryson / *griseopubescens* / mihi ♂" [handwritten by Monné] / M.A. Monné det. 1970 [printed on white paper]; Allot. ♀ (CB), "Alta Gracia - La Granja / Sierras de Córdoba / C. Bruch leg. 10-I-927" [printed in black on white paper with date handwritten by Bruch], "Allotipo [handwritten by Monné] / M.A. Monné det. 19 [printed on red paper]", "Achryson / *griseopubescens* / mihi ♀" [handwritten by Monné] / M.A. Monné det. 1970 [printed on white paper]"; 2 Parat. ♂ ♂ (CB), "Alta Gracia - La Granja / Sierras de Córdoba / C. Bruch leg. 1.922" [printed in black on white paper with date handwritten by Bruch], "Paratipo ♂" [handwritten by Monné on white paper], "Achryson / *griseopubescens* / mihi ♂" [handwritten by Monné] / M.A. Monné det. 1970 [printed on white paper]; 1 Parat. ♂ (CB), same labels as other two Paratypes, + "Achryson / *griseopubescens* / Bruch / C. Bruch [handwritten by Bruch except C. Bruch printed on white paper]; 1 Parat. (CB), "La Paz (Dep. San Javier) / Córdoba / 1-20.I.1929 C. Bruch" [printed on white paper], "Achryson / *griseopubescens* / Bruch - Bruch determ." [handwritten by Bruch (except "Bruch determ." printed) on white paper], "Paratipo ♀" [handwritten by Monné on white paper], "Achryson / *griseopubescens* mihi ♀" [handwritten by Monné] / M.A. Monné det. [printed] 1970 [handwritten by Monné on white paper].

= *Achryson ornatipenne* Perroud, 1855: *fide* Martins, 1976b: 73 [synonymy].

= *Achryson quadrimaculatum* (F, 1792): *fide* Monné & Giesbert, 1995: 33 [cat.].

heterogama Burmeister, 1865. *Micropsalis* [Prioninae: Prionini]

Type locality: Argentina: Mendoza province ([EI] "Borbollón") (Burmeister, 1865: 157-158).

ME: Mendoza: 1 Synt. ♂ (HB), "Mendoza" [printed on green paper], "484" [printed on whitish paper]; 1 Synt. ♀, without labels; both specimens with "*Micropsalis / heterogama* / Burmeister 1865 / Syntypus" [handwritten by A. Bachmann on red paper].

Note: on the bottom of the drawer, "*Micropsalis Nobis / Apterocaulus Firm*" [sic], "*Heterogama Nob. / A. germainii Firm* [sic] / Mendoza" [handwritten by Burmeister in black on white paper inside a black frame]. Monné & Giesbert (1995) and Monné (1995) considered that *Micropsalis heterogama* Burmeister, 1861 has precedence over the same name of Burmeister (1865). In the mention of *Micropsalis heterogama*, Burmeister (1861) say that the "hembra desgraciadamente se me fue por culpa de este mismo acompañante". If 1861 is considered as the real date of publication, the female Syntype is not a type.

hubrichi Bruch, 1925. *Aerenicopsis* [Lamiinae: Aerenicini]

Type-locality: Argentina: Chaco of Santa Fe: La Gallareta [3 ex.]; Córdoba province: Alta Gracia [2 ex.] (Bruch, 1925: 210-211).

ME: 1 Synt. ? (CB), "Rep. Argentina / Prov. Cordoba/190/C. Bruch" [printed in black on white paper with date handwritten by Bruch], "Typus" [printed on pale green paper], "Foto" [handwritten by Bruch], "Aerenicopsis / *hubrichi* / Bruch" [handwritten by Bruch on white paper with red frame].

Further specimens: 1 Parat. ["Cotypus"] (MZSP), Santa Fe, C. Bruch leg. (Martins & Galileo, 1998).

implicata Melzer, 1935. *Dorcasta* [Lamiinae: Apomecynini]

Type-locality: Argentina: Buenos Aires, Santa Fe, Tucumán [type in coll. Bruch, cotype in coll. Melzer] (Melzer, [1934] 1935: 228-229).

ME: 1 Synt. (CB), "Tucumán / XII.1889 C. Bruch" [handwritten by Bruch on white paper], "Typus" [handwritten by Bruch on pale green paper], "Dorcasta / *implicata* / Melz." [handwritten by Bruch on white paper]; 1 Synt. (CB), "Rep. Argentina / Prov. Tucuman / XII.1889 / C. Bruch" [printed in black on white paper with date handwritten by Bruch], "Typus" [handwritten by Bruch on pale green paper], "Typus" [handwritten by Melzer ? on white paper], "Dorcasta / *implicata* Melz." [handwritten by Melzer ? on white paper].

Further specimens: 1 Parat. ["Cotypus"] (IEEA), Buenos Aires province, R. Richter col.; 1

Parat. ["Cotypus"] (IEEA), Santa Fe province (Chaco), C. Bruch col.; 2 Parat. ["Cotypus"] (IEEA), Tucumán province, 12-1899, C. Bruch col. (Zikán & Wygodzinsky, 1948).

implicatus Melzer, 1926. *Oxathres* [Lamiinae: Acanthocinini]

Type-localities: Brazil: Santa Catarina State (Joinville) (Melzer, 1926: 15); [Lectotype designation] (Martins & Monné, 1974: 24).

ME: 1 Paralectot. (CB), "Est. S. Catharina / Joinville / Jan. 1922 L. Schmitt" [handwritten by Melzer ? on white paper], "Cotypus" [handwritten by Bruch on pale green paper], "Oxathres / implicatus / Melz." [handwritten by Bruch on white paper], "Oxathres / implicatus Melz. Melzer det." [handwritten by Melzer ? on white paper, cut].

joergenseni Bruch, 1911. *Hebestola* [Lamiinae: Aerenicini]

Type-locality: Argentina: Misiones province: Bonpland [several ex., leg. Joergensen] (Bruch, 1911: 177-178).

ME: 1 Synt. (CB), "Rep. Argentina / Gob. Misiones / 2.1910 / C. Bruch" [printed in black on white paper with date handwritten by Bruch], "Typus" [printed on pale green paper], "Hebestola / Joergenseni / Bruch" [handwritten by Bruch on white paper with red frame].

Further specimens: 1 Parat. ["Cotypus"] (IEEA), Argentina, Misiones province, C. Bruch col. (Zikán & Wygodzinsky, 1948).

Note: Specimen in the collection Bruch will be either Holotype or a Syntypus if there were remaining original specimens labelled Cotypus or Typus respectively.

lahillei Bruch, 1926. *Aerenica* [Lamiinae: Aerenicini]

Type-locality: Argentina: Salta (Zuviria) [1 ex.]; Bolivia: Santa Cruz [1 ex., leg. Lizer et Déletang] (Bruch, 1926: 345-347).

ME: 1 Synt. (CB), "Reimoser / Argentinien / Zuviría" [printed on white paper], "Typus" [printed on pale green paper], "Aerenica / Lahillei / Bruch" [handwritten by Bruch] / C. Bruch determ. [printed on white paper]; 1 Synt. (CB), "Santa Cruz / Bolivia" [printed on white paper], "Typus" [printed on pale green paper], "Aerenica / Lahillei / Bruch 1926 / Syntypus" [handwritten by A. Bachmann on red paper].

= *Aerenica canescens* (Klug, 1825); *fide* Lane, 1974b [synonymy].

lateriscriptus Burmeister, 1865. *Oxymerus* [Cerambycinae: Trachyderini]

Type-locality: Argentina: Santa Fe province: Rosario (Burmeister, 1865: 164).

ME: 1 Synt. (HB), "Rosario" [printed in black on green paper], "Photo / Bruch" [handwritten by Bruch on pink paper], "Typus" [printed in black on red paper], "Oxymerus / luteus / Voet / ssp. *abdominalis* Hüdepohl det. 78" [photographed from typewriting]; 1 Synt. (HB), "Typus" [printed in black on red paper], "Oxymerus / luteus / Voet / ssp. *abdominalis* Hüdepohl det. 78" [photographed from typewriting]; both specimens, "Oxymerus / lateriscriptus / Burmeister 1865 / Syntypus" [handwritten by A. Bachmann on red paper].

= *Oxymerus luteus abdominalis* Dupont, 1838; *fide* Hüdepohl, 1979: 20, 33-34 [synonymy].

lineatus Brèthes, 1920. *Tetrasarus* [Lamiinae: Acanthoderini]

Type-locality: Perú: Chanchamayo (Brèthes, 1920: 47).

ME: Holot. (MACN), "C.R. Vigil / Perou" [handwritten on whitish paper], "Reparró / M. Viana / I-1960" [handwritten by Viana on white paper], "type !" [handwritten on whitish paper], "*Tetrasarus* / *lineatus* Brèthes" [handwritten by Brèthes on whitish paper], "Typus" [printed on red paper].

lineolatus Melzer, 1933. *Eupogonius* [Lamiinae: Desmiphorini]

Type-locality: Brazil: São Paulo State (Amparo) [leg. Reck, cotype in coll. Melzer]; Paraguay: Sa. Trinidad [coll. Bruch] (Melzer, 1933: 376-377).

ME: 1 Parat. (CB), "Paraguay / Sa. Trinidad / X.1913" [printed on white paper with date handwritten by Bruch], "Cotypus" [handwritten by Bruch on greenish paper], "Eupogonius / lineolatus / Melz." [handwritten by Bruch on white paper with remainings of a black frame], "Cotypus" [handwritten by Melzer ? on white paper], "Eupogonius / lineolatus / Melz." [handwritten by Melzer ? on white paper], "Holotypus" [printed on red paper].

Further specimens: Holot. ["Typus"] (IEEA), Amparo, São Paulo State, 1931, Dr. P. Reck col. (Zikán & Wygodzinsky, 1948).

tutarium Burmeister, 1865. *Achryson* [Cerambycinae: Achrysonini]

Type-locality: Argentina: Tucumán province (Burmeister, 1865: 175-176).

ME: 1 Synt. (HB), "Tucuman" [printed in black on green paper], "536" [printed in black on whitish paper], "Foto / Bruch" [handwritten by Bruch on pink paper]; 1 Synt. (HB), "Tucuman" [printed

in black on green paper]; both specimens with “*Achryson / lutarium* / Burmeister 1865 / Syntypus” [handwritten by A. Bachmann on red paper].

luteifrons Bruch, 1926. *Parepectasis* [Lamiinae: Pteropliini]

Type-locality: Argentina: Santa Fe, Mendoza, Santiago del Estero, Catamarca (Ciénaga de Belén; Fuerte Quemado) (Bruch, 1926: 345).

ME: 1 Synt. (CB), “La Ciénaga (Belén) / Catamarca / 1.1926 / Weiser Wolters leg.” [printed in black on white paper with date handwritten by Bruch], “Typus” [printed on pale green paper], “Foto” [printed on pale green paper], “*Parepectasis / luteifrons* / Bruch [handwritten by Bruch] / C. Bruch determ. [printed on white paper]; 1 Synt. (CB), “La Ciénaga (Belén) / Catamarca / XII.1925 / Weiser Wolters leg.” [printed in black on white paper with date handwritten by Bruch], “Typus” [printed on pale green paper], “*Parepectasis / luteifrons* / Bruch 1926 / Syntypus” [handwritten by A. Bachmann on red paper]; 1 Parat. (CB), “Rep. Argentina / Prov. Santa Fe / 190 / C. Bruch” [printed in black on white paper], “Cotypus” [printed on pale green paper], “*Parepectasis / luteifrons* / Goun.” [handwritten by Bruch on white paper with red frame]; 1 Synt. (CB), “Chiquimil / Catam. Weiser” [handwritten by Bruch on white paper], “Typus” [printed on pale green paper], “*Parepectasis / luteifrons* / Bruch 1926 / Syntypus” [handwritten by A. Bachmann on red paper]; 1 Parat. (CB), “Rep. Argentina / Prov. Mendoza / 190 / C. Bruch” [printed in black on white paper], “Cotypus” [printed on pale green paper], “*Parepectasis / luteifrons* / Bruch 1926 / Syntypus” [handwritten by A. Bachmann on red paper].

Further specimens: 1 ex. (CB), “Fte. Quemado / Catam. Wolters” [handwritten by Bruch on white paper], “*Parepectasis / luteifrons* / Bruch 1926 / Syntypus ?” [handwritten by A. Bachmann on red paper]; 1 ex. (CB), “Rep. Argentina / Prov. Mendoza / 190 / C. Bruch” [printed in black on white paper], “*Parepectasis / luteifrons* / Bruch 1926 / Syntypus ?” [handwritten by A. Bachmann on red paper]; 3 ex. (CB), “Rep. Argentina / Pr. Santiago d. Estero / 190 / C. Bruch” [printed in black on white paper].

Recorded as *Ataxia luteifrons* (Bruch, 1926) by Breuning, 1961: 57 [comb. nov.].

maculatum Burmeister, 1865. *Achryson* [Cerambycinae: Achrysonini]

Type-locality: Argentina: Tucumán province (Burmeister, 1865: 175, 176).

ME: 2 Synt. (HB), “Tucuman” [printed in black on green paper], “*Achryson / maculatum* /

Burmeister 1865 / Syntypus” [handwritten by A. Bachmann on red paper].

Further specimens: 1 ex. (HB), without label, “*Achryson / maculatum* / Burmeister 1865 / Syntypus ?” [handwritten by A. Bachmann on red paper].

Note: *Achryson maculatum* Burmeister, 1861. 2: 166 [Tucumán] is a *nomen nudum*.

mancus Melzer, 1932. *Lepturges* [Lamiinae: Acanthocinini]

Type-locality: Brazil: São Paulo State (Bosque da Saúde) [type in coll. Melzer]; Rio Grande do Sul State (Porto Alegre) [leg. Buck]; Argentina: Buenos Aires province [leg. Bruch] (Melzer, 1932: 229-230).

ME: 1 Synt. (CB), “Rep. Argentina / Prov. Buenos Aires / 2.12.1894 / C. Bruch” [printed in black on white paper with date handwritten by Bruch], “Typus” [handwritten by Bruch on pink paper], “*Lepturges / mancus* / Melz.” [handwritten by Bruch on white paper], “*Lepturges / mancus* Melz.” [handwritten by Melzer ? on white paper, cut].

Further specimens: Holot. [“Typus”] (IEEA), Saúde, São Paulo State, 18-1-1914, J. Melzer coll. (Zikán & Wygodzinsky, 1948).

meridionalis Hüdepohl, 1979. *Oxymerus aculeatus* [Cerambycinae: Trachyderini]

Type-localities: Bolivia: Cochabamba [4 Paratypes, leg. Birabén, MACN]; Argentina: Chaco province: Resistencia [4 Paratypes, leg. Daguerre, MACN]; Formosa province: Palo Santo [2 Paratypes, leg. Hepper, MACN]; Corrientes province: Santo Tomé [Paratypes, leg. Pellerano, MACN]; Santiago del Estero province: río Salado [Holotype, Allotype, leg. Wagner, MNHN] [Paratypes in several institutions] (Hüdepohl, 1979: 23-24, 28).

ME: 2 Parat. (MACN), “Bolivia / Cochabamba / II 944 / M. Biraben” [handwritten on white paper], “6” [typewritten], “*Oxymerus / aculeatus* Dup. / *ssp. meridionalis* Hüdepohl det. 79” [typewritten on pink paper, reverse white]; 1 Parat. (MACN), “Formosa / Palo Santo / III.941 Hepper” [handwritten on white paper], “9” [typewritten on white paper], “*Oxymerus / aculeatus* Dup. / *ssp. meridionalis* Hüdepohl det. 79” [typewritten on pink paper, reverse white].

minuta Dias, 1988. *Mysteria* [Anoplodermatinae: Mysterini]

Type-localities: Paraguay: Itapuá [1 ♂ Paratype, CS], Cantera [Holotype, 2 ♂ ♂ Paratypes, CS], without precise locality [1 ♂ Paratype, CS], Vega [4 ♂ ♂ Paratypes, CS]; Ar-

gentina: Misiones [1 ♂ Paratype, MACN; 1 ♂ Paratype, AM; 2 ♂♂ Paratypes, CS], Estación Experimental Loreto [7 ♂♂ Paratypes, CS], San Ignacio [1 ♂ Paratype, MLP; 1 ♂ Paratype, MZSP; 1 ♂ Paratype, AM], Santa María [Viana leg., 3 ♂♂ Paratypes, MNRJ] (Dias, 1988: 144).

ME: 1 Parat. (HB), "Mis." [handwritten on green paper], "Mysteria / cylindripennis / Thoms., Lacord. Atl. pl. 81, f. 2" [handwritten by Burmeister on white paper]; "Paratipo" [printed on red paper], "Mysteria minuta / paratipo ♂ sp. n. / M.M. Dias det. 1982" [handwritten on white paper inside a black frame].

missionum Bruch, 1911. *Smodicum* [Cerambycinae: Smodicini]

Type-locality: Argentina: Misiones [1 ex.] (Bruch, 1911: 174-175).

ME: Holot. (CB), "Rep. Argentina / Gob. Misiones / 190 / C. Bruch" [printed in black on white paper], "Typus" [handwritten by Bruch on pale green paper], "Smodicum / missionum / Bruch - tipo" [handwritten by Bruch on white paper with red frame].

= *Smodicum dinellii* Bruch, 1911: *fide* Martins, 1975: 333, 336-338 [synonymy].

modesta Melzer, 1931. *Pseudocriopsis* [Lamiinae: Acanthocinini]

Type-locality: Brazil: São Paulo State (Bosque da Saúde) [7 ex., leg. Melzer]; Minas Gerais State (Passa Quatro) [1 ex., leg. Zikán]; Rio de Janeiro State (S. Thereza) [1 ex., leg. Conde] (Melzer, 1931: 197-198).

ME: 1 Parat. (CB), "Brasil -S. Paulo / Est. S. Paulo / Saude [printed on white paper] 27.XII. 1914 [handwritten with pencil] // 27.XII.1914 Melzer [handwritten with pencil]", "Cotypus" [printed on pale green paper], "Pseudocriopsis / modesta / Melz." [handwritten by Bruch in white paper], "Cotypus" [handwritten by Melzer ? on white paper, cut], "Pseudocriopsis / modesta / Melz." [handwritten by Melzer ? on white paper, cut].

Further specimens: 1 Synt. ["Typus"] (IEEA), Saúde, São Paulo, São Paulo State, 24-12-1922, J. Meizer col.; 1 Synt. ["Typus"] (IEEA), Santa Tereza, Espírito Santo State, 2-1-1929, O. Conde col.; 5 Parat. ["Cotypus"] (IEEA), Fazenda dos Campos, 1500 m, Passa Quatro, Minas Gerais State, 2-1919, J.F. Zikán col. (Zikán & Wygodzinsky, 1948).

molle Burmeister, 1865. *Prionidium* [Anoplodermatinae: Mysteriini]

Type-locality: "Banda Oriental" [Uruguay] (Burmeister, 1865: 160).

ME: Holot. (HB), "Banda / orient." [printed in black on green paper]; "Prionidium / molle / Burmeister 1865 / Typus" [handwritten by A. Bachmann on red paper].

= *Mysteria cylindripennis* Thomson, 1860: *fide* Berg, 1886: 234 [synonymy].

multiguttatus Burmeister, 1865. *Clytus* [Cerambycinae: Clytini]

Type-locality: Argentina: Mendoza (Burmeister, 1865: 176); Mendoza [Lectotype, and Paralectotype designations] (Di Iorio, 1995a: 320).

ME: Lectot. (HB), "Mendoza" [printed in black on green paper], "540" [printed in black on white paper], "Megacyllene / (Megacyllene) / multiguttata / (Burmeister, 1865) / Lectotypus / Di Iorio desig. 1994" [handwritten by Di Iorio on red paper]; 1 Paralectot. (HB), "Mendoza" [printed in black on green paper], "Megacyllene / (Megacyllene) / multiguttata / (Burmeister, 1865) / Paralectotypus / Di Iorio desig. 1994" [handwritten by Di Iorio on red paper]; both specimens with "Clytus / multiguttatus / Burmeister 1865 / Typus" [handwritten by A. Bachmann on red paper].

Recorded as *Megacyllene multiguttata* (Burmeister, 1865) by Bosq, 1949a: 197 [comb. nov.].

Noté: An erroneous synonym of *Clytus proximus* Laporte & Gory, 1836: *fide* Berg, 1886: 238; revalidated not formally by Bosq, 1947, and by Di Iorio, 1995a: 320.

murinus Burmeister, 1879. *Clytus* [Cerambycinae: Clytini]

Type-locality: Paraguay (Burmeister, 1879: 201).

ME: Holot. (HB), "Paraguay" [printed in black on green paper], "Clytus / murinus / Burmeister 1879 / Typus" [handwritten by A. Bachmann on red paper].

Recorded as *Megacyllene murina* (Burmeister, 1879) by Bosq, 1949a: 200 [comb. nov.].

mus Gounelle, 1906. *Ranqueles* [Cerambycinae: Torneutini]

Type-locality: Argentina: Mendoza [1 ex., XI-1896, leg. Bruch] (Gounelle, 1906: 141-142; Di Iorio, 1996a: 142).

ME: Holot. (CB), "Rep. Argentina / Prov. Mendoza / 190 / C. Bruch" [printed in black on white paper], "Typus" [printed on pale green paper], "Ranqueles / mus / Goun. tipo" [handwritten by Bruch on white paper with red frame].

nigricornis Bruch, 1926. *Tetroplon caudatum* var. [Cerambycinae: Ibidiomini]

Type-locality: Argentina: Córdoba province: Alta Gracia [several specimens] (Bruch, 1926: 340).

ME: 1 Synt. (CB), "Alta Gracia - La Granja / Sierras de Córdoba / C. Bruch leg." [printed in black on white paper], "Typus" [printed in black on pale green paper], "Foto" [printed in black on pale green paper], "Tetroplon / caudatum Auriv. v. / nigricornis Bruch [handwritten by Bruch] / C. Bruch determ. [printed in black on white paper]"; 1 Synt. (CB), "Alta Gracia - La Granja / Sierras de Córdoba / 27.I.925 / C. Bruch leg." [printed in black on white paper with date handwritten by Bruch], "Typus" [printed in black on pale green paper], "Tetroplon / caudatum / var. nigricornis Bruch 1926 / Syntypus" [handwritten by A. Bachmann on red paper].

Further specimens: 4 ex. (CB), "Alta Gracia - La Granja / Sierras de Córdoba / 1922 / C. Bruch leg." [printed in black on white paper with date handwritten by Bruch].

Recorded as *Tetroplon caudatum nigricornis* Bruch, 1926 by Martins, 1967: 306 [status nov.].

nodicollis Burmeister, 1865. *Cosmisoma* [Cerambycinae: Rhopalophorini]

Type-locality: Argentina: Entre Ríos province: Paraná (Burmeister, 1865: 171).

ME: 1 Synt. (HB), "Paraná/April" [printed in black on green paper], "Cosmisoma / nodicollis / Burmeister 1865 / Syntypus" [handwritten by A. Bachmann on red paper].

Further specimens: 3 exx. (HB), without labels, "Cosmisoma / nodicollis / Burmeister 1865 / Syntypus" [handwritten by A. Bachmann on red paper].

= *Cosmisoma brullei* (Mulsant, 1863): *fide* Gahan & Gounelle, 1910: 238 [synonymy].

nodipennis Burmeister, 1865. *Onocephala* [Lamiinae: Pogonocherini]

Type-locality: Argentina: Buenos Aires: Bahía Blanca (Burmeister, 1865: 181).

ME: 1 Synt. (HB), "Bahia / blanc." [handwritten on green paper], "Onocephala / nodipennis / Burmeister 1865 / Syntypus" [handwritten by A. Bachmann on red paper].

Further specimens: 1 ex. (HB), without original labels, labelled posteriorly "Bs. As. / Argentina / Bahía Blanca" [handwritten by Viana on white paper], "Cotypus" [printed on red paper], "Onocephala / nodipennis / Burm. / Cotipo" [handwritten by Viana on orange paper].

Recorded as *Lysimena nodipennis* (Burmeister, 1865) by Breuning, 1975: 51 [comb. nov.].

obliquatus Burmeister, 1865. *Oxymerus* [Cerambycinae: Trachyderini]

Type-locality: Argentina: Entre Ríos province; Banda Oriental [Uruguay] (Burmeister, 1865: 163-164).

ME: 1 Synt. (HB), "Parana - Nov." [printed in black on green paper], "Typus" [printed in black on red paper], "Oxymerus / obliquatus / Burmeister 1865 / Syntypus" [handwritten by A. Bachmann on red paper], "Oxymerus / chevrolati Dup. / Hüdepohl det. 78" [photographed from typewriting].

Further specimens: 1 ex. (HB), without original labels, labelled posteriorly "Typus" [printed in black on red paper], "Oxymerus / obliquatus / Burmeister 1865 / Syntypus" [handwritten by A. Bachmann on red paper], "Oxymerus / chevrolati Dup. / Hüdepohl det. 78" [photographed from typewriting].

= *Oxymerus chevrolati* Dupont, 1838: *fide* Monné & Martins, 1973: 77 [synonymy].

ochraceus Bruch, 1919. *Holopterus* [Cerambycinae: Holopterini]

Type-locality: Argentina: precordillera de Chubut [1 ex.] (Bruch, 1919: 14-16).

ME: Holot. (CB), "Rep. Argentina / Gob. Chubut / 190/C. Bruch" [printed in black on white paper], "Typus" [printed on pale green paper], "H. Holopteridius / ochreatus [sic] / Bruch [handwritten by Bruch] / C. Bruch determ. [printed in black on white paper]".

Recorded as *Neholopterus ochraceus* (Bruch, 1919) by Martins & Monné, 1998: 61 [comb. nov.].

omissa Melzer, 1932. *Oreodera* [Lamiinae: Acanthoderini]

Type-locality: Brazil: São Paulo State (Parque Jabaquara) [leg. Melzer]; Amparo [leg. Reck]; Santa Catarina State (Joinville) [leg. Schmitt] (Itayapolis) [leg. Maller]; Rio de Janeiro State (rio Muriabé) [leg. Zikán]; Goyaz State (Viannopolis) [leg. Spitz] [16 ex.] (Melzer, 1932: 424-425).

ME: 1 Parat. (CB), "S. Catharina / Joinville / X.1921 / C. Schmitt" [handwritten by Melzer ? on white paper], "Cotypus" [handwritten by Bruch on pale green paper], "Oreodera / omissa / Melz." [handwritten by Bruch on white paper], "Cotypus" [handwritten by Melzer ? on white paper], "Oreodera / omissa Melz." [handwritten by Melzer ? on white paper, cut].

Further specimens: 2 Synt. ["Typus"] (IEEA), Itatiaia, 1100 m, (Maromba), Rio de Janeiro State, 1-1-1925, J.F. Zikán col.; 1 Parat. ["Cotypus"] (IEEA), Amparo, São Paulo State, Dr. P. Reck col. (Zikán & Wygodzinsky, 1948).

opacus Bruch, 1914a. *Pleiarthrocerus* [Cerambycinae: Pleiarthrocerini]

Type-locality: Argentina: Tucumán [2 ex., leg. M. Lillo, leg. P. Girard; 1 ex. in coll. Bruch; 1 ex. in MLP] (Bruch, 1914a: 341-345).

ME: 1 Synt. ♂ (CB), "Rep. Argentina / Prov. Tucumán / 190 / C. Bruch" [printed in black on white paper], "Typus" [printed on pale green paper], "*Pleiarthrocerus / opacus* / Bruch [handwritten by Bruch] / C. Bruch determ. [printed in black on white paper]"; 1 Synt. ♂ (CB), "Rep. Argentina / Prov. Tucumán / 190 / C. Bruch" [printed in black on white paper], "Typus" [printed on pale green paper], "*Pleiarthrocerus / opacus* / Bruch 1915 / Syntypus" [handwritten by A. Bachmann on red paper].

Note: No specimen was found at MLP (Cabrera & Fernandez, 2000), probably Bruch left both specimens in his collection, held in Buenos Aires.

pachypezoides Melzer, 1935. *Stereomerus* [Lamiinae: Desmiphorini]

Type-locality: Argentina: Buenos Aires province: Punta Lara [leg. Daguerre, type in coll. Bruch] (Melzer, 1935: 227).

ME: Holot. (CB), "Punta Lara / 3.I.1932 / Daguerre" [handwritten by Bruch on white paper], "Typus" [handwritten by Melzer ? on white paper], "*Stereomerus / pachypezoides* / Melzer / det. Melz." [handwritten by Melzer ? on white paper].

parviscopa Burmeister, 1865. *Orthostoma* [Cerambycinae: Compsocerini]

Type-locality: Argentina: Tucumán (Burmeister, 1865: 169).

ME: Holot. (HB), "Tucumán" [printed in black on green paper], "Photo / Bruch" [handwritten by Bruch on pink paper], "*Orthostoma / parviscopa* / Burmeister 1865 / Typus" [handwritten by A. Bachmann on red paper].

Note: on the bottom of the drawer, "*Compsocerus Guerin*" and "*parviscopus* Nob. / R. Argent." [both handwritten by Burmeister on whitish paper].

Recorded as *Compsocerus parviscopus* (Burmeister, 1865) by Berg, 1886: 237 [comb. nov.].

patagonicus Bruch, 1919. *Holopterus* [Cerambycinae: Holopterini]

Type-locality: Argentina: Chubut province: Comodoro Rivadavia, Colonia 16 de Octubre [6 ex., summer of 1902] (Bruch, 1919: 12-13).

ME: 1 Synt. (CB), "Comodoro / Rivadavia" [handwritten by Bruch on white paper], "Typus" [handwritten by Bruch on pale green paper], "*Holopterus / Holopteridius / patagonicus* / Bruch [handwritten by Bruch] / C. Bruch determ.

[printed in black on white paper]"; 2 Synt. (CB), same labels of locality, and "Typus", both specimens with "*Holopterus / (Holopteridius) / patagonicus* / Bruch 1919 / Syntypus" [handwritten by A. Bachmann on red paper].

Further specimens: 2 Parat. ["Cotypus"] (MLP), "Comodoro / Rivadavia" (Cabrera & Fernandez, 2000); 1 ex. (CB), "Comodoro / Rivadavia" [handwritten by Bruch on white paper], "*Holopterus / (Holopteridius) / patagonicus* / Bruch 1919 / Syntypus ?" [handwritten by A. Bachmann on red paper]; 1 Syntype (MZSP), Comodoro Rivadavia, ex coll. Melzer (Martins & Monné, 1998: 56).

Recorded as *Stenophantes patagonicus* (Bruch, 1919) by Martins & Monné, 1998: 55 [comb. nov.].

patagonicus Bruch, 1911. *Mecometopus* [Cerambycinae: Clytini]

Type-locality: Argentina: Chubut [1 ex., Ing. Guglielmetti col.] (Bruch, 1911: 169-170).

ME: Holot. (CB), "Rep. Argentina / Gob. Chaco / 190 / C. Bruch" [printed in black on white paper], "Typus" [handwritten by Bruch on pale green paper], "*Mecometopus / patagonicus* / Bruch tipo" [handwritten by Bruch on white paper with red frame].

Note: misslabelling of locality was discussed by Di Iorio (1995b: 338).

Recorded as *Neoclytus patagonicus* (Bruch, 1911) by Di Iorio, 1995b: 338 [comb. nov.].

pepsioides Barriga & Peña, 1994. *Callisphyris* [Lepturinae: Necydalini]

Type-locality: Chile: Provincia Curicó: Parque del Inglés (Barriga & Peña, 1994: 92-93).

ME: 1 Parat. (MACN), "Chile Parque / del Inglés / prov. Curicó / 10-X-1993 / leg. J.E. Barriga" [printed in black on white paper], "Colección / J.E. Barriga / Chile 40488" [printed in black on white paper], "ex *Berberis / chilensis* / (vivo)" [printed in black on white paper], "Paratypus" [printed in black on red paper], "*Callisphyris / pepsioides* / Barriga & Peña 1994 / det. J.E. Barriga" [printed in black on white paper].

perelegans Melzer, 1933. *Gnomidolon* [Cerambycinae: Ibidiionini]

Type-locality: Argentina: Salta [type in coll. Bruch] (Melzer, 1933: 368-369).

ME: Holot. (CB), "Rep. Argentina / Prov. Salta / 190 / C. Bruch" [printed in black on white paper], "Typus" [handwritten by Bruch in black on pale green paper], "*Gnomidolon / perelegans* Melz." [handwritten by Bruch on white paper with remainings of black frame], "*Gnomidolon / perelegans* Melz." [handwritten by Melzer ?, cut and fold].

Recorded as *Octoplus perelegans* (Melzer, 1933) by Martins, 1962: 106 [comb. nov.].

petronae Burmeister, 1865. *Amphionycha* [Lamiinae: Hemilophini]

Type-locality: Argentina: Tucumán (Burmeister, 1865: 180).

ME: Holot. (HB), without labels, "Amphionycha / petronae / Burmeister 1865 / Typus?" [handwritten by A. Bachmann on red paper].

Note: on the bottom of the drawer, the label "*Petronae* Nob. / *pulchella* klg. / R. Argent." [handwritten by Burmeister on white paper]. There are further specimens in the coll. Burmeister from "Buen. / Ayres" [printed on green paper] and "Paraguay" [printed on green paper]. *Amphionycha petronae* Burmeister, 1861. 2: 166 [Tucumán] is a *nomen nudum*.

= *Adesmus nigromaculatus* Klug, 1829: *fide* Aurivillius, 1923: 590 [synonymy].

petulans Melzer, 1933. *Eupogonius* [Lamiinae: Desmiphorini]

Type-locality: Brazil: Paraná and Rio Grande do Sul States [cotypes in coll. Buck, coll. Melzer]; Argentina: Tucumán province [type in coll. Bruch] (Melzer, 1933: 377-378).

ME: Holot. (CB), "Rep. Argentina / Prov. Tucuman / I.1900 / C. Bruch" [printed in black on white paper with date handwritten by Bruch], "Typus" [handwritten by Bruch on greenish paper], "*Eupogonius / petulans / Melz.*" [handwritten by Bruch on white paper with black frame], "Typus" [handwritten by Melzer ? on white paper], "*Eupogonius / petulans Melz.*" [handwritten by Melzer ? on white paper].

Further specimens: 1 Parat. ["Cotypus"] (IEEA), Paraná State, Rio Negro, 10-2-1931, Franciscanos col.; 1 Parat. ["Cotypus"] (IEEA), Porto Alegre, Rio Grande do Sul State, 1926 P.P. Buck col.; 1 Parat. ["Cotypus"] (IEEA), Porto Alegre, Rio Grande do Sul State, 9-2-1933 (Zikán & Wygodzinsky, 1948).

plagiatum Burmeister, 1865. *Ibidion* [Cerambycinae: Ibidiomini]

Type-locality: Argentina: Mendoza (Burmeister, 1865: 174-175).

ME: Holot. (HB), "Mendoza" [printed in black on pale green paper], "532" [printed in black on whitish paper], "*Ibidion / plagiatum / Burmeister 1865 / Typus*" [handwritten by A. Bachmann on red paper].

Recorded as *Heterachthes plagiatus* (Burmeister, 1865) by Zajciw & Ruffinelli, 1962: 37 [comb. nov.].

pubescens Bruch, 1926. *Psygmatocherus wagleri* var. [Cerambycinae: Torneutini]

Type-locality: Argentina: Chaco santafesino, La Gallareta ♂, coll. Bruch; Catamarca province: Clénaga de Belén ♀, 20-XII-1925, leg. Weiser] (Bruch, 1926: 338-339); La Gallareta [Lectotype designation, ♂, CB], Clénaga de Belén [Paralectotype designation, ♀, CB] (Di Iorio, 1996a: 136).

ME: Lectot. ♂ (CB), "Rep. Argentina / Pr. Santa Fe / 190 / C. Bruch" [printed in black on white paper], "Typus" [printed on pale green paper], "Foto" [printed on pale green paper], "*P. Wagleri / var. pubescens / Bruch*" [handwritten by Bruch] / C. Bruch determ. [printed in black on white paper]", "*Psygmatocherus / pubescens / Bruch, 1926 / Lectotypus / Di Iorio design. 96*" [handwritten by Di Iorio on red paper]; 1 Paralectot. ♀ (CB), "La Ciénaga (Belén) / Catamarca XII-1925 / Weiser Wolters leg." [printed in black on white paper], "Typus" [printed on pale green paper], "Foto" [printed on pale green paper], "*P. Wagleri / var. pubescens / Bruch*" [handwritten by Bruch] / C. Bruch determ. [printed in black on white paper]", "*Psygmatocherus / pubescens / Bruch, 1926 / Paralectotypus / Di Iorio design. 96*" [handwritten by Di Iorio on red paper].

= *Psygmatocherus wagleri* Perty, 1828: *fide* Monné, 1993: 9 [erroneous synonymy].

Recorded as *Psygmatocherus pubescens* Bruch, 1926; Monné & Giesbert, 1995: 138 [cat.], and by Di Iorio, 1996a: 135, 136, 138, Figs. 25-26, 33 [revalidation, *status nov.*].

quadriguttatus Burmeister, 1865. *Malacopterus* [Cerambycinae: Achrysonini]

Type-locality: Argentina: Tucumán (Burmeister, 1865: 168).

ME: Holot. (HB), "Tucumán" [printed in black on green paper], "526" [printed on whitish paper]; "*Malacopterus / quadriguttatus / Burmeister 1865 / Typus*" [handwritten by A. Bachmann on red paper].

Recorded as *Eurymerus quadriguttatus* (Burmeister, 1865) by Lacordaire, 1869. 8: 234 [comb. nov.], and as *Ectenessa quadriguttata* (Burmeister, 1865) by Napp & Martins, 1982: 372 [comb. nov.].

quadrilineata Burmeister, 1865. *Eburia* [Cerambycinae: Eburiini]

Type-locality: Argentina: Buenos Aires and Santa Fe provinces, Entre Ríos (Paraná) (Burmeister, 1865: 165).

ME: 1 Synt. (HB), "Sta. Fe" [printed in black on green paper], "524" [printed on whitish paper];

1 ex. Syntypus (HB), "Buen. / Ayres" [printed in black on green paper]; 1 Synt. (HB), "Paraná / Febr." [printed in black on green paper]; all specimens with "*Eburia / quadrilineata* / Burmeister 1865 / Syntypus" [handwritten by A. Bachmann on red paper].

Further specimens: 1 ex. (HB), without labels.

quadrinodosus Burmeister, 1865. *Acanthoderes* [Lamiinae: Acanthocinini]

Type-locality: Argentina: Entre Ríos province: Paraná (Burmeister, 1865: 178-179).

ME: Holot. (HB), without labels, "*Acanthoderes / quadrinodosus* / Burmeister 1865 / Typus" [handwritten by A. Bachmann on red paper].

= *Oedopeza umbrosa* (Germar, 1824): *fide* Marinoni & Martins, 1978: 179 [synonymy].

quadrispinosa Melzer, 1931. *Ectenessa* [Cerambycinae: Achrysonini]

Type-locality: Brazil: Espírito Santo State: Affonso Cláudio [leg. O. Conde], Guandú [leg. F. Hoffmann], Fazenda Jerusalém [leg. J.F. Zikán] (Melzer, 1931: 192-194).

ME: 1 Synt. ? (CB), "Est. Espírito Santo / Affonso Cláudio / 10.9.1928 O. Conde" [handwritten on white paper], "Cotypus" [handwritten by Bruch on pale green paper], "Ectenessa / *quadrispinosa* / Melz." [handwritten by Bruch on white paper], "Ectenessa / *quadrispinosa*" [handwritten by Melzer ? on white paper, cut].

reedi Bruch, 1919. *Holopterus* [Cerambycinae: Holopterini]

Type-locality: Argentina: Mendoza province: Villavicencio [2 ex.] (Bruch, 1919: 16-18; Martins & Monné, 1998).

ME: 1 Synt. (CB), "Rep. Argentina / Prov. Mendoza / 190 / C. Bruch" [printed in black on white paper], "Typus" [printed on pale green paper], "*Holopterus / Holopteridius / Reedi* / Bruch [handwritten by Bruch] / C. Bruch determ. [printed in black on white paper]"; 1 Synt. (CB), "Mendoza / Villavicencio" [handwritten by Bruch on white paper], "Typus" [printed on pale green paper], "*Holopterus / (Holopteridius) / Reedi* / Bruch 1919 / Syntypus" [handwritten by A. Bachmann on red paper].

Recorded as *Neholopterus reedi* (Bruch, 1919) by Martins & Monné, 1998: 65 [comb. nov.].

reticulata Melzer, 1934. *Nyssodrys* [Lamiinae: Acanthocinini]

Type-locality: Brazil: São Paulo State (S. Amaro; Parque Jabaquara) [11 ex., leg. Melzer, type in coll. Melzer] (Melzer, 1934: 107-108).

ME: 1 Parat. (CB), "2.XII.28 / Brasil / S. Paulo / Est. S. Paulo [printed with date handwritten] // S. Amaro Melz. [handwritten on white paper]", "Cotypus" [handwritten by Bruch on pale green paper], "*Nyssodrys / reticulata* Melz." [handwritten by Bruch on white paper], "Cotypus" [handwritten by Melzer ? on white paper], "*Nyssodrys / reticulata*" [handwritten by Melzer ? on white paper, cut, with remainings of the name of Melzer].

Further specimens: 1 Holot. ["Typus"] (IEEA), Saude, São Paulo, São Paulo State, 15.XI.1928, J. Melzer col.; 9 Parat. ["Cotypus"] (IEEA), same data (Zikán & Wygodzinsky, 1948).

Recorded as *Nyssodrysternum reticulatum* (Melzer, 1934) by Monné, 1985: 537 [comb. nov.].

richteri Bruch, 1911. *Centrocerum* [Cerambycinae: Elaphidionini]

Type-locality: Argentina: Chubut province [1 ex., leg. Richter] (Bruch, 1911: 167).

ME: Holot. ? (CB), "Rep. Argentina / Gob. Chubut / 190 / C. Bruch" [printed in black on white paper], "Typus" [printed on pale green paper], "*Centrocerum / Richteri m.*" [handwritten by Bruch on white paper with red frame].

Note: another specimen housed at the MLP, Holotype, sex not determined, Gob. Chubut (Cabrera & Fernandez, 2000) bears the following labels: "Rep. Argentina / Gob. Chubut / 190 / C. Bruch" [printed in black on white paper], "Typus" [printed on pale green paper], "*Centrocerum / Richteri* Bruch / [handwritten by Bruch on white paper with remainings of a black frame] / C. Bruch determ. [printed]", "754" [MLP type-catalogue number handwritten on an orange disk of hard-board]. As the labels are practically the same respect to the specimen housed at the MACN, and the original description do not mention any additional character (as the sex), it is not possible to decide which specimen is the true type.

richteri Bruch, 1919. *Holopterus* [Cerambycinae: Holopterini]

Type-locality: Argentina: Chubut province [1 ex., leg. Richter] (Bruch, 1919: 18-20).

ME: Holot. (CB), "Chubut / Richter" [handwritten by Bruch], "Typus" [handwritten by Bruch on pale green paper], "*Holopterus / Holopteridius / Richteri* / Bruch [handwritten by Bruch] / C. Bruch determ. [printed in black on white paper]".

Recorded as *Neholopterus richteri* (Bruch, 1919) by Martins & Monné, 1998: 64 [comb. nov.].

richteri Bruch, 1908. *Trachyderes* [Cerambycinae: Trachyderini]

Type-locality: Argentina: Catamarca province; Andalgalá [several specimens, III-1907]; Misiones (Bruch, 1908: 215-216).

ME: 1 Synt. (CB), "Rep. Argentina / Prov. Catamarca / 30.III.1907 / C. Bruch" [printed in black on white paper with date handwritten by Bruch], "Typus" [printed on pale green paper], "Trachyderes / Richteri / Bruch" [handwritten by Bruch on white paper with red frame]; 1 Synt. (CB), "Rep. Argentina / Prov. Catamarca / 30.III.1907 / C. Bruch" [printed in black on white paper with date handwritten by Bruch], "Typus" [printed on pale green paper], "Trachyderes / richteri / Bruch 1908 / Syntypus" [handwritten by A. Bachmann on red paper].

Recorded as *Andraegoidus rufipes richteri* (Bruch, 1908) by Hüdepohl, 1985: 58-60 [comb. nov., status nov.].

rospigliosii Brèthes, 1925. *Eburia* [Cerambycinae: Eburini]

Type-locality: Perú: Pangoa [leg. C. Rospigliosi Vigil] (Brèthes, 1925: 15).

ME: Holot. (MACN), "Pangoa Tambo / C. Rospigliosi" [handwritten on whitish paper], "Holotypus" [printed in black on pink paper], "Eburia / Rospigliosii / Brèthes" [handwritten by Brèthes on whitish paper], "Reparró / M. Viana / I-1960" [handwritten by Viana on white paper].

= *Eburia pilosa* (Erichson, 1834); *fide* Martins, 1997: 81 [synonymy].

rufofemorata Di Iorio, 1997. *Megacyllene* (*Megacyllene*) [Cerambycinae: Clytini]

Type-localities: Argentina: Salta province: without locality [1 Paratype, CB]; Tamil [1 Paratype, ODII]; Coronel Moldes [1 Paratype, ODI]; Catamarca province: without locality [1 Paratype, CB]; Andalhuallas [1 paratype, ODI]; Tucumán province: without locality [1 Paratype, CB, 1 Paratype, ODI]; Tafí Viejo [1 Paratype, ODI]; Córdoba province: without locality [1 Paratype, ODI]; Yacanto [5 Paratypes, ODI]; Bialet Massé [Holotype, ODI] (DI IORIO, 1997: 394-395).

ME: 1 Parat. (CB), "Rep. Argentina/Tucumán / 10.I.1904 / C. Bruch" [printed on white paper], "6" [printed on white paper]; 1 Parat. (CB), "Rep. Argentina / Prov. Catamarca / 10.III.1907 / C. Bruch" [printed on white paper], "Cyllene sp." [handwritten by Bruch on white paper inside a red frame]; 1 Parat. (CB), "Salta I.930 / Dr. L. Witte" [handwritten by Bruch on white paper]; all with "*Megacyllene* (*Megacyllene*) / *rufofemorata* New Species / Di Iorio O. det. 1996 [handwritten by Di Iorio] / Paratypus [printed on yellow paper inside a black frame]".

rufula Melzer, 1934. *Ommata eunomia* var. [Cerambycinae: Rhinotragini]

Type-locality: Argentina: Salta [leg. Witte] [type in coll. Bruch, cotype in coll. Melzer] (Melzer, 1934: 76).

ME: 2 Synt. (CB), "Salta I.930 / Dr. L. Witte" [handwritten by Bruch in white paper], "Typus" [handwritten by Bruch on pale green paper], "Ommata / Eunomia / var. *rufula* Melz." [handwritten by Bruch on white paper], "Typus" [handwritten by Melzer ? on white paper], "Ommata / Eunomia Newm. / var. *rufula* Melz." [handwritten by Melzer ? on white paper, cut].

Further specimens: 1 Synt. ["Typus"] (IEEA), Salta, I-1930, Dr. L. Witte col. (Zikán & Wygodzinsky, 1948).

= *Ommata (Eclipta) eunomia* (Newman, 1841); Monné & Giesbert, 1995: 98 [cat.]

rusticum Burmeister, 1865. *Sphaerion* [Cerambycinae: Elaphidionini]

Type-locality: Banda Oriental [Uruguay] (Burmeister, 1865: 167).

ME: Holot. (HB), "Banda / orient." [printed in black on pale green paper], "Sphaerion / rusticum" / Burmeister 1865 / Typus" [handwritten by A? Bachmann on red paper].

sanguinicollis Burmeister, 1865. *Phytoecia* [Lamiinae: Aerenicini]

Type-localities: Argentina: Entre Ríos province (Paraná); Banda Oriental [Uruguay] (Burmeister, 1865: 180).

ME: 1 Synt. (HB), "Banda / orient." [printed in black on green paper]; 1 Synt. (HB), "Parana / Nov." [printed in black on green paper], "553" [printed in black on whitish paper]; both specimens with "Phytoecia / *sanguinicollis* / Burmeister 1865 / Syntypus" [handwritten by A. Bachmann on red paper].

= *Emphytoecia versicolor* (Bohemian, 1859); *fide* Berg, 1886: 240 [synonymy].

Recorded as *Apagomerella versicolor* (Bohemian, 1859) by Lane, 1947a: 370 [comb. nov.].

sanguinolentus Burmeister, 1865. *Trachyderes* [Cerambycinae: Basipterini]

Type-localities: Argentina: Santiago del Estero province; Entre Ríos province (Paraná); Santa Fe province (Rosario) (Burmeister, 1865: 162-163).

ME: 1 Synt. (HB), "Rosario" [printed in black on green paper], "Photo / Bruch" [handwritten by Bruch on pink paper]; 1 Synt. (HB), "Parana / Jan." [printed in black on green paper], "500" [printed in black on whitish paper]; both specimens with "Trachyderes / *sanguinolentus* / Burmeister 1865 / Syntypus" [handwritten by A. Bachmann on red paper].

Recorded as *Anosternus sanguinolentus* (Burmeister, 1865) by Burmeister, 1879: 198 [comb. nov.].

= *Basiptera castaneipennis* Thomson, 1864: fide Aurivillius, 1912: 478 [synonymy].

schmithi Melzer, 1935. *Acanthoderes* [Lamiinae: Acanthoderini]

Type-locality: Brazil: Santa Catarina State (Joinville) [leg. Schmith] (Hansa-Humboldt) [leg. Maller] [type in coll. Melzer, cotype in coll. Maller] (Melzer, 1935: 193-194).

ME: 1 Parat. (CB), "S. Catharina / Joinville / Jan. 1924 / I. Schmith" [handwritten by Melzer ? on white paper], "Cotypus" [handwritten by Bruch on pale green paper], "Acanthoderes / Schmithi / Melz." [handwritten by Bruch on white paper], "Cotypus" [handwritten by Melzer ? on white paper], "Acanthoderes / Schmithi" [handwritten by Melzer ? on white paper].

Further specimens: Holot. ["Typus"] (IEEA), Santa Catarina State, 11-1922, C. Schmitz coll.; 6 Parat. ["Cotypus"] (IEEA), specimens not discriminated by locality: Joinville, Santa Catarina State, C. Schmitz coll., and Hansa Humboldt, A. Maller col. (Zikán & Wygodzinsky, 1948).

schmithi Melzer, 1931. *Nyssodrys* [Lamiinae: Acanthocinini]

Type-locality: Brazil: Santa Catarina State (Joinville) [♂, ♀] (Melzer, 1931: 70-71).

ME: 1 Parat. (CB), "Est. S. Catharina / Joinville / Jan. 1922 / C. Schmith" [handwritten by Melzer ? on white paper], "Cotypus" [handwritten by Bruch on pale green paper], "Nyssodrys / Schmithi / Melz." [handwritten by Bruch on white paper], "Nyssodrys / Schmithi Melz. / Melzer det." [handwritten by Melzer ? on white paper].

Further specimens: Holot. ["Typus"] (IEEA), Joinville, Santa Catarina State, 10-1921, C. Schmitz coll.; 1 Parat. ["Cotypus"] (IEEA), same data (Zikán & Wygodzinsky, 1948).

Recorded as *Nyssodrysternum schmithi* (Melzer, 1931) by Monné, 1975: 537 [comb. nov.].

schreiteri Bruch, 1941. *Oncideres* [Lamiinae: Onciderini]

Type-locality: Argentina: Tucumán [leg. Schreiter; 3 cotypes in coll. Bosq, 1 cotype MLP, other cotypes in coll. Bruch at the MACN] (Bruch, 1941: 364-369).

ME: 1 Synt. (CB), "Quebr. Lules / Tucum. 8.II.922" [handwritten by Bruch on white paper], "Cotipo / C. Bruch 1941" [handwritten by Bruch in pale pink paper], "52757" [handwritten on white paper], "Oncideres / Schreiteri /

Bruch / 1941 [handwritten by Bruch] / C. Bruch determ. [printed on white paper with black frame].

Further specimens: 1 Synt. ["Cotypus"] (MLP), Tucumán, 1941, Schreiter leg. (Cabrera & Fernandez, 2000).

schulzi Bruch, 1908. *Argentinoeme* [Cerambycidae: Oemini]

Type-locality: Argentina: Córdoba province [leg. Schulz; several specimens] (Bruch, 1908: 165-166).

ME: 1 Synt. (CB), with buccal pieces glued to a card, "Córdoba / Schulz" [printed on pale grey paper], "Typus" [printed on pale green paper], "Argentinoeme / schulzi m." [handwritten by Bruch in black on white paper with red frame]; 1 Synt. (CB), "Córdoba / Schulz" [printed on pale grey paper], "Typus" [printed on pale green paper], "Argentinoeme / schulzi Bruch 1908 / Syntypus" [handwritten by A. Bachmann on red paper].

Further specimen: 1 ex. labelled "Typus" (IEEA), Córdoba, 19-I-1921, Bruch C. col. (Zikán & Wygodzinsky, 1948), taken after publication date and not acceptable as a type.

schulzi Bruch, 1908. *Halcydocius philippi* [Prioninae: Anacolini]

Type-locality: Argentina: Córdoba [leg. Schulz] (Bruch, 1908: 202-203).

ME: Holot. [Synt.?] (CB), "Córdoba / Schulz" [printed in black on pale green], "Typus" [printed on pale green paper], "H. Philippi / Berg / var. schulzi - Bruch tipo" [handwritten by Bruch on white paper with red frame].

Note: Galileo (1987b: 603-608) says the typical localities include also Bahía Blanca [1 male, col. G. Günther], and Pampa Central [2 males, MACN], while the specimens from Córdoba are 3 males, and probably deposited in the MACN. Bruch (1908) refers only to one specimen from Córdoba collected by Schulz. Thereafter he mentions further specimens from Bahía Blanca and Pampa Central, which differ somewhat from the type. It follows that he did not intend to design them as types. The specimen from Pampa Central [2 males] were not found in the MACN. The collection G. Günther is unknown to us, but a specimen of *Prionapterus staphylinus* from Bahía Blanca, ex coll. Günther, is kept in the Bruch collection.

= *Prionapterus staphylinus* Serville, 1832; fide Lameere, 1912: 53; 1913: 85 [synonymy].

schwartzeri Melzer, 1926. *Probatiomimus* [Lamiinae: Acanthocinini]

Type-locality: (Melzer, 1926: 13).

ME: 1 Synt. (CB), "Brasil -S. Paulo / Est. S. Paulo Saude / 5.12.1915 [printed on white paper with date handwritten] // 5.12.1915 Melzer [handwritten with pencil]", "Typus" [printed on pale green paper], "Probationimus / Schwartzeri / Melzer [handwritten by Bruch] / C. Bruch determ. [printed in black on white paper]", "Probationimus / Schwartzeri / Melzer" [handwritten by Melzer ? on white paper]; 1 Parat. (CB), "Brasil -S. Paulo / Est. S. Paulo Saude / 1.I.1922 [printed on white paper with date handwritten with pencil]", "Cotypus" [handwritten by Bruch on pale green paper], "Probationimus / Schwartzeri / Melzer" [handwritten by Bruch on white paper], "Probationimus / Schwartzeri / Melzer / Melzer det." [handwritten by Melzer ? on white paper, cut].

Further specimens: 9 Synt. ["Typus"] (IEEA), Saúde, São Paulo, São Paulo State, 6.1.1921, J. Melzer col. (Zikán & Wygodzinsky, 1948).

semipubescens Melzer, 1923. *Coeloxestia* [Cerambycinae: Cerambycini]

Type-locality: (Melzer, 1923: 4); S. Bento, S. Cathar. Melzer, 1927. Revta. Mus. Paulista 15(1): 149-151.

ME: 1 Parat. (CB), "Est. Sta. Catharina / Rio Negrinho" [handwritten by Bruch in black on white paper], "Cotypus" [printed on pale green paper], "Coeloxestia / semipubescens / Melz. [handwritten by Bruch] / C. Bruch determ. [printed in black on white paper]", "Coeloxestia / semipubescens / Melzer ♀" [handwritten by Melzer ? on white paper, cut, fold].

Further specimen: 1 Synt. ? ["Typus"] (IEEA), São Bento, Santa Catarina State, Naderer coll. (Zikán & Wygodzinsky, 1948).

semirubra Burmeister, 1865. *Brachyrhopala* [Cerambycinae: Rhopalophorini]

Type-locality: Argentina Entre Ríos province (Paraná) (Burmeister, 1865: 172; DI IORIO, 2001: 265-267, 270-271).

ME: 1 Lectot. (HB), "Parana. Doc." [printed in black on green paper], "504" (white printed label), "versicolor Chevrol." [handwritten by Burmeister], "Ischionodonta / platensis Chevr. / var. *semirubra* Burm., 1865 / Lectotypus / Di Iorio design. 1998" [handwritten by Di Iorio on red paper]; 1 Paralect. (HB), "Parana / XXXXXX" [printed in black on green paper, with an illegible word, crossed out by Burmeister], "Ischionodonta / *platensis* Chevr. / var. *semirubra* Burm., 1865 / Paralectotypus / Di Iorio design. 1998" [handwritten by Di Iorio on red paper]; 1 Paralect. (HB), "Parana. Nov." [printed in black on green paper],

"*Ischionodonta / platensis* Chevr. / var. *semirubra* Burm., 1865 / Paralectotypus / Di Iorio design. 1998" [handwritten by Di Iorio on red paper]; all specimens, "*Brachyrhopala / semirubra* / Burmeister 1865/ Syntypus" [handwritten by A. Bachmann on red paper].

Further specimens: 1 ex. (HB), without labels, "*Brachyrhopala / semirubra* / Burmeister 1865/ Syntypus" [handwritten by A. Bachmann on red paper].

Recorded as *Ischionodonta platensis* (Chevrolat, 1859) var. *semirubra* (Burmeister, 1865) by Di Iorio, 2001: 265-267, 270-271 [*status nov.*, synonymy; Lectotype and Paralectotype designations].

sexmaculatus Bruch, 1926. *Paraethocerus* [Cerambycinae: Trachyderini]

Type-locality: Argentina: Catamarca province: Famabalasto [3 ex., leg. Weiser: 2 in coll. Bruch, 1 in SMNH] (Bruch, 1926: 343-344).

ME: 1 Synt. (CB), "Famabalasto / Catam. Weiser" [handwritten by Bruch on white paper], "Typus" [printed on pale green paper], "Foto" [printed on pale green paper], "Paraethocerus / *sexmaculatus* / Bruch [handwritten by Bruch] / C. Bruch determ. [printed on white paper]"; 1 Synt. (CB), "Famabalasto / Catam. Weiser" [handwritten by Bruch on white paper], "Typus" [printed on pale green paper], "Paraethocerus / *sexmaculatus* / Bruch 1926 / Syntypus" [handwritten by A. Bachmann on red paper].

sexplagiata Melzer, 1931. *Oreodera* [Lamiinae: Acanthoderini]

Type-locality: Brazil: São Paulo State (Bosque Saúde); Paraná State (Rio Negro); Santa Catarina State (Joinville); Rio de Janeiro State (Itatiaia); Minas Gerais State (Passa Quatro) (Melzer, 1931: 60-61).

ME: 1 Parat. (CB), "S. Catharina / Joinville XII-1921 / C. Schmith" [handwritten by Melzer ? on white paper], "Cotypus" [handwritten by Bruch on pale green paper], "Oreodera / *sexplagiata* / Melz." [handwritten by Bruch on white paper], "Oreodera / *sexplagiata* Melz. / Melzer det." [handwritten by Melzer ? on white paper, cut].

Further specimens: Holot. ["Typus"] (IEEA), Saúde, São Paulo, São Paulo State, 30.X.1936, J. Melzer col.; 1 Parat. ["Cotypus"] (IEEA), Saúde, São Paulo State; 1 Parat. ["Cotypus"] (IEEA), Joinville, Santa Catarina State (Zikán & Wygodzinsky, 1948).

signaticornis Melzer, 1920. *Temnopsis* [Cerambycinae: Methiini]

Type-locality: Brazil: Minas Gerais State: Passa Quatro [24 exx., ♂, ♀] [types in coll. Zikán, coll. Melzer, Museu Paulista] (Melzer, 1920: 421-424); Minas Gerais State: Passa Quatro, Fazenda dos Campos [Lect., Paralect. designations] (Martins, 1996: 151-152).

ME: 1 Synt. (CB), "Minas (Brasil) / Passa Quatro" [printed on white paper], "Typus" [printed on pale green paper], "Teminopis / signaticornis / Melzer" [handwritten by Bruch on white paper with red frame]; 2 Parat. (CB), "Minas (Brasil) / Passa Quatro" [printed on white paper], "Cotypus" [printed on pale green paper], both specimens with "Teminopis / signaticornis / Melzer 1920 / Syntypus" [handwritten by A. Bachmann on red paper].

Further specimens: 2 Synt. ["Typus"] (IEEA), Fazenda dos Campos, 1500 m, Minas Gerais State, 3-I-1918, col. J.F. Zikán; 8 Parat. ["Cotypus"] (IEEA), same data (Zikán & Wygodzinsky, 1948).

Note: all specimens at MZSP come from Minas Gerais State: Passa Quatro, Fazenda dos Campos: 1 ♂ ["Typus", handwritten by Melzer], ex. coll. Melzer, 3.I.1918, designed Lectot.; 1 ♂ ["Typus", handwritten by Melzer], ex. coll. Melzer, [date illegible], I.1918, designed Paralectot.; 1 ♂ ["Typo"], "Museo Paulista", number 18,787, 5.XII.1915, designed Paralectot.; 1 ♀ ["Typo"], "Museo Paulista", number 18,788, 27.X.1916, designed Paralectot.; 1 ♀ ["Tipo"], ex coll. Navarro de Andrade, X.1916, designed Paralectot.; 2 ♂ ♂, ["Cotypus"], ex. coll. Melzer, 30.XII.1917, designed Paralectot.; 6 ♂ ♂ ["Cotypus"], ex. coll. Melzer, I.191, designed Paralectot. (Martins, 1996: 152). Another paralectotypes, 11 ex., can be housed in the coll. Zikán (actually IOCR), and possibly in coll. Bruch (MACN) (Martins, 1996: 152). The three specimens at the MACN belong to the original series, automatically Paralectotypes (ICZN, art. 74. 1. 3).

Recorded as *Xanthoeme signaticornis* (Melzer, 1920) by Martins, 1980 [comb. nov.].

similis Bruch, 1939. *Adetus* [Lamiinae: Apomecynini]

Type-locality: not given [types in coll. Bruch at the MACN, cotypes in coll. Bosq and MLP] (Bruch, 1939: 200-201).

ME: 2 Synt. (CB), "Olivos Bs.As. / 4.XII.1929 C.B." [handwritten by Bruch on white paper], "Typus" [handwritten by Bruch on pale green paper], "Adetus / similis / Bruch 1939 [handwritten by Bruch] / C. Bruch determ. [printed on white paper]"; 2 Parat. (CB), "Olivos / 29.II.928 C.B." [handwritten by Bruch on white paper], "Cotypus" [handwritten by Bruch on pale green paper], "Adetus / similis / Bruch 1939 [handwritten by

ten by Bruch] / C. Bruch determ. [printed on white paper]".

Further specimens: 1 ex., labelled "Typus" [green label] (MLP), Tucumán, XII-1899; 5 exx., labelled "Paratypus" [pink labels] (MLP), Buenos Aires province: Vicente López, V-1939, C. Bruch leg. (Cabrera & Fernandez, 2000).

Note: After the description, Bruch (1939: 201) give the geographical distribution of the species ["several provinces from the northwestern and by the litoral through Corrientes, Chaco and the Paraguay"]. In the following paragraph the location of types are given. In this manner, no localities were given for the type specimens. Specimens housed at the MLP (Cabrera & Fernandez, 2000) can not be considered as types: one specimen is labelled "Typus" and not "Cotypus" as stated by Bruch (1939), and the pink labels of "Paratypus" are not the originally used by Bruch.

sordida Burmeister, 1865. *Eburia* [Cerambycinae: Eburini]

Type-locality: Argentina: Santiago del Estero province (Burmeister, 1865: 165-166).

ME: 1 Synt. (HB), "Santiag / d. Est." [printed in black on green paper], "523" [printed on whitish paper], "Eburia / sordida / Burmeister 1865 / Typus" [handwritten by A. Bachmann on red paper].

spiegazzinii Bruch, 1911. *Bisaltes* [Lamiinae: Apomecynini]

Type-locality: Mendoza and Tucumán provinces [several ex.] (Bruch, 1911: 175-176).

ME: 1 Synt. (CB), "Rep. Argentina / Prov. Tucuman / 190 / C. Bruch" [printed in black on white paper], "Typus" [printed on pale green paper], "Bisaltes / Spegazzinii / Bruch" [handwritten by Bruch on white paper with red frame].

Note: The specimen from Mendoza was not found.

spiegazzinii Bruch, 1908. *Phoebe* [Lamiinae: Hemilophini]

Type-locality: near Córdoba city [several ex., leg. Schulz] (Bruch, 1908: 219-220).

ME: 1 Synt. (CB), "Córdoba / Schulz" [printed on greenish gray paper], "Typus" [printed on pale green paper], "Phoebe / Spegazzini / Bruch tipo" [handwritten by Bruch on white paper with red frame]; 1 Synt. (CB), "Córdoba / Schulz" [printed on greenish gray paper], "Typus" [printed on pale green paper], "Phoebe / Spegazzinii / Bruch 1908 / Syntypus" [handwritten by A. Bachmann on red paper].

spinithorax Bruch, 1921. *Acanthachryson* [Cerambycinae: incertae sedis]

Type-locality: Argentina: Catamarca province [2 ex., leg. Augusti] (Bruch, 1921: 355-356).

ME: 1 Synt. (CB), "Rep. Argentina / Prov. Catamarca / 190[7] / C. Bruch" [printed in black on white paper with number 7 handwritten by Bruch], "Typus" [printed on pale green paper], "Foto" [printed in black on pale green paper], "Acanthachryson / spinithorax / Bruch" [handwritten by Bruch on white paper with red frame]; 1 Synt. (CB), "Catamarca / 1917" [handwritten by Bruch on white paper], "Typus" [printed on pale green paper], "Acanthachryson / spinithorax / Bruch 1921 / Syntypus" [handwritten by A. Bachmann on red paper].

Note: the two syntype specimens are males; Martins (1998: 3) removed the genus from the tribe Phlyctaenodini, leaving it without tribal location.

Recorded as *Drascalia spinithorax* (Bruch, 1921) by Martinez & Peña, 1975: 60-61 [comb. nov.].

spitzi Melzer, 1928. *Lepturges* [Lamiinae: Acanthocinini]

Type-locality: Brazil: São Paulo State (Bosque da Saúde) (Melzer, 1928: 149).

ME: 1 Synt. ? (CB), "Brasil S. Paulo / Est. S. Paulo Saude / 15.XI.1920 [printed on white paper with date handwritten] // 15.XI.1920 Melz. (?) [handwritten with pencil]", "Cotypus" [handwritten by Bruch on pale green paper], "Lepturges / Spitzi / Melz." [handwritten by Bruch on white paper], "Lepturges / Spitzi / Melz. / Melzer det." [handwritten by Melzer ? on white paper, cut].

Further specimens: 1 Synt. ? ["Cotypus"] (IEEA), Saúde, São Paulo State, 15-11-1920, J. Melzer col.; 1 Synt. ? ["Cotypus"] (IEEA), Jabaquara, São Paulo State, 12-1-1919, J. Melzer col. (Zikán & Wygodzinsky, 1948).

Note: All known specimens are labelled "Cotypus".

sulcatus Burmeister, 1865. *Trachyderes* [Cerambycinae: Trachyderini]

Type-locality: Argentina: Santiago del Estero province; Banda Oriental [Uruguay] (Burmeister, 1865: 162).

ME: 2 Synt. (HB), "Santiag. / d. Est." [printed in black on green paper], "Trachyderes / sulcatus / Burmeister 1865 / Syntypus" [handwritten by A. Bachmann on red paper].

Further specimens: 2 ex. (HB), without labels.

Recorded as *Retrachydes thoracicus sulcatus* (Burmeister, 1865) by Hüdepohl, 1985: 71-72 [comb. nov., status nov.].

tenellum Burmeister, 1865. *Ibidion* [Cerambycinae: Ibidionini]

Type-locality: Argentina: Mendoza province (Burmeister, 1865: 175).

ME: 1 Synt. (HB), "Mendoza" [printed in black on pale green paper], "Ibidion / tenellum / Burmeister 1865 / Syntypus ?" [handwritten by A. Bachmann on red paper].

Further specimens: 1 ex. (HB), without labels, "Ibidion / tenellum / Burmeister 1865 / Syntypus ?" [handwritten by A. Bachmann on red paper].

Recorded as *Heterachthes tenellus* (Burmeister, 1865) by Martins, 1970: 1295-1299 [comb. nov.].

Note: Martins (1970) considered as type only the first specimen, that with locality label.

tenuis Burmeister, 1865. *Rhinotragus* [Cerambycinae: Rhinotragini]

Type-locality: Argentina: Entre Ríos province: Paraná (Burmeister, 1865: 173).

ME: 1 Synt. (HB), "Parana - Nov." [printed in black on green paper]; 1 Synt. (HB), same locality label, "544" [printed in black of withe paper]; both specimens, "Rhinotragus tenuis / Burmeister 1865 / Syntypus" [handwritten by A. Bachmann on red paper].

Recorded as *Ommata (Rhaphalessa) tenuis* (Burmeister, 1865) by Aurivillius, 1912: 279 [comb. nov.].

thyrsophora Burmeister, 1865. *Orthostoma* [Cerambycinae: Compsocerini]

Syntype-locality: Argentina: Buenos Aires province [♂, ♀] (Burmeister, 1865: 169-170).

ME: 2 Synt. (HB), "Buen. / Ayres" [printed in black on green paper], "Orthostoma / thyrsophora / Burmeister 1865 / Syntypus" [hanwritten by A. Bachmann on red paper].

= *Compsocerus aulicus* Thomson, 1860: *fide* Burmeister, 1879: 200 [synonymy]; Berg, 1886: 236.

Orthostoma thyrsophora: Fernández, 1888: 84.

= *Compsocerus equestris* (Guérin-Méneville, 1844): *fide* Gounelle, 1911: 80 [synonymy].

= *Compsocerus violaceus* (White, 1853): *fide* Gounelle, 1911: 79 [synonymy].

Note: further specimens come from other localities: 1 ex. (HB), "Parana / Jan." [printed on green paper], "511" [printed on white paper], "thyrsophora" [handwritten by Burmeister on white paper]; 1 ex. (HB), "Banda/orient." [printed on pale green paper]; 1 ex. (HB), without labels; all specimens in the series with the following labels at the bottom of the drawer, "Compsocerus / Guerin" and "aulicus / Thoms. / Rep. Arg." [handwritten by Burmeister on white paper].

tibialis Melzer, 1933. *Neophygopoda* [Cerambycinae: Rhinotragini]

Type-locality: Argentina: Tucumán province [type in coll. Bruch, cotype in coll. Melzer] (Melzer, 1933: 371-372).

ME: Holot. (CB), "Rep. Argentina / Prov. Tucumán / 190 / C. Bruch" [printed in black on white paper], "Col. J. Bosq" [handwritten by Bruch], "Typus" [handwritten by Bruch on pale green paper], "Neophygopoda / tibialis Melz." [handwritten by Bruch on white paper with remainings of black frame], "Typus" [handwritten by Melzer], "Neophygopoda / tibialis Melz." [handwritten by Melzer ?, cut].

Further specimens: 1 Parat. ["Cotypus"] (IEEA), Argentina, Tucumán province, Bosq col. (Zikán & Wygodzinsky, 1948).

tristis Melzer, 1922. *Ophistomis* [Lepturinae: Lepturini]

Syntype-localities: Brazil: Minas Gerais State (Passa Quatro), Espírito Santo State (Jerusalém), Santa Catarina State (Joinville) (Melzer, 1922: 5; 1927: 160-161).

ME: 1 Synt. (CB), "Minas (Brasil) / Passa Quatro" [printed on white] // 9 Oct. 1916/Jaeger [handwritten with pencil], "Typus" [printed on pale green paper], "Ophistomis / tristis / Melz. [handwritten by Bruch] / C. Bruch determ. [printed]", "Ophisto... / tristis" [handwritten by Melzer ? on white paper, cut].

Further specimens: 1 Synt. ["Typus"] (IEEA), Passa Quatro, Minas Gerais State, 11-1915, E. Jaeger col. (Zikán & Wygodzinsky, 1948).

Recorded as *Strangalia tristis* (Melzer, 1922) by Linsley & Chemsak, 1971: 24 [comb. nov.].

tucumana Viana, 1971. *Callancyla* [Cerambycinae: Ancylocerini]

Type-localities: Argentina: Tucumán: City [II-1936, leg. Viana, Holotype ♂, MACN]; San Javier [XI-1957, leg. Monrós, Paratype ♂, IML] (Viana, 1971: 184-189).

ME: Holot. ♂ (MACN), "Arg. Tucumán / ciudad / II.1936 M. Viana" [handwritten by Viana on white paper], "Holotypus" [printed in black on red paper], "Callancyla / tucumana / Viana" [handwritten by Viana] / Museo Argentino de Ciencias Naturales [printed on red paper].

turbidus Melzer, 1935. *Pentheochaetes* [Lamiinae: Acanthocinini]

Type-locality: Paraguay: S. Trinidad [1 ♂, coll. Bruch] (Melzer, 1935: 238).

ME: Holot. (CB), "Paraguay / Sa. Trinidad / XI-1913" [printed on white paper with date handwritten with pencil], "Gen. bei / Probatius" [handwritten by Bruch on white paper with red frame], "Typus" [handwritten by Melzer ? on white pa-

per], "Pentheochaetes / turbidus / Melz." [handwritten by Melzer ? on white paper].

undulatum Burmeister, 1865. *Achryson* [Cerambycinae: Achrysonini]

Syntype-localities: Argentina: Buenos Aires province; Banda Oriental [Uruguay] (Burmeister, 1865: 175, 176).

ME: 1 Synt. (HB), "Buen. / Ayres" [printed in black on green paper]; 1 Synt. (HB), "Banda / orient." [printed in black on green paper], "534" [printed in black on whitish paper]; all specimens with "Achryson / undulatum / Burmeister 1865 / Syntypus" [handwritten by A. Bachmann on red paper].

Further specimens: 2 ex. (HB), without labels, "Achryson / undulatum / Burmeister 1865 / Syntypus?" [handwritten by A. Bachmann on red paper].

unicolor Bruch, 1908. *Achryson* [Cerambycinae: Achrysonini]

Syntype-localities: Argentina: Chaco, Córdoba, Misiones, Santa Fe provinces (Bruch, 1908: 203-204).

ME: 1 Synt. (CB), "Rep. Argentina / Prov. Córdoba / 19.I.1901 / C. Bruch" [printed in black on white paper with date handwritten by Bruch], "Typus" [printed on pale green paper], "Achryson / unicolor / Bruch tipo" [handwritten by Bruch on white paper with red frame]; 1 Synt. (CB), same label of locality, "Typus" [printed on pale green paper], "Achryson / unicolor / Bruch 1908 / Syntypus" [handwritten by A. Bachmann on red paper].

Further specimens: 1 ex. (CB), "Rea. Argentina / Gob. Misiones / 190 / C. Bruch" [printed in black on white paper inside a black frame]; 1 ex. (CB), "Rca. Argentina / Prov. Santa Fe / 190 / C. Bruch" [printed in black on white paper inside a black frame], "Rosario" [handwritten by Bruch on white paper inside a black frame]; 1 ex. (CB), "Rep. Argentina / Prov. Córdoba / 190 / C. Bruch" [printed in black on white paper inside a black frame].

variegatus Burmeister, 1865. *Anisopodus* [Lamiinae: Acanthocinini]

Type-locality: Argentina: Tucumán province (Burmeister, 1865: 178 [as "Anisopodus", with the "a" corrected to an "o" by Burmeister in the paper at the library of the MACN]).

ME: Holot. (HB), "Tucumán" [printed in black on green paper], "549" [printed in black on white paper], "Anisopodus / variegatus / Burmeister 1865 / Typus" [handwritten by A. Bachmann on red paper].

= *Lepturges (Chaeturges) inscriptus* (Bates, 1863); *fide* Monné, 1977: 705 [synonymy].

vianai Hüdepohl, 1979. *Oxymerus* [Cerambycinae: Trachyderini]

Type-localities: Argentina: Córdoba province: Calamuchita [Department]: El Sauce [Holotype ♂, Allotype ♀, 46 Paratypes, leg. Viana, III-1972]; Misiones: Concepción [Department]: Santa María [4 Paratypes, leg. Viana] [other Paratypes at Museum Bruxelles and MLP] (Hüdepohl, 1979: 51-54).

ME: Holot. (MACN), "Córdoba Argentina / Dep. de Calamuchita / El Sauce Manuel J. Viana" [printed on white paper, with date deleted], "4" [typewritten on white paper], "Holotypus / *Oxymerus / vianai* / Hüdepohl 1979" [typewritten in red on white paper]; Allot. (MACN), "Córdoba Argentina / Dep. de Calamuchita / El Sauce Manuel J. Viana" [printed on white paper, with date deleted], "4" [typewritten on white paper], "Allotypus / *Oxymerus / vianai* / Hüdepohl 1979" [typewritten in red on white paper]; 14 Parat. (MACN), "Córdoba Argentina / Dep. de Calamuchita / El Sauce Manuel J. Viana" [printed on white paper, with date deleted], "*Oxymerus / vianai* sp. nov. / Paratypus / Hüdepohl det. 79" [typewritten on pink paper, reverse white]; 3 Parat. (MACN), "Misiones Argentina / Dep. Concepc. Sta. María / M.J. Viana" [printed on white paper], "*Oxymerus / vianai* sp. nov. / Paratypus / Hüdepohl det. 79" [typewritten on pink paper, reverse white].

vianai Martins, 1971. *Tropidion* [Cerambycinae: Ibridionini]

Type-locality: Paraguay: Santísima Trinidad [XII-1913, coll. Bruch] (Martins, 1971: 1437-1439).

ME: Holot. (CB), "Paraguay / Sa. Trinidad / XII-1913" [printed on white paper with date handwritten by Bruch], "Col. / C. Bruch" [printed on white paper], "Holotipo" [printed on red paper with black frame], "Ibidion / *Tropidion* / sp." [handwritten by Bruch on white paper with red frame], "U. Martins det. 196 [printed] 9 [handwritten by Martins] / *Tropidion / vianai* sp. n. / Holotipo (♂ ?) [handwritten by Martins on white paper, with black frame]".

vicina Melzer, 1927. *Ommata* [Cerambycinae: Rhinotragini]

Type-locality: Brazil: Minas Gerais State (Passa Quatro) [3 ex., leg. Jaeger] (Melzer, 1927: 564-565).

ME: 1 Parat. ? (CB), "Minas (Brazil) / Passa Quatro" [printed on white paper], "Cotypus" [printed in black on pale green paper], "*Ommata*

/ (*Eclipta*) / *vicina*" [handwritten by Bruch on white paper with red frame], "*Ommata / (Eclipta) / vicina*" [handwritten by Melzer ? on white paper, cut]; 1 Parat. ? (CB), "Brasil, Minas / Passa Quatro" [handwritten by Bruch on white paper], "Cotypus" [printed in black on pale green paper]; both specimens with "*Ommata / (Eclipta) / vicina* / Melzer 1927 / Syntypus ?" [handwritten by A. Bachmann on red paper].

Further specimens: 11 Synt. ? ["Typus"] (IEEA), Passa Quatro, Minas Gerais State, 24-10-1916, E. Jaeger coll. (Zikán & Wygodzinsky, 1948).

vicinus Melzer, 1931. *Ozineus* [Lamiinae: Acanthocinini]

Type-locality: Brazil: São Paulo State (Bosque da Saúde) (Melzer, 1931: 68).

ME: 1 Parat. (CB), "Brasil -S. Paulo / Est. S. Paulo / Saude / 4.III.1919 [printed on white paper with date handwritten with pencil] 4.III. 1919 // Melzer [handwritten with black ink]", "Cotypus" [handwritten by Bruch on pale green paper], "*Ozineus / vicinus* / Melz." [handwritten by Bruch on white paper], "*Ozineus / vicinus* / Melzer det." [handwritten by Melzer ? on white paper, cut].

Further specimens: Holot. ["Typus"] (IEEA), Saude, São Paulo, Est. de São Paulo, 18.I.1919, J. Melzer col.; 7 Parat. ["Cotypus"] (IEEA), same data (Zikán & Wygodzinsky, 1948).

Recorded as *Tropidozineus vicinus* (Melzer, 1931) by Monné & Martins, 1976: 72 [comb. nov.].

viridipennis Bruch, 1925. *Chenoderus* [Cerambycinae: Compsocerini]

Type-locality: Argentina: Catamarca province: Andalgalá [10 ex.] (Bruch, 1925: 209-210); ♂ Holotype, ♀ Allotype, 3 ♂ ♂ Paratypes, coll. Bruch in MACN] (Viana, 1970: 152).

ME: 2 Synt. (CB), "Rep. Argentina / Prov. Catamarca / 190 / C. Bruch" [printed in black on white paper], "Typus" [handwritten by Bruch on pale green paper], "Foto" [printed in black on pale green paper], "*Chenoderus / viridipennis* Bruch [handwritten by Bruch] / C. Bruch determ. [printed in black on white paper]", 1 ex. Syntypus (CB), same labels except "Foto".

Further specimens: 1 ex. (CB), "Rep. Argentina / Prov. Catamarca / 190 / C. Bruch" [printed in black on white paper], "Foto" [printed in black on pale green paper], "*Chenoderus / viridipennis* Bruch [handwritten by Bruch] / C. Bruch determ. [printed in black on white paper]", "*Chenoderus / viridipennis* / Bruch 1925 / Syntypus?" [handwritten by Bachmann on red paper].

Recorded as *Rierguscha viridipennis* (Bruch, 1925) by Viana, 1970: 147, 152 [comb. nov.].

wagneri Gounelle, 1911. *Cometes* [Disteniinae: Disteniini]

Type-locality: Argentina: Misiones province: Alto Paraná (San Ignacio) [leg. Wagner in coll. Gounelle, and coll. Mus. Paris] (Gounelle, 1911: 148-149).

ME: 1 Parat. ? (CB), "République Argentine / Haut Parana / San Ignacio Misiones" [printed on white paper], "Cotypus" [printed in black on pale green paper], "Cometes / wagneri / Goun." [handwritten by Bruch in white paper with red frame].

weiseri Bruch, 1926. *Ethemon* [Cerambycinae: Compsocerini]

Type-locality: Argentina: Catamarca province: eastern slope of Aconquija: Sarso and Ingenio del Arenal [leg. Weiser, 2 ex. in coll. Bruch, 1 ex. in coll. Melzer, 1 ex. SMNH] (Bruch, 1926: 340-341).

ME: 1 Synt. (CB), "Zarso, 3000 m / Catam. Wolters" [handwritten by Bruch on white paper], "Typus" [handwritten by Bruch on pale green paper], "Ethemon / weiseri / Bruch" [handwritten by Bruch] / C. Bruch determ. [printed in black on white paper]", "6" [handwritten on pink paper]; 1 Synt. (CB), "Arenal / Catam. Wolters" [handwritten by Bruch on white paper], "Typus" [handwritten by Bruch on pale green paper]; both specimens "Ethemon / Weiseri" Bruch 1926 / Syntypus" [handwritten by A. Bachmann on red paper].

Further specimens: 1 ex. (SMNH), "Sarso 3100 m, Catam. Weiser", "n. sp. ? lepidum ? var. ?" (NAPP, 1979: 913-915).

Note: The specimen in SMNH is mentioned as "cotipus", but it is not labelled as such (Napp, 1979: 913-915). It is probably the specimen sent by Bruch (1926) to Aurivillius.

woltersi Bruch, 1925. *Prionapterus* [Prioninae: Anacolini]

Type-locality: Argentina: Catamarca: falda occidental del Aconquija, 3000 m; Sarso [leg. Weiser]; Ingenio del Arenal [leg. Wolters] [10 ♂♂, 4 ♀♀] (Bruch, 1925: 207-209); Lectot., Paralectot. designations (Galileo & Martins, 1987b).

ME: Lectot. (CB), "Sarso 3200 m / Catam. Weiser" [handwritten by Bruch], "♂" [printed in black], "Typus" [printed on pale green paper], "Lectotipo" [printed in black on red paper with black frame], "Foto" [printed in black on pale green paper], "Prionapterus / Woltersi / Bruch" [handwritten by Bruch] / C. Bruch determ. [printed on white paper]", "Prionapterus / woltersi / Bruch, 1925" [handwritten by Galileo] / M.H. Galileo det. [printed on white paper] 1986 [handwritten]; 1 Paralectot. ♀ (CB), oviscapt glued to a card, "Sarso 3200 m / Catam. Weiser" [handwritten by Bruch], "Typus" [printed on pale green

paper], "Paralectotipo" [printed on red paper], "Prionapterus / Woltersi / Bruch" [handwritten by Bruch] / C. Bruch determ. [printed on white paper>"; 1 Paralectot. ♂ (CB), "Sarso 3200 m / Catam. Wolters" [handwritten by Bruch on white paper], "Cotypus" [printed on pale green paper], "Paralectotipo" [printed on red paper]; 5 Paralectot. ♂♂ (CB), "Sarso 3200 m / Catam. Weiser" [handwritten by Bruch on white paper in one Paralectotype ♂], "Cotypus" [printed on pale green paper in six Paralectotypes], "Paralectotipo" [printed on red paper]; all specimens "Prionapterus / woltersi / Bruch, 1925" [handwritten by Galileo in white paper inside a black frame] / M.H. Galileo det. 19 [printed] 86 [handwritten]".

Further specimens: 1 Paralectot. ♂ ["Cotypus"] (IEEA), Catamarca, Arenal, 3000 m (IEEA); 1 Paralectot. ♀ ["Cotypus"] (IEEA), Sarso, 3100 m, Wolters leg. (Zikán & Wygodzinsky, 1948). Specimens not seen nor designated as Paralectotypes by Galileo & Martins (1987b).

zikani Melzer, 1922. *Ophistomis* [Lepturinae: Lepturini]

Type-locality: Brazil: Sul de Minas [Gerais State], Passa Quatro [leg. Zikán, 9 ex.] (Melzer, 1922: 5; 1927: 162-163).

ME: 1 Parat. (CB), "Minas (Brasil) / Passa Quatro" en el anverso [printed on white], "Dez. 1915" en el reverso [handwritten with pencil], "Cotypus" [printed on pale green paper], "Ophistomis / Zikani / Melz. [handwritten by Bruch] / C. Bruch determ. [printed]", "Ophistomis / Zikani Melz." [handwritten by Melzer? on white paper, cut].

Further specimens: Holot. ["Typus"] (IEEA), Fazenda dos Campos, 1500 m, Passa Quatro, Minas Gerais State, 5-11-1916, J.F. Zikán col. (Zikán & Wygodzinsky, 1948).

Recorded as *Strangalia zikani* (Melzer, 1922) by Linsley & Chemsak, 1971: 24 [comb. nov.].

zikani Melzer, 1919. *Quercivir* [Prioninae: Meroscelisini]

Type-locality: Brazil: Minas Gerais State: Passa Quatro, Faz dos Campos (Melzer, 1919: 141-145); GALILEO, 1987a: 223, Lectotype and Paralectotype designations).

ME: 1 Paralectot. (CB), "Minas (Brazil) / Passa Quatro_ Faz. dos Campos / XI. 16 / J.F. Zikán" [printed on white paper, with date handwritten with pencil], "Cotypus" [printed on pale green paper], "Quercivir / Zikani / Melzer" [handwritten by Bruch on white paper with red frame]; 1 Paralectot. (CB), "Minas (Brazil) / Passa Quatro - Faz. dos Campos / XI. 16 / J.F. Zikán" [printed on white paper, with date handwritten with pencil],

"Cotypus" [printed on pale green paper], "Quercivir / Zikani / Melzer" [handwritten by Bruch on white paper with red frame], "Quercivir zikani / Melzer 1919 / Syntypus ? (Paralectot.)" [handwritten by A. Bachmann on red paper].

Further specimens: 3 Paralectot. ["Typus"] (IEEA), Fazenda dos Campos, 1500 m, Passa Quatro, Minas Gerais State, 12-1916, J.F. Zikán col.; 1 Paralectot. ["Cotypus"] (IEEA), same data (Zikán & Wygodzinsky, 1948).

= *Quercivir gounellei* Lameere, 1912: *fide* Galileo, 1987a: 219 [synonymy].

II. Type specimens not found but mentioned as housed in the MACN

fulvipes Viana, 1971. *Ceralocyna* [Cerambycinae: Ancylocerini]

Type-localities: Argentina: Salta province: Tartagal [XII-1918, Holotype ♂, IML]; Tucumán: Dto. Trancas, San Pedro de Colalao [XI-1967, Stange leg., Allotype MACN] (Viana, 1971: 177).

gemignanii Lane, 1939. *Aerenica* [Lamiinae: Aerenicini]

Type-locality: Brasil: Mato Grosso: Salobra [2 ex.]; Argentina: Chaco: Dep. Resistencia [10.XII.1935, J.B. Daguerre, 4 exx.] (Lane, 1939: 76-77); Chaco: Dep. Resistencia [X-XII.1935, J.B. Daguerre, nro. 38578, 1 ex. Lectotype MACN] (Lane, 1974b: 380).

Note: following Martins & Galileo (1998), the specimens from Chaco [1936, 1 ex. Paralectotype, MACN ?] and from Tucumán [Tafí Viejo, 1 ex. nro. 16638, Paralectotype MACN] (Lane, 1974b) can not be recognized as types, as their localities do not agree with the original publication of 1939. No specimens mentioned by Lane (1974b) is housed actually in MACN. The male Lectotype from Chaco [Dep. Resistencia, X-XII.1935, J.B. Daguerre col.] is at MZSP (Martins & Galileo, 1998), and must have been remained in the collection Lane.

philippi Berg, 1881. *Halcidocrius* [Prioninae: Anacolini]

Type-locality: Argentina: Buenos Aires province: Salinas Chicas [1 male] (BERG, 1881: 64).

Note: After Galileo (1987b: 607), the type is probably at MACN. The holotype was not found neither in MACN nor at MLP (Cabrera & Fernandez, 2000).

= *Prionapterus staphilinus* Guérin-Méneville, 1831: *fide*.

porteri Brèthes, 1916. *Nathrius* [Cerambycinae: Nathriini]

Type-locality: Chile: Santiago [1 ♀ ?, leg. Porter, I-1916] (Brèthes, 1916: 77-78).

Note: Bosq (1948) says that he examined "ejemplares de *Nathrius Porteri* de la colección Brèthes, depositada en Museo Argentino de Ciencias Naturales Bernardino Rivadavia", giving to understand that he saw more than one specimen, and possibly the type, but in 1949b, speaking about *Nathrius brevipennis*, he adds that "en la colección Brèthes... existen ejemplares de la especie sin otros rótulos que los de localidades y fechas de captura, siendo ellos: Buenos Aires, 24-XII-1902, machos y hembras, 23-X-1911, macho; y, Tucumán, 11-I-1906, 1-XII-1906, machos; siendo curioso que Brèthes, teniendo en mano individuos de la República Argentina, haya omitido de cotejarlos al describir su género y especie de Chile". The specimen corresponding to the type was not found at the MACN.

= *Nathrius brevipennis* (Mulsant, 1839): *fide* Bosq, 1948: 69 [synonymy].

III. Specimens labelled as types, but not mentioned in the original descriptions

albocinctus Melzer, 1930. *Atrypanius* [Lamiinae: Acanthocinini]

Type-locality: Brasil: São Paulo State (São Paulo, Santos, Amparo); Santa Catarina State (Joinville) [leg. Schmith]; Minas Gerais State (Mar de Hespanha) [leg. Zikán]; Espírito Santo State [leg. Zikán] (Melzer, 1930: 198-200).

ME: 1 ex. (CB), "S. Catharina / Hansa Humboldt / X. 1929 A. Maller" [handwritten on white paper], "Cotypus" [handwritten by Bruch on pale green paper], "Atrypanius / albocinctus / Melzer" [handwritten by Bruch on white paper], "Atrypanius / albocinctus / Melz." [handwritten by Melzer ? on white paper, cut].

ambiguus Melzer, 1930. *Atrypanius* [Lamiinae: Acanthocinini]

Type-locality: Brazil: São Paulo State (Rio Claro); Santa Catarina State (Joinville) [leg. Schmith]; Rio de Janeiro State (Itatiaya) [leg. Zikán] [type in coll. Melzer] (Melzer, 1930: 200-201).

ME: 1 ex. (CB), "Est. S. Paulo / Brotas / 6.IX.1932 / F.N.S.G." [handwritten on white paper], "Cotypus" [handwritten by Bruch on pale green paper], "Atrypanius / ambiguus / Melz." [handwritten by Bruch on white paper], "Cotypus" [handwritten by Melzer ? on white paper], "Atrypanius / ambiguus Melz." [handwritten by Melzer ? on white paper, cut].

Further specimens: 1 Holot. ["Typus"] (IEEA), Joinville, Santa Catarina State, 12-1921, C.

Schmitz coll.; 1 Parat. ["Cotypus"] (IEEA), São Paulo State, Rio Claro, 1929, Dr. Edmundo Navarro de Andrade coll.; 2 Parat. ["Cotypus"] (IEEA), Itatiaia, Rio de Janeiro State, 700 m, 21-11-1926 and 26-11-1926, J.F. Zikán coll. (Zikán & Wygodzinsky, 1948).

Note: Brotas was not originally mentioned by Melzer, 1930: 200-201.

antiqua Aurivillius, 1922. *Ischionorox* [Cerambycinae: Cerambycini]

Type-locality: Argentina: Mendoza province [Royal Mus. of Stockholm, SMNH, collected by C.S. Reed and communicated by Bruch; ♀] [1 ex. in coll. Bruch, bigger, somewhat anomalous, it seems to be a ♂, in which case it pertains to another species, but it may be the ♂ of the ♀ described, the antennae are of similar length] (Aurivillius, 1922: 2-3).

ME: 1 ex. (CB), "Catamarca / 1917" [handwritten by Bruch on white paper], "Typus" [printed on pale green paper], "*Ischionorox / antiqua / Auriv.*" [handwritten by Bruch on white paper with red frame].

atrosignata Melzer, 1932. *Acanthoderes* [Lamiinae: Acanthoderini]

Type-locality: Brazil: Rio de Janeiro State (Itatiaia) [leg. Zikán]; Espírito Santo State (Santa Thereza) [leg. Conde] [type in coll. Melzer] (Melzer, 1932: 222-223).

ME: 1 ex. (CB), "Aus Sammlung Harry Lane ohne / Ortangabe 1923" [handwritten, "From the collection Harry Lane without locality 1923"], "Cotypus" [handwritten by Bruch on pale green paper], "Acanthoderes / atrosignata / Melz." [handwritten by Bruch on white paper], "Cotypus" [handwritten by Melzer ? on white paper], "Acanthodere... / atrosignat..." [handwritten by Melzer ? on white paper, cut].

Further specimens: 1 Synt. ? ["Typus"] (IEEA), Santa Tereza, Espírito Santo State, 17-12-1928, O. Conde coll.; 3 Parat. ["Cotypus"] (IEEA), Itatiaia, 700 m, Rio de Janeiro State, 2-19-1926, J.F. Zikán col. (Zikán & Wygodzinsky, 1948).

Note: The specimen was not originally mentioned.

baeri Gounelle, 1913. *Acyphoderes* [Cerambycinae: Rhinotragini]

Type-locality: Argentina: Chaco of Sant. del Estero province (Salado River); Chaco of Santa Fe province (Las Garzas); Misiones province (Alto Paraná, San Ignacio); Tucumán province [Baer coll.]; Salta province (Metán) [Dinelli coll.]; Paraguay; Brazil (Río Grande do Sul State) [11 ♂ ♂, 4

♀ ♀] [Paris Museum, coll. Gounelle] (Gounelle, 1913: 222-224).

ME: 1 ex. (CB), "Misiones / Bonpland" [printed on white paper], "Cotypus" [printed on pale green paper], "Acyphoderes / Baeri Goun." [handwritten by Bruch with red frame].

Recorded as *Odontocera baeri* (Gounelle, 1913) by Zajciw, 1972: 402 [comb. nov.].

Note: The specimen was not originally mentioned.

bella Melzer, 1927. *Nyssodrys* [Lamiinae: Acanthocinini]

Type-locality: Brazil: São Paulo State (Jabatuba) [1 ex.]; Santa Catarina State (Annaburg) [4 ex.] (Melzer, 1927: 576).

ME: 1 ex. (CB), "Brasil / Joinville / I.1923" [handwritten by Bruch on white paper], "Cotypus" [printed on pale green paper], "Nyssodrys / bella / Melz." [handwritten by Bruch inside a red frame], "Nyssodry / bella Melz" [handwritten by Melzer on with paper, cut].

Recorded as *Eucharitulus bellus* (Melzer, 1927) by Monné, 1985: 547 [comb. nov.].

Note: Joinville was not originally mentioned, but is stated as the type locality by Monné (1985: 547).

bivittatus Melzer, 1934. *Callideriphus* [Cerambycinae: Callidiini]

Type-locality: Argentina: Tucumán: Villa Nogués [2 ex.; type in coll. Bruch, cotype in coll. Melzer] (Melzer, 1934: 77-78).

ME: 1 ex. (CB), "Villa Nogués / XII.1928" [printed on white paper], "Cotypus" [handwritten by Bruch in black on pale green paper], "Callideriphus / bivittatus / Melzer 1934 / Paratypus ?" [handwritten by A. Bachmann on red paper].

Note: Locality and date agree, but Melzer (1934: 77-78) mentions only one type in coll. Bruch, and a cotype in his own collection (not recorded by Zikán & Wygodzinsky, 1948).

Bruchi Berg, 1898. *Cherrocrius* [Anoplodermatinae: Anoplodermatini]

Type locality: "Patagonia": Río Collón-Curá, Río Calcuflú (BERG, 1898: 32-33); Patagonia [1 male, Col. C. Bruch, 17-XII-1898, Berg, Lectotype, MLP; 1 male, "Typus", Paralectotype, MLP] (Dias, 1987: 103).

ME: 1 ex. (CB), "Rep. Argentina / Gob. Río Negro / 10.4. 1898 / C. Bruch" [printed on white paper with date handwritten by Bruch], "Typus" [printed on pale green paper], "A. (*Cherrocrius*) / Bruchi / Berg tipo" [handwritten by Bruch on white paper with red frame]; 1 ex. (CB), "Rep.

Argentina / Gob. Chubut / 190 / C. Bruch" [printed in black], "Typus" [printed on pale green paper] (CB), "Cherrocrius / Bruchi / Berg 1898" [handwritten by A. Bachmann on white paper].

Note: The first specimen bears a locality label different to those of the Syntypes and the original description. The second specimen was taken after the publication date, "190" corresponds to 1900 onwards. Very possibly Bruch labelled this specimens as types with own labels supposing that both specimens found now at the collection Burmeister were lost.

Bruchi Aurivillius, 1922. *Dihammaphora* [Cerambycinae: Cleomenini]

Type-locality: Paraguay; Argentina: Catamarca and San Luis provinces [SMNH, coll. Bruch] (Aurivillius, 1922: 19).

ME: 1 ex. (CB), "Rep. Argentinien / La Merced" [printed in black on white paper], "Cotypus" [printed on pale green paper], "Dihammaphora / Bruchi / Aurivillius 1922" [handwritten by Bachmann on red paper].

Bruchi Gounelle, 1913. *Oxymerus* [Cerambycinae: Trachyderini]

Type-locality: Argentina: Chaco of Santiago del Estero province: Salado River; Tucumán province [Baer et Girard leg.]; Paraguay ? [as Gran Chaco]: río Tapenagá; [coll. Gounelle, coll. Mus. Paris] (Gounelle, 1913: 229-230).

ME: 1 ex. (CB), "Rep. Argentina / Prov. Córdoba / 7.III.1902 / C. Bruch" [printed in black on white paper with date handwritten by Bruch], "Typus" [printed on pale green paper], "Oxymerus / Bruchi / Goun." [handwritten by Bruch on white paper with red frame].

Note: Córdoba was not originally mentioned.

dubius Melzer, 1926. *Oxathres* [Lamiinae: Acanthocinini]

Type-locality: Brazil: Santa Catarina State (Joinville) [Lectotype designation] (Martins & Monné, 1974: 23).

ME: 1 Parat. (CB), "Est. S. Paulo / Iguape / Dez. 1921 / A.C. Brad..." [printed on white paper, cut], "Cotypus" [handwritten by Bruch on pale green paper], "Oxathres / dubius / Melz." [handwritten by Bruch on white paper], "Oxathres / dubius / Melz. Melzer det." [handwritten by Melzer ? on white paper, cut].

Further specimens: 5 Synt. ["Typus"] (IEEA), Joinville, Santa Catarina State, 10-1921, C. Schmith coll. (Zikán & Wygodzinsky, 1948).

= *Oxathres scriptus* Lacordaire, 1872: fide Martins & Monné, 1974: 23 [synonymy].

fulvicornis Burmeister, 1865. *Ancylodera* [Cerambycinae: Ancylocerini]

Type-locality: Argentina: Entre Ríos: Paraná [1 ♀] (Burmeister, 1865: 172-173).

ME: 1 ex. (HB), "Para / guay" [handwritten on green paper], "Colección / Antigua" [printed on white paper], "Paratypus" [printed on yellow paper], "Ancylodera / fulvicornis / Burm. / Det. M. Viana" [handwritten by Viana on yellow paper].

Note: specimen improperly labelled as Paratypus which bear a different locality label than those of the description.

opacus Bruch, 1915. *Pleiarthrocerus* [Cerambycinae: Pleiarthrocerini]

Type-locality: Argentina: Tucumán [2 ex., leg. M. Lillo, leg. P. Girard; 1 ex. in coll. Bruch; 1 ex. in MLP] (Bruch, 1915: 341-345).

ME: 1 ex. ♀ (CB), "Orán Salta / Col. Richter" [handwritten by Bruch in black on white paper], "Foto" [handwritten by Bruch], "Typus" [printed on pale green paper], "Pleiarthrocerus / opacus / Bruch ♀" [handwritten by Bruch on white paper with red frame].

Note: The female was described (Bruch, 1921) after the original publication.

pachypezoides Melzer, 1935. *Stereomerus* [Lamiinae: Desmiphorini]

Type-locality: Argentina: Buenos Aires province: Punta Lara [leg. Daguerre, type in coll. Bruch] (Melzer, 1935: 227).

ME: 2 ex. (CB), "Punta Lara / 3.I.1932 / Daguerre" [handwritten by Bruch on white paper], "Cotypus" [handwritten by Bruch on pale green paper], "Stereomerus / pachypezoides / Melz." [handwritten by Bruch on white paper]; 1 ex. (CB), "Punta Lara / XII.931 / Bosq" [handwritten by Bosq on white paper], "Cotypus" [handwritten by Bruch on pale green paper], "Stereomerus / pachypezoides / Melz." [handwritten by Bruch on white paper].

Note: Melzer (1935: 227) mentions only the type in coll. Bruch [leg. Daguerre], but not cotypes. The third specimen does not agree as with the collector.

quadrispinosa Gounelle, 1913. *Hemilissa* [Cerambycinae: Piezocerini]

Type-locality: Argentina: Santiago del Estero province: Salado River (surroundings of Icaño; Averias; La Palisa del Bracho); Tucumán province [1°, 4 ♀, Girard leg.] [coll. Paris Museum, coll. Gounelle] (Gounelle, 1913: 213-214).

ME: 1 ex. (CB), "Rep. Argentina / Pr. Santiago d. Estero / 190 / C. Bruch" [printed in black on white paper], "Cotypus" [printed on pale green

paper], "Hemilissa / quadrispinosa Goun." [handwritten by Bruch on white paper with red frame].

Note: Martins (1976a) mentions one type (MNHN), the other ones were not localized.

scabricollis Melzer, 1927. *Paromoeocerus* [Cerambycinae: Compsocerini]

Type-locality: Brazil: Santa Catarina State (Joinville); São Paulo State (S. Bernardo) (Melzer, 1927: 568-569).

ME: 1 ex. (CB), "Est. Paraná / (Rio Negro) [handwritten by Bruch] // XI.923 / M. Witte [handwritten by Bruch]", "Cotypus" [printed in black on pale green paper], "Paramoeocerus / scabricollis" [handwritten by Bruch on white paper].

Further specimens: 6 ex. (IEEA), Joinville, Santa Catarina State, 3-1921, C. Schmitz coll. and São Bernardo, São Paulo State, 28-6-1926, R. Spitz coll. (Zikán & Wygodzinsky, 1948). This series and other specimens were later mentioned by NAPP (1976) as follow: 1 ex. ♂ Lectotype, "Joinville - SC II.1921 C. Smith"; 1 male, 1 female Paralectotypes, "Joinville - SC III.1921 C. Smith"; 2 ♂♂, 1 ♀ Paralectotypes "Joinville - SC II.1921 C. Smith"; 1 ♂ Paralectotype "Joinville - SC I.1922 C. Smith"; 1 ♀ Paralectotype "Joinville - SC I.1921 C. Smith"; 1 ♀ Paralectotype "Joinville - SC 1927 C. Smith"; 1 ♀ Paralectotype "Sao Bernardo S. Paulo 29.III.1926 R. Spitz"; 1 ♀ Paralectotype "Sao Bernardo S. Paulo 28.II.1926 R. Spitz" (NAPP, 1976).

Note: The specimens in the MACN do not agree with localities of syntypes, lectotype or paralectotypes, dates and collectors.

socius Melzer, 1934. *Adetus* [Lamiinae: Apomecynini]

Type-locality: Brazil: Minas Gerais State (Belo Horizonte) [type in coll. Melzer]; Pernambuco State (Gravatá) [cotype in coll. Monte] (Melzer, 1934: 81-82).

ME: 1 ex. (CB), "Giló B. Hta Soto" [handwritten on white paper with black frame], "Typus" [handwritten by Bruch on pale green paper], "Adetus / socius / Melz." [handwritten by Bruch on white paper], "Cotypus" [handwritten by Melzer ? on white paper, cut], "Adetus / socius / Melz." [handwritten by Melzer ? on white paper, cut].

Further specimens: 1 ex. "Typus" (IEEA), Belo Horizonte, Minas Gerais State, O. Monte coll.; 9 exx. "Cotypus" (IEEA), number of specimens not discriminated by localities, same dates as the "Typus", and Cerro Azul, Gravatá, Pernambuco State, 11-1915 (Zikán & Wygodzinsky, 1948).

wagneri Waterhouse, 1901. *Anoploderma* (*Phocerus*) [Anoplodermatinae: Mysteriini]

"Type"-locality: Buenos Aires (Bruch, 1914b: 381).

ME: 1 ex. ♀ (CB), "Rea. Argentina / Prov. Buenos Aires / 190 / C. Bruch" [printed on white paper inside a black frame], "Ciudad / XII-1908 / Girard" [handwritten by Bruch in white paper with remainings of a black frame], "Typus" [printed in black on pale green paper inside a black frame].

Note: The female was described later to 1901.

woltersi Bruch, 1925. *Prionapterus* [Prioninae: Anacolini]

Type-locality: Argentina: Catamarca: falda occidental del Aconquija, 3000 m; Sarso [leg. Weiser]; Ingenio del Arenal [leg. Wolters] [10 ♂♂, 4 ♀♀] (Bruch, 1925: 207-209) (GALILEO & MARTINS, 1987b, Lectotype and Paralectotype designations).

ME: 1 ex. (CB), "Valde cerca de Chafinán / Catam. Weiser" [handwritten by Bruch on white paper], "Cotypus" [printed on pale green], "Impropriamente / rotulado como cotypus [handwritten by Galileo on white paper] / M.H. Galileo det. [printed] 1986 [handwritten]", "Prionapterus / woltersi / Bruch, 1925 [handwritten by Galileo on white paper] / M.H. Galileo det. [printed] 1986 [handwritten]" (Galileo & Martins, 1987b).

BIBLIOGRAPHY

- Aurivillius, C. 1912. In Schenckling (Ed.). *Coleopterorum Catalogus* (39), Cerambycidae: Cerambycinae. Berlin, W. Junk, 574 p.
- 1922. Neue oder wenig bekannte Coleoptera Longicornia. 18. *Ark. Zool.*, Uppsala 14(18): 405-436.
- 1923. In Schenckling (Ed.). *Coleopterorum Catalogus* (74), Cerambycidae, Lamiinae. Berlin, W. Junk, 323-704.
- Barriga, J.E. & L. Peña. 1994. Nuevas especies de Cerambycidae (Coleoptera) de Chile y algunas sinonimias. *Gayana, Ser. Zool.* 58(1): 91-98.
- Berg, C. 1886. Notas sinónimicas acerca de algunos cerambícidos de la fauna argentina. *Anls. Soc. cient. arg.* 21: 234-240.
- 1898. Descriptio novi generis cerambycidarum Reipublicae Argentinae. *Com. Mus. nac. Buenos Aires* 1(2): 31-33.
- Bosq, J.M. 1947. Interesantes longicornios de Catamarca (Col. Cerambycidae). *Revta. Soc. entomol. Arg.* 13: 292-300, 2 pl.
- 1948. Nueva combinación para *Leptidea brevipennis* Muls. *Agric. Téc.*, Santiago, Chile 8: 69-71.
- 1949a. Anotaciones relativas a una lista de fauna local sobre cerambícidos argentinos. *Revta. Soc. entomol. Arg.* 14(4): 194-203.
- 1949b. Nueva combinación para *Leptidea brevipennis* Muls. *Addenda. Agric. Téc.*, Santiago, Chile 9: 81.
- 1950. Notas sobre un longicornio chileno-argentino

- (Col. Cerambycidae). *Arthropoda*, Buenos Aires 1(2-4): 377-378.
- 1957. Novedades en cerambícidos del norte argentino. I. (Col. Cerambyc.). *Revta. Soc. entomol. Arg.* 15: 96-107.
 - Brèthes, J. 1916. Description d'un nouveau Coléoptère du Chili. *Revta. chil. Hist. nat.* 20: 75-78.
 - 1920. Insectes du Pérou. *Ants. Soc. cient. arg.* 89: 27-54.
 - 1925. Nouveaux coléoptères Sud Americains. *Nunquam otiosus*, Buenos Aires 4: 11-16.
 - Breuning, S. 1961. Revision des Pteroplipiini (Col., Cerambycidae). *Pesquisas, P. Alegre* 9(5): 5-60.
 - 1975. Revision de la tribe des Pogonocherini (Coleoptera, Cerambycidae). *Folia entom. hung. (n.s.)* 28(1): 9-53.
 - Bruch, C. 1908. Longicorneos argentinos nuevos o poco conocidos. *Revta. Mus. La Plata* 15: 198-220.
 - 1911. Longicorneos argentinos nuevos o poco conocidos. *Revta. Mus. La Plata* 18: 164-178.
 - 1912. Catálogo sistemático de los coleópteros de la República Argentina. Pars VIII. Familia Cerambycidae (Prionini, Cerambycini, Lamiini). *Revta. Mus. La Plata* 18: 19-226.
 - 1914a. Descripción de un cerambícido extraordinario de la República Argentina (*Pleiarthrocerus opacus*, n. gen., n. sp.). *Revta. Mus. La Plata* 19: 340-345.
 - 1914b. Descripción de la hembra de *Anoploderma (Pathocerus) wagneri* Waterh. *Physis*, Buenos Aires 1(6): 381-385.
 - 1918. Cerambícidos nuevos o poco conocidos. *Revta. Mus. La Plata* 24(2): 5-29.
 - 1921. Algunos interesantes cerambícidos. *Revta. Mus. La Plata, Zool.* 25: 345-356.
 - 1925. Coleópteros nuevos o poco conocidos. *Physis*, Buenos Aires 8(29): 199-211.
 - 1929. Una nueva especie de *Prionapterus* Guér. (Coleóptero, Prionido). *Revta. Soc. entomol. Arg.* 2(10): 203-208.
 - 1940. Misceláneas entomológicas III. *Parozodera* n. gen. para *Ozodera farinosa* (Burm.). *Notas Mus. La Plata, Zool.* 5(35): 116-118.
 - 1941a. Misceláneas entomológicas VI. 2. Las especies argentinas del género *Migdolus* Westwood (Prioninae, Anoplodermae). *Notas Mus. La Plata, Zool.* 6(48): 163-171.
 - 1941b. Misceláneas entomológicas VII. Descripción de una nueva especie de *Oncideres*. *Notas Mus. La Plata, Zool.* 6(50): 367-369.
 - Burmeister, H.C.K. 1861. *Reise durch die La Plata Staaten 1857-1860*. Halle, 1: vi + 503 p.; 2: iv + 538 p.
 - 1865. Longicornia argentina. *Stettiner ent. Zeitg.* 26: 26: 156-181.
 - 1879. Nachträge zu dem Aufsatz Longicornia Argentina Zeitung 1865. *Stettiner ent. Zeitg.* 40: 196-203.
 - Cabrera, N. & L.A. Fernández. 2000. Los ejemplares tipo de Cerambycidae del Museo de La Plata (Insecta: Coleoptera). *Revta. Mus. La Plata, Ser. Técnica y Didáctica* 38: 33-38.
 - Dias, M.M. 1987. Revisão da subfamília Anoplodermatinae. Parte III. Gêneros *Cherrocrius* Berg, 1898, *Hypocephalus* Desmarest, 1832 (Coleoptera, Cerambycidae). *Revta. bras. Ent.* 31(1): 101-112.
 - 1988. Revisão da subfamília Anoplodermatinae. Parte IV. Tribo Mysteriini. Gêneros: *Mysteria* Thomson, 1860, *Pathocerus* Waterhouse, 1901, *Pseudopathocerus* gen. n. (Coleoptera, Cerambycidae). *Revta. bras. Ent.* 32(2): 139-160.
 - Di Iorio, O.R. 1995a. The genus *Megacyllene* Casey, 1912 in Argentina (Coleoptera: Cerambycidae), with the description of a new species. *Insecta Mundi* 9(3-4): 317-328.
 - 1995b. The genus *Neoclytus* Thomson, 1860 (Coleoptera, Cerambycidae) in Argentina. *Insecta Mundi* 9(3-4): 335-345.
 - 1996a. Biology of *Psalidognathus germaini durnfordi* (Burmeister, 1879) (Coleoptera: Cerambycidae: Prioninae) in Patagonia, Argentina. *G. it. Ent.* 8: 87-94.
 - 1996b. Torneutini (Coleoptera: Cerambycidae) of Argentina. Part I. Species related to the South American area of *Prosopis* L. and xerophilous species of *Acacia* Miller (Mimosaceae). *G. it. Ent.* 8: 125-155.
 - 1997. Neotropical species of the genus *Megacyllene* (s. str.) Casey, 1912 (Coleoptera: Cerambycidae: Cerambycinae: Clytini), with descriptions of two new species from Argentina. *G. it. Ent.* 8: 383-398.
 - 1998a. New species, synonymies, combinations and records of Clytini (Coleoptera: Cerambycidae) of Argentina. *Insecta Mundi* 12(1-2): 5-14.
 - 1998b. Redescriptions, new combinations, synonymies, and new records of South American Lepturini (Coleoptera: Cerambycidae: Lepturinae). *Insecta Mundi* 12(1-2): 139-148.
 - 1998c. The tribe Lissonotini in Argentina (Coleoptera: Cerambycidae), with one new species. *G. it. Ent.* 9: 27-36.
 - 2001. Systematics and biology of the species of the genus *Ischionodonta* Chevrolat, 1859 (Coleoptera: Cerambycidae: Cerambycinae: Rhopalophorini) from Argentina. *G. it. Ent.* 9: 263-291.
 - Fernández, F.A. 1888. *Sobre entomología agrícola argentina*. De Marsico, E. (Ed.). Buenos Aires, 101 p.
 - Fragoso, S.A. & M.A. Monné. 1982. Notas sobre Prioninae neotropicais (Coleoptera, Cerambycidae). *Pesq. agrop. bras.*, Brasilia 17(4): 519-523.
 - Gahan, C.J. & E. Gounelle. 1910. Note sur *Callimoxys Brullei* Mulsant (Col. Cerambycidae). *Bull. Soc. ent. France* 13: 237-238.
 - Galileo, M.H.M. 1987a. Sistemática das tribos Meroscelisini e Anacolini (Coleoptera, Cerambycidae, Prioninae) nas Americas. I. Meroscelisini. *Revta. bras. Ent.* 31(2): 141-367.
 - 1987b. Sistemática das tribos Meroscelisini e Anacolini (Coleoptera, Cerambycidae, Prioninae) nas Americas. II. Anacolini. *Revta. bras. Ent.* 31(4): 481-705.
 - Gemignani, E.V. 1939. *La Sección Entomología del Museo Argentino de Ciencias Naturales*, p. 133-143. In: VII Internationaler Kongreß für Entomologie. Berlin 15-20 August 1938. Druck von G. Uschmann in Weimar, Herausgegeben im März 1939. 1. Sektion: Systematik und Tiergeographie.
 - Giesbert, E.F. & J.A. Chemsak. 1993. A review of the Rhopalophorini (Coleoptera: Cerambycidae) of

- North and Central America. *Insecta Mundi* 7: 27-64.
- Gilmour, E.F. 1962. Synopsis of the tribe Aerenicini (Coleoptera, Cerambycidae, Lamiinae). *Revta. Biol. trop.* 10(2): 123-147.
- Gounelle, E. 1905. Description d'un cérambycide nouveau appartenant au genre *Coremia* et tableau synoptique de ce genre (Col.). *Bull. Soc. ent. France* 1905: 227-228.
- 1906a. Cérambycides nouveaux ou peu connus de la région néo-tropicale principalement de la sous-région brésilienne. *Annls. Soc. ent. France* 75: 1-20.
 - 1906b. Chasses de M. Bruch dans l'Argentine. Description d'un nouveau genre et d'une nouvelle espèce de Cérambycides [Col.]. *Bull. Soc. ent. France* 1906: 140-142, fig.
 - 1908. Notes synonymiques (Col.). *Bull. Soc. ent. France* 1908: 288-289.
 - 1911. Liste des cérambycides de la région de Jatahy, État de Goyaz, Brésil. 2e partie. *Annls. Soc. ent. France* 80: 1-150.
 - 1913. Chasses de M.E.-R. Wagner, correspondant du Muséum, dans les provinces du Nord de la République Argentine. Cérambycides nouveaux ou peu connus. *Bull. Mus. Hist. nat. Paris* 19(4): 193-231.
- Hüdepohl, K.E. 1979. Revision der Gattung *Oxymerus* Serville (Cerambycidae, Cerambycinae, Trachyderini). *Ent. Arb. Mus. Frey* 28: 9-74.
- 1985. Revision der Trachyderini (Coleoptera: Cerambycidae). *Ent. Arb. Mus. Frey* 33-34: 1-167.
- International Commission on Zoological Nomenclature. 1999. *International Code of Zoological Nomenclature*. The International Trust for Zoological Nomenclature 1999 c/o The Natural History Museum (Eds.). Fourth Edition, xxix + 306 p.
- Júlio, C.E. de A., J.A. Giorgi & M.A. Monné. 2001. Os tipos primários de Cerambycidae (Coleoptera) da coleção do Museu Nacional - Rio de Janeiro. *Publ. Avuls. Mus. Nac.*, Rio de Janeiro (84): 1-54.
- Lacordaire, J.T. 1869. *Histoire Naturelle des Insectes. Genera des Coléoptères, ou exposé méthodique et critique de tous les genres proposés jusqu'ici dans cet ordre d'insectes*. Paris. Librairie Encyclopédique de Roret 8: 1-552.
- Lameere, A.A. 1912. Révision des Prionides (Vingt-et-unième mémoire Anacolines). *Mém. Soc. ent. Belgique* 21: 1-188.
- Lane, F. 1939. Descrições de longicórneos neotrópicos (nota previa). *Bol. biol. (N. s.)* 4(1): 73-78.
- 1947a. A synopsis of Dr. Gilmour's synopsis of the tribe Aerenicini (Coleoptera: Cerambycidae). *Studia ent.* 17(1-4): 349-377.
 - 1947b. Sobre a designação de alguns lectotipos de longicornios descritos em nota previa en 1939 (Coleoptera: Cerambycidae). *Studia ent.* 17(1-4): 378-382.
 - 1964. Novos gêneros e espécies en Anisocerini (Coleoptera, Lamiidae). *Studia ent.* 7: 179-200.
- Linsley, E. G. & J. A. Chemsak. 1971. An attempt to clarify the generic status of some Neotropical species currently assigned to *Euryptera*, *Chontalia* and *Ophistomis* (Coleoptera, Cerambycidae). *Arq. Zool.*, São Paulo 21(1): 1-40.
- Marinoni, R.C. & U.R. Martins. 1978. Notas sinonímicas e novas espécies em Acanthoderini (Coleoptera, Cerambycidae, Lamiinae). *Pap. avuls. Zool.*, São Paulo 31(11): 173-193.
- Marques, M.I. 1994. *Dirocoremia*, subgen. n. de *Coremia* Audinet-Serville (Coleoptera, Cerambycidae, Compsocerini). *Revta. bras. Zool.* 11(2): 311-324.
- Marques, M.I. & D.S. Napp. 1996. Revisão e transferência para Rhopalophorini (Coleoptera, Cerambycidae, Cerambycinae) dos gêneros *Coremia* A.-Serville, 1834 e *Merocoremia* Marques, 1994. *Revta. bras. Ent.* 40(3-4): 379-423.
- Martínez, A. & L. Peña. 1975. Notas sobre el género *Drascalia* Fairmaire y Germain, 1864 (Coleoptera, Cerambycidae, Phlyctaenodini). *Boln. Mus. nac. Hist. nat.*, Chile 34: 59-61.
- Martins, U.R. 1959. Ibidionini (Coleoptera, Cerambycidae) IV. Comentários, redescrição e espécies novas do gênero *Hexoplton* Thomson. *Pap. Avuls. Zool.*, São Paulo 13(30): 339-349.
- 1962. Ibidionini (Coleoptera, Cerambycidae) XX. Descrições, redescrições e novas combinações. *Pap. Avuls. Zool.*, São Paulo 15(10): 91-110.
 - 1967. Monografia da tribo Ibidionini (Coleoptera, Cerambycidae). Parte I. *Arq. Zool.*, São Paulo 16(1): 1-320.
 - 1970. Monografia da tribo Ibidionini (Coleoptera, Cerambycidae). Parte IV. *Arq. Zool.*, São Paulo 16(4): 879-1149.
 - 1971. Monografia da tribo Ibidionini (Coleoptera, Cerambycidae). Parte VI. Distribuição geográfica. *Arq. Zool.*, São Paulo 16(6): 1343-1508.
 - 1975. A taxonomic revision of the world Smodicini (Coleoptera, Cerambycidae). *Arq. Zool.*, São Paulo 26(4): 319-359.
 - 1976a. Sistemática e evolução da tribo Piezocerini (Coleoptera, Cerambycidae). *Arq. Zool.*, São Paulo 27(3-4): 165-370.
 - 1976b. Notas sobre *Achryson* Serville, 1833 (Coleoptera, Cerambycidae). *Revta. bras. Ent.* 20 (2): 73-78.
 - 1980. Revisão dos gêneros *Austroeme*, *Stenoeme*, *Xanthoeme* gen. n., e *Ocroeme* (Coleoptera, Cerambycidae). *Pap. Avuls. Zool.*, S. Paulo 33(11): 221-229.
 - 1996. Tribo Oemini, p. 5-155. In: Martins, U.R. (Ed.).
 - 1997. Cerambycidae sul-americanos (Coleoptera). Taxonomia Vol. 1: Subfamília Cerambycinae, Oemini Lacordaire, 1869, Methiini Thomson, 1860, Dodecosimi Aurivillius, 1912, Paraholopterini, trib. n. Sociedade Brasileira de Entomologia, São Paulo, 217 p.
 - 1997. Contribuições para uma revisão das espécies sul-americanas da tribo Eburiini (Coleoptera, Cerambycidae). *Revta. bras. Ent.* 41: 57-83.
 - 1998. Tribo Phlyctaenodini, p. 1-29. In: Martins, U.R. (Ed.). 1998. Cerambycidae sul-americanos (Coleoptera). Taxonomia Vol. 2: Subfamília Cerambycinae, Phlyctaenodini Lacordaire, 1869, Holopterini Lacordaire, 1869, Uracanthini Lacordaire, 1869, Pleiarthrocerini Lane, 1950, Ectenessini, trib. n. Sociedade Brasileira de Entomologia, São Paulo, 195 p.
 - Martins, U.R. & M.H.M. Galileo. 1989. Revisão das

- espécies sul-americanas do gênero *Erana* Bates, 1866 (Coleoptera, Cerambycidae, Lamiinae, Hemilophini). *Iheringia, Ser. Zool.* (69): 71-83.
- 1998. Revisão da tribo Aerenicini Lacordaire, 1872 (Coleoptera, Cerambycidae, Lamiinae). *Arq. Zool.*, São Paulo 35(1): 1-133.
- Martins, U.R. & M.A. Monné. 1974. Contribuição ao conhecimento dos Acanthocinini VI (Coleoptera, Cerambycidae, Lamiinae). *Pap. avuls. Zool.*, S. Paulo 28(2): 11-30.
- 1998. Tribo Holopterini, p. 31-66. In: Martins, U.R. (Ed.). 1998. Cerambycidae sul-americanos (Coleoptera). Taxonomia Vol. 2: Subfamília Cerambycinae, Phlyctaenodini Lacordaire, 1869, Holopterini Lacordaire, 1869, Uracanthini Lacordaire, 1869, Pleiarthrocerini Lane, 1950, Ectenessini, trib. n. Sociedade Brasileira de Entomologia, São Paulo, 195 p.
- Melzer, J. 1919. Os longicórneos brasileiros da subfamília Prioninae, tomando em consideração particular as espécies do Estado de São Paulo. *Revta. Mus. paulista*, São Paulo 11: 1-207.
- 1920. Longicórneos novos ou pouco conhecidos do Brasil. *Revta. Mus. paulista*, São Paulo 12(2): 410-437.
 - 1922. Longicórneos (Col.) do Brasil, novos ou pouco conhecidos. *Notas Preliminares, Mus. paulista* 2(2): 1-12.
 - 1923. Longicórneos (Col.) do Brasil, novos ou pouco conhecidos. *Notas Preliminares, Mus. paulista* 2(4): 3-10.
 - 1926. Longicórneos (Col.) do Brasil, novos ou pouco conhecidos. *Publ. Mus. nac.*, Rio de Janeiro (7): 1-15.
 - 1927. Longicórneos (Col.) do Brasil, novos ou pouco conhecidos. *Revta. Mus. paulista*, São Paulo 15(1): 135-202, 557-582.
 - 1928. Longicórneos do Brasil, novos ou pouco conhecidos (Coleoptera, Cerambycidae). *Arch. Inst. biol.*, São Paulo 1: 143-158.
 - 1930. Longicórneos do Brasil, novos ou pouco conhecidos. II (Coleoptera, Cerambycidae). *Arch. Inst. biol.*, São Paulo 3: 187-208.
 - 1931. Longicórneos americanos, principalmente do Brasil, novos ou pouco conhecidos. *Arch. Inst. biol.*, São Paulo 4: 51-82.
 - 1931. Novos Cerambycideos Neotrópicos. *Rev. Ent.*, Rio de Janeiro 1(2): 191-199.
 - 1932. Vinte espécies novas de cerambycideos neotrópicos, principalmente do Brasil. *Rev. Ent.*, Rio de Janeiro 2(2): 216-238.
 - 1932. Novos gêneros e novas espécies de cerambycideos do Brasil. *Rev. Ent.*, Rio de Janeiro 2(4): 420-434.
 - 1933. Cerambycideos neotrópicos, novos ou pouco conhecidos. *Rev. Ent.*, Rio de Janeiro 3(3): 367-382.
 - 1934. Novos subsídios para o conhecimento dos cerambycideos neotrópicos. *Rev. Ent.*, Rio de Janeiro 4(1): 70-110.
 - [1934] 1935. Longicórneos americanos, principalmente do Brasil, novos ou pouco conhecidos. *Arch. Inst. biol.*, São Paulo 5: 213-244.
- Monné, M.A. 1972. Revisión parcial del género *Achryson* Serville, 1833. *Revta. peruana Entom.* 15(1): 103-112.
- 1975. Notas sinonímicas em Acanthocinini (Coleoptera, Cerambycidae). *Revta. bras. Ent.* 19(2): 55-58.
 - 1977. Contribuição ao conhecimento dos Acanthocinini VI (Coleoptera, Cerambycidae, Lamiinae). *Revta. bras. Biol.*, Rio de Janeiro 37(4): 693-711.
 - 1980. Contribuição ao conhecimento dos Compsosomatini (Coleoptera, Cerambycidae, Lamiinae). Parte III. *Revta. bras. Ent.* 24(3-4): 227-265.
 - 1985. Sinopse do gênero *Nyssodrysternum* Gilmour, 1960, com notas sobre o "complexo Nyssodrys" (Coleoptera, Cerambycidae, Lamiinae, Acanthocinini). *Revta. bras. Ent.* 29(3-4): 535-548.
 - 1993. *Catalogue of the Cerambycidae (Coleoptera) of the Western Hemisphere. Part VI. Subfamily Cerambycinae: tribes Eligmodermini, Callidiopini, Curiini, Gracilini, Oibriini, Hyboderini, Eumichthini, Phlyctaenodini, Holopterini, Stenoderini, Pseudocephalini and Bimiini*. Soc. bras. Ent. (Ed.), São Paulo, 47 p.
 - 1995. *Catalogue of The Cerambycidae (Coleoptera) of the Western Hemisphere. Part XXII. Subfamily Prioninae*. Soc. bras. Ent. (Ed.), São Paulo, 115 p.
- Monné, M. A. & E. F. Giesbert. 1995. *Checklist of the Cerambycidae and Disteniidae (Coleoptera) of the Western Hemisphere*. Wolfsgarden Books. Burbank, California, xiv + 420 p.
- Monné, M.A. & M. Hoffmann. 1981. O gênero *Leptostylus* LeConte, 1852 na América do Sul (Coleoptera, Cerambycidae, Lamiinae, Acanthocinini). *Revta. bras. Ent.* 25(4): 245-263.
- Monné, M.A. & U.R. Martins. 1973. Trachyderini (Coleoptera, Cerambycidae): Sinônimas, observações, espécies novas. *Pap. avuls. Zool.*, S. Paulo 27(5): 69-80.
- 1976. Contribuição ao conhecimento dos Acanthocinini (Coleoptera, Cerambycidae, Lamiinae). *Pap. avuls. Zool.*, S. Paulo 30(4): 43-98.
- Monné, M.L. & D.S. Napp. 1999. *Ceracynna* (Coleoptera, Cerambycidae): descrição de quatro espécies novas e sinonimia. *Iheringia, Sé: Zool.*, Porto Alegre (86): 29-37.
- Napp, D.S. 1976. Revisão dos gêneros *Compsocerus* Lepaletier & Serville, 1830 e *Paromoeocerus* Gounelle, 1910 (Coleoptera, Cerambycidae). *Revta. bras. Ent.* 20: 1-64.
- 1979. Revisão do gênero *Ethemon* Thomson, 1864 (Coleoptera, Cerambycidae). *Revta. bras. Biol.* 39(4): 901-917.
- Napp, D.S. & U.R. Martins. 1982. Subsídios para revisão taxonômica da tribo Achrysonini (Coleoptera, Cerambycidae) nas Américas. *Pap. Avuls. Zool.*, S. Paulo 34(28): 349-401.
- Podany, C. 1965. Remarques sur les Callichromini américains (Col., Ceramb.). *Bull. Soc. ent. Mulhouse* 1965: 34-41.
- Viana, M.J. 1970. Un nuevo género y especie de Cerambycidae de la República Argentina (Coleoptera, Cerambycinae, Compsocerini). *Revta. Mus. argent. Cs. nat. "Bernardino Rivadavia"*, Ser. Zool. 10(10): 145-153.

- 1971. Las especies argentinas de Ancylocerini Thomson y catálogo bibliográfico de la tribu (Cóleopt., Cerambycidae, Cerambycinae). *Revta. Mus. argent. Cs. nat. "Bernardino Rivadavia"*, Ent. 3(3): 149-205.
- Waterhouse, C.O. 1901. Two new genera of Coleoptera belonging to the Cupesidae and Prionidae. *Ann. Mag. nat. Hist.*, London 7(7): 520-523.
- Weyenberg, D.H. 1878. Informe sobre una excursión zoológica a Santa Fé, practicada en el año 1876. *Periódico zoológico [Órgano de la Sociedad Zoológica Argentina]*, Córdoba 3: 39-64.
- Zajciw, D. 1972. Estudo das espécies brasileiras do gênero *Acyphoderes* Audinet-Serville, 1833 (Coleoptera: Cerambycidae, Rhinotragini). *Atas Soc. Biol.*, R. Janeiro 15(2): 95-97.
- Zajciw, D. & A. Ruffinelli. 1962. Fauna de los cerambícidos del Uruguay. *Univ. Rep., Bol. Fac. Agron. Montevideo* 60: 1-89.
- Zikán, W. & P. Wygodzinsky. 1948. Catálogo dos tipos de insetos do Instituto de Ecologia e Experimentação Agrícolas. *Bol. Serv. Nac. Pesq. Agron.* 4: 1-93.

Recibido: 21-VI-2001

Aceptado: 12-XII-2001